

The 910 vinyl sliding glass door is a **solid, reliable option that helps unite the interior and exterior spaces of your newly built home**. Available in two- and three-panel configurations, our 910 sliding glass door combines convenience, function, and style to meet all of your needs.

PERFORMANCE FEATURES

- Warm-edge spacer system maximizes energy efficiency and improves seal performance of insulated glass units
- Welded, multi-chambered vinyl frame for superior strength and energy efficiency
- Insulated double-strength tempered glass adds strength and dependability
- Interlock at fixed meeting rail helps reduce air infiltration
- Tandem ball bearing roller system and aluminum tracks create effortless operation



Designed smarter, from the inside out

ENGINEERED TO PERFORM

- 4 ³/₄" frame depth
- 3/4" insulated glass
- J-Channel and brickmould options available

CONVENIENCE & STYLE

The 910 features the following design details on every door:

- Tandem ball bearing metal roller system
- Aluminum tracks for roll panel and screen

SAFETY & SECURITY FEATURES

- Standard tempered glass is four times stronger than non-tempered glass and safer if broken
- Available with key-lock handle for added security and convenience

SIZING

MINIMUM & MAXIMUM (available in 1/4" increments)

- 2-Panel
 - 47 ½"-95 1/2" wide **x** 71"-95 ½" high
- 3-Panel (mulled sidelite)
 - 107 3/8" wide x 79 1/2"-81 1/2" high

Bright Brass (interior)

Bronze (interior)

Color-matched

GRID TYPES & SIZES

5/8" flat grids-between-the-glass

CREATE A CUSTOMIZED LOOK

HARDWARE FINISH OPTIONS

- ⁷/₈" flat grids-between-the-glass
- 11/16" sculptured grids-between-the-glass
- 15/16" sculptured grids-between-the-glass

GRID PATTERNS







Colonial

Perimeter

6-Lite Perimeter

PANEL OPERATION'









2-Panel

3-Panel

VINYL/EXTRUDED COLORS



Almond







Green

Bronze



* View from outside looking in X=operating; O=stationary

ENERGY-EFFICIENT GLASS PACKAGES

Our dual-pane insulated glass package options help save on heating and cooling costs while enhancing home comfort

- In cool weather, insulated glass provides outstanding thermal performance to keep interior glass surfaces closer to room temperature, eliminating cold spots near doors
- In warm weather, it helps reduce solar heat gain and minimize glare to improve interior comfort
- Able to meet **ENERGY STAR®** requirements in all four climate zones

GLAZING TYPE	U-VALUE	SHGC
Low-E glass	0.32	0.32
Low-E glass with grids	0.32	0.28
Argon and Low-E glass	0.28	0.32
Argon and Low-E glass with grids	0.28	0.28
HP Low-E glass	0.31	0.23
HP Low-E glass with grids	0.31	0.21
Argon and HP Low-E glass	0.28	0.23
Argon and HP Low-E glass with grids	0.28	0.20
Thermal Upgrade: Argon Low-E glass	0.27	0.32
Thermal Upgrade: Argon and Low-E glass with grids	0.27	0.28

Note: all values based on 3/4" dual-pane IGU











OUR MISSION

Getting It Right Every Time

We build each of our products the same way we built our company: with integrity and precision. Every MI window and door is handcrafted in the United States using state-of-the-art manufacturing techniques, and is backed by vigorous in-house testing procedures. We are 100% committed to offering the styles, value, and performance you're after.

Discover everything we have to offer at miwindows.com, or by calling 1-717-365-3300.

[‡] Exterior paint available with "1/16" sculptured grids only; silver and black not available with woodgrain interiors