


# 2018 Full-Line Catalog

Building Professionals' Entry & Patio Door Directory

**THERMA TRU®**  
DOORS



• Home begins at the door.





# Table of Contents

<b>Introduction</b>	2-35
<b>NEW</b> Products	4-10
Curb Appeal Inspiration	11-16
Door Selections	17-25
Door System Components	26-27
Decorative & Specialty Glass	28-33
Impact Products	34-35

<b>Classic-Craft</b>	36-109
Decorative & Specialty Glass	36-45
Accessories	46-47
American Style Collection™	49-59
Mahogany Collection™	60-69
Rustic Collection™	70-83
Oak Collection™	84-93
Canvas Collection®	94-109

<b>Fiber-Classic® &amp; Smooth-Star</b>	110-203
Decorative & Specialty Glass	114-121
Accessories	122

<b>Steel</b>	204-229
Profiles™	204, 206-223
Traditions	205-208, 224-229
Decorative & Specialty Glass	207-208

<b>Fire Doors</b>	230-235
-------------------	---------

<b>Pulse®</b>	236-249
---------------	---------

<b>Hinged Patio</b>	250-257
---------------------	---------

<b>Door System Components</b>	258-267
-------------------------------	---------

<b>NEW PrismaGuard™ Stain</b>	268
-------------------------------	-----

<b>Same-Day® Stain Kit</b>	269
----------------------------	-----

<b>Special Quote Program</b>	270
------------------------------	-----

<b>3'6" Width Options Chart</b>	271
---------------------------------	-----

<b>7'0" &amp; 6'6" Height Options Charts</b>	272-273
--	---------

<b>Product Details</b>	274-275
------------------------	---------

<b>Index</b>	276-290
--------------	---------

<b>Trade Resources</b>	291
------------------------	-----

## Expressions 2018 New Products

Our newest products are designed with the latest style trends in mind.

Explore new entryway options to transform the home into a personal expression of style.



**NEW** Classic-Craft. American Style Collection™ Shaker-Style Doors & Sidelites Page 5



**NEW** Smooth-Star. Shaker-Style Doors Page 6



**NEW** Pembridge™ Decorative Glass Page 7



**NEW** Geometric Privacy & Textured Glass Page 8



**Grip-Style Multi-Point Locking System Handlesets** Page 9



**NEW** PrismaGuard™ Premium Stain Page 10

\*Brand Use Study, 2017 *Builder* magazine.

Right Page: Classic-Craft American Style Collection, Chinchilla Glass with SDLs, Door - CCA82310XJ



# DISCOVER

• Therma-Tru. You're in expert hands.

Uncompromising  
quality, inside  
and out.

Choosing a Therma-Tru® door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand building professionals prefer most.\* With a complete door system engineered with craftsman precision and backed by more than 50 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

**That's where the beauty of choosing Therma-Tru begins.**



# Celebrate Style with Our Expressions 2018 New Products

## EXPRESSIONS 2018

*Casual Comfort* **BOLD STATEMENTS** *Renewed Classics*

The home is a personal expression of style. And as styles evolve, so does our product portfolio. Therma-Tru researches the trends homeowners are gravitating toward to deliver exciting new entryway options to transform a house into a home.

Download the Expressions 2018 New Products brochure and explore new products at [www.thermatru.com](http://www.thermatru.com).

### *Casual Comfort*

Find balance with easy styles from the past.



### **BOLD STATEMENTS**

Flaunt modern design sophistication.



### Renewed Classics

Reinvent a favorite traditional style.



NEW

# Classic-Craft® American Style Collection™

Shaker-Style Door & Sidelite Expansion



5

## • Simplicity meets sophistication.



Full-Lite Shaker Flush-Glazed  
Doors & Sidelites

1-Panel Shaker

### Flat Profile Divider Bars



(107.95 mm / 4.25 in.)

(139.70 mm / 5.50 in.)

Discover an assortment of premium Shaker-style entry doors and sidelites. The Classic-Craft® American Style Collection™ expands to include solid-panel styles and entries with full-lite EnLiten™ flush-glazed glass for a simple, yet sophisticated look. Explore hand-selected styles created with premium flat profile divider bars applied to doors with or without glass to complement a variety of architectural elements from Arts and Crafts to Contemporary and Modern.

Available in Classic-Craft, starting on page 48.



Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Top: Classic-Craft American Style Collection Door – CCA1133; Low-E Glass, Sidelites – CCA2400SL



**NEW**

## Smooth-Star®

Shaker-Style Door Expansion




6

- Relaxed style for simple living.

Giving a nod to the craftsmanship that inspired them, the Smooth-Star® Shaker-style door offering expands to include new solid-panel styles and additional glass options for a fresh look with a simple, casual design. These doors feature recessed panels to capitalize on the growing trend toward aesthetically clean and simplistic transitional design carried throughout the home from exterior to interior.

Available in Smooth-Star, starting on page 111.



1-Panel Shaker

2-Panel Shaker

Fire-Rated  
OptionsWBDR  
Options

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star Door – S120; Smooth-Star, Clear Glass, Doors – S2000

**NEW**

# Pembridge™ Decorative Glass

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse® Doors



## Traditional meets modern.



Black Nickel

1 7 10

Glass Privacy Rating

Deliver sophistication to the entry with this modern twist on a traditional design. Pembridge features a field of ❶ hammered glass framed by ❷ gray baroque glass and ❸ multifaceted bevels. A central diamond shape adds a decorative touch, perfect for a wide range of home styles from Traditional to Modern.

Available in Fiber-Classic and Smooth-Star, starting on page 110, Profiles and Traditions, starting on page 204, and Pulse, starting on page 236.



Fiberglass\*



Steel\*



WBDR / HVHZ  
Options

\*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass design may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Fiber-Classic Mahogany Collection, Pembridge Glass, Door – FCM86550



**NEW**

# Geometric Privacy & Textured Glass

for Classic-Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse® Doors



## • Visual texture and privacy, modernized.



Enjoy natural light, privacy and modern beauty with the sleek cubic texture of Geometric glass. Featuring a unique multidimensional view with ever-changing perspectives, this glass is ideal for Contemporary, Modern and Transitional home styles.

Available in Classic-Craft starting on page 36, Fiber-Classic and Smooth-Star, starting on page 110, Profiles and Traditions, starting on page 204, and Pulse, starting on page 236.



Fiberglass\*



Steel\*



WBDR / HVHZ  
Options

\*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass design may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Geometric Glass, Door – S2000XG, Sidelite – S2000XGSL

1 7 10

Glass Privacy Rating

# PrismaGuard™ Premium Stain

NEW



Shown in Raven stain.

9

## Finished for lasting beauty.

Bring the authentic look of wood to life with PrismaGuard™ stain. Explore an inspirational palette of nature-inspired colors to complement a home's overall beauty. Professionally applied in a controlled environment, this high-end low-maintenance finish protects the door from everyday wear and tear and is designed for optimal performance with Therma-Tru® fiberglass doors.

See it on page 268.



**10** YEAR  
LIMITED  
WARRANTY

**PRISMA GUARD™**

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.

Top: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL




# Grip-Style Multi-Point Locking System



10

## Functional style. Exceptional security.



Enhance your entryway with the fresh style and intuitive design of new grip-style handlesets. Forte and Prospect handlesets complement a variety of home styles from Traditional to Contemporary. With smooth operation that's as easy to use as a traditional deadbolt, grip-style handlesets feature a multi-point locking system with three points of engagement for excellent security.

Available in a range of finishes, starting on page 264.

Top Left: Classic-Craft Canvas Collection Door – CCV050; Low-E Glass, Sidelite – CCV100SL  
 Top Right: Classic-Craft Oak Collection, Arborwatch Glass, Door – CC1423, Sidelites – CC1423SL

# Classics get a refresh in today's home design trends.



Modern Farmhouse



Barn Style



Shed Style



Modern Tudor

House plans available at [TheHouseDesigners.com](http://TheHouseDesigners.com).



Bring out the best of a home's style with a Therma-Tru® door.

With a wide array of door styles, Therma-Tru has something for everyone. From Traditional to Modern, the Architectural Home Styles Guide pairs stylish Therma-Tru doors with popular home design trends, giving you confidence that your door selection will add curb appeal while enhancing the home's overall style.

■ View our interactive Architectural Home Styles Guide at [www.homestyles.thermatru.com](http://www.homestyles.thermatru.com).





## Colonial

Preserves the classic style of homes from America's history. Known for its refined design and symmetry.



Left: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028

## European

Inspired by the provincial style of countryside estates. Features rich details on brick, stone and stucco exteriors.



Right: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM898, Sidelites – CCM8102SL



## Victorian

Reflects the style of this grand period with elaborate detail. Marked by its asymmetry and textured exteriors.



Left: Classic-Craft Canvas Collection, Arcadia Glass, Door – CCV05029, Sidelites – CCV109SL, Transom – CC620T

## Craftsman

Exemplifies the craft of building by hand. Emphasized by the use of natural wood, stone and brick materials.



Right: Smooth-Star, Sedona Glass with Flat Lite Frame, Door – S2650, Sidelites – S139SL







## Southwest

Includes breezy spaces practical for warm climates. Feels exotic with stucco exteriors and stone accents.



Left: Classic-Craft Canvas Collection, Augustine Glass, Door – CCV806027

## Traditional

Combines practicality with classic looks in almost any form. Represents elements from a variety of styles.



Right: Classic-Craft Oak Collection, Cambridge Glass, Door – CC96, Sidelites – CC2044SL



## Coastal

Mixes traditional details and clean lines for casual elegance. Blends indoor and outdoor living with great views.



Left: Smooth-Star, Clear Glass with SDLs, Doors – S2103

## Modern

Focuses on clean lines and asymmetrical exteriors. Fuses together industrial concrete, vinyl and glass materials.



Right: Pulse Línea, Geometric Glass with Flat Lite Frame, Doors – FCM81RXG, FCM81LXG





# The Power of Curb Appeal

A new entry door can pay for itself – and then some – giving you and your customers more bang for your buck.



## Perceived Value

A smart investment, a new Therma-Tru® entry door can increase a home's perceived value by **4.2%** or **\$18,750** on average.\*



## Return On Investment

Homeowners who choose a stylish new Therma-Tru® entry door can see **more than 2 times** the return on their investment.\*

Open the door to increased value with a stylish new Therma-Tru door. Learn more at [www.thermatru.com/curbappeal](http://www.thermatru.com/curbappeal).

• A smart investment.

## Lifetime Limited Warranty

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranty.



## Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



## Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.

\*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, and independent provider of Internet-based research.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Right Page: Classic-Craft Rustic Collection Door – CCR205; Smooth-Star, Clear Glass with GBGs, Sidelites – S1170SL, Transom – 19220T; Clavos

# The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



## Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 26–27.



## Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 28–33.



## Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 18–25.



## Finish Options

Complete the desired look with stain or paint. Explore 16 popular stain colors from PrismaGuard™ finish and Same-Day®. Stain on pages 268–269.

## Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?

Also consider:

- Regional weather conditions and building codes. See pages 34–35 for more.





# Door Selections

Choose from our many door selections to complement the architectural style of the home. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

## Classic-Craft® Collections Pages 36–109

Find the right style for any personality. Choose from premium fiberglass entryways in four wood grains or a smooth surface that all rival custom wood.



**American Style Collection™**



**Mahogany Collection™**



**Rustic Collection™**



**Oak Collection™**



**Canvas Collection™**



Both Classic-Craft and Fiber-Classic are rated a *Consumers Digest* Best Buy in the fiberglass entry doors category.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.

## Fiber-Classic® Collections Pages 110–203

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



**Mahogany Collection™**



**Oak Collection™**



## Smooth-Star® Pages 111–203

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



**Smooth-Star.**



## Steel Pages 204–229

Bring style and affordability together to create very attractive results with our steel doors.



**Profiles™**

**10 YEAR**  
LIMITED  
WARRANTY  
Door & Glass



**Traditions**

**5 YEAR**  
LIMITED  
WARRANTY  
Door

**10 YEAR**  
LIMITED  
WARRANTY  
Glass

## Pulse® Pages 236–249


A contemporary series of door styles and glass designs that can be combined to make a bold statement.



Fiberglass




Steel



**Ari**



**Línea**



**Echo**



# Classic-Craft® Premium Entryways

A premium entryway that's truly unique and uncompromising in every detail. One that blends precision-engineered features with architecturally correct details to produce an entryway that performs as exceptionally as it looks – instilling confidence and peace of mind. And Classic-Craft entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, quality of materials and construction, and resemblance to a real wood door.



## See the difference.

Discover architecturally correct designs, exclusive glass options and rich, authentic finishes.



Extraordinary in every way.

More than 10%  
wider glass\*



**Classic-Craft  
Premium Glass**



**Standard Glass**

\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details. Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.

## Classic-Craft® Premium Glass

- An exclusive collection of 12 decorative glass families, starting on page 36.
- Close attention to detail produces truly distinctive designs you won't find anywhere else.
- More than 10% wider glass\* welcomes more light into the home and creates a distinctive entryway.
- Fiberglass lite frames are made with the same material as the door to blend seamlessly with the rest of the entryway when stained or painted.
- All sidelites are made with flush-glazed glass for a truly seamless, consistent appearance.
- All clear glass options are Low-E, providing long-term energy efficiency.

# Compare for yourself.

## Architecturally correct for true classic beauty.

Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to  
25% wider  
panels\*



**Classic-Craft Premium Door**



**Standard Fiberglass Door**



### Premium – right down to the edge.

A solid hardwood square edge delivers a genuine wood appearance.



### Standard fiberglass bullnose edge.

The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.



### The look of real wood.

Realistic wood grains that are virtually indistinguishable from high-grade wood doors, thanks to Therma-Tru's AccuGrain® technology.



### Details that define a custom door.

Crisp, handcrafted elegance creates embossments that are deeper than standard fiberglass doors.

## Feel the difference.

Experience the integrity of a solid, precision-engineered entryway built for long-term durability, stability and peace of mind.



# Door Construction

Classic-Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. But the beauty goes beyond skin deep. Discover the craftsmanship and innovation of a premium entryway that performs as exceptionally as it looks, offering long-lasting energy efficiency, durability and security.



## 1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

## 2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A 4" wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

## 3 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

## 4 Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.\*

## 5 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.

\*Comparison of fiberglass to wood doors (both without glass).

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.

Right Page Top: Fiber-Classic Oak Collection, Salinas Glass, Door – 81955P, Sidelites – 81955PSL

Right Page Bottom Left: Smooth-Star, Clear Glass with GBGs, Door – S262

Right Page Bottom Right: Smooth-Star, Clear Glass, Door – S8140

## Fiber-Classic® & Smooth-Star® Doors

Bring home the authentic look of wood with the low-maintenance benefits of fiberglass. From front entry to patio, you will find flexible options to fit virtually every entrance with beautiful, energy-efficient, durable and secure fiberglass doors. Choose from a wide range of door styles and sizes, glass designs, and options to meet building codes. And Fiber-Classic entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, breadth of style options and wood-grained texture.




• Find options to fit every entrance.





**Portfolio versatility.**

With many door styles in common and interchangeable glass designs between collections, it allows flexibility to find the right door, in the right texture, without compromises.

**On-trend surfaces.**

Available in a variety of textures, including grain choices with the look of real wood or a smooth, paintable alternative to steel. (Wood-grained images shown in Natural Oak stain.)

**High-definition panel embossments.**

High-definition panel embossments are standard on all doors and sidelites.

**Fiber-Classic® & Smooth-Star® Glass**

- A portfolio of 15 interchangeable decorative glass designs, starting on page 114.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass – starting on page 165.
- Lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.

## Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



### ① Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

### ② Security

An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

### ③ Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

### ④ R-Values


Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood\*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.

\*Comparison of fiberglass to wood doors (both without glass).




# Engineered to Work Together


Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.




- 1 Sill and bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




- 2 Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




- 3 Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



- 4 Weatherstrip** is specifically engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**.



- 5 Multi-point locking system** (recommended) engages the **door** and **frame** at three points from top to bottom, helping to preserve the **weatherstrip's** seal even under wind pressure.



- 6 Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.

## A Complete Door System

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru® genuine components shown here are our premium options for long-lasting durability.



### Composite Adjustable Sills ✦

Inswing and outswing composite sills resist rotting and insects. Inswing adjustable sills help to maintain a tight seal over time.



### Dual-Bulb / Dual-Fin Bottom Sweeps ✦ (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



### 7-Shape Corner Seal Pads ✦ (Inswing Only)

Innovative options include our patented jamb assembly, featuring the 7-shape corner seal pad which creates an air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



### Removable Weatherstrip ✦

Resilient design compresses when closed and springs back when open, protected by a durable jacket, for long-lasting sealing power.



### Multi-Point Locking Systems ✦ (Recommended)

Increased engagement between door and frame enhances stability and the homeowner's sense of security.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)



### Ball-Bearing Hinges ✦

Hinges with ball bearings protecting each hinge pivot, or "knuckle", offer added support and stability.

(Recommended for Classic-Craft doors, 8'0" doors, doors with glass, and Impact- and Fire-rated fiberglass doors.)



### Frame Components

Check with your Therma-Tru seller for options to complete the door system, including rot-resistant brickmould, jambs, mullions and coil cladding manufactured to our specifications.

For more, including these additional component options, see pages 259–267:

Sill Pans ✦, Rain Protection ✦, Strike Plate and Astragals ✦.



## Tru-Defense: The Ultimate Protection

Therma-Tru fiberglass doors are available with our exclusive Tru-Defense system as an option. It integrates specific components engineered and tested to deliver outstanding protection in all kinds of weather conditions. And it's backed by a Warranty Rider that provides for cash reimbursement that may be used toward secondary damage to flooring and trim, and the labor to make repairs if water infiltration occurs.\* Look for the (✦) icon. For details, visit [www.thermatru.com/trudefense](http://www.thermatru.com/trudefense).

### Water Infiltration Cash Reimbursement Limit

Latch and Deadbolt Lock with Standard Assembly:	\$250
with a Therma-Tru Sill Pan:	\$500
Multi-Point Lock with Standard Assembly:	\$750
with a Therma-Tru Sill Pan:	\$1,500
Multi-Point Lock with NAFS-Certified Door System:	\$1,000
with a Therma-Tru Sill Pan:	<b>\$2,000</b>

\*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, nor any damages caused by improper handling, assembly or installation.



# Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered to provide added safety.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on ENERGY STAR qualified products.

Bottom: Classic-Craft Rustic Collection, Borrassa Glass, Door – CCR822215, Sidelites – CCR8000XHSL



Doors come to life with Therma-Tru® glass.



Contributes to an energy-efficient home.

## Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.





Our decorative glass is handcrafted and built with all-glass bevels for premium quality.

From small to large, Therma-Tru offers various glass sizes and shapes. Explore options to meet homeowners' needs for natural light without compromising their privacy.



### Special Quote Program

Don't sacrifice the look you want. With thousands of standard glass choices and additional glass options available through special quote, we can help you find the right look for virtually any home. See page 270.



# EnLiten™ Flush-Glazed Designs

## For Classic-Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (🔥) icon.



Modern-Style Front Entry

30

### See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass




Lip-Lite Frame

### Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.



Flush-Glazed Glass



Lip-Lite Frame

\*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.  
 \*\*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval.  
 Impact-rated products not available.

Top: Smooth-Star, Satin Etch Glass with SDLs, Door – S5710XE, Sidelite – S5710XESL, ©TheHouseDesigners.com  
 Right Page Top Left: Fiber-Classic Oak Collection, Clear Glass with GBGs, Door – 2150  
 Right Page Bottom Left: Fiber-Classic Oak Collection, Clear Glass, Doors – 2000  
 Right Page Right: Classic-Craft Canvas Collection, Homeward Glass, Door – CCV911, Sidelites – CCV911SL, Dentil Shelf



Colonial-Style Utility Door



Traditional-Style Patio Doors



Craftsman-Style Front Entry

## Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



### Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



### 11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.\*



### Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).\*\* (ASTM-E330)

## Warranty riders for peace of mind.

### EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

### EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.





## Privacy & Textured Glass

Therma-Tru® doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic-Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.




• Convenient choices for more light.

## Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic-Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.



Top: Classic-Craft Canvas Collection, Chinchilla Glass, Door – CCV05020XJ, Sidelites – CCV100XJSL;  
Clear Glass, Transom – 19220T  
Right Page Top: Smooth-Star, Internal Blinds, Door – S8132  
Right Page Bottom: Smooth-Star, Clear Glass with SDLs, Door – S92, Transom – 19200T

## Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.



## Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices. See pages 120–121 for more.


- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.



# Tough When You Need It. Beautiful Always.

## High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.



■ Wind-Borne Debris Region (WBDR)  
■ High Velocity Hurricane Zone (HVHZ)


## Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

### 1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.\*

### 2 Use the icons to find available Therma-Tru® product options in this catalog.



**WBDR / HVHZ Options:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

### 3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.\*


### 4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

\*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.


Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM602, Sidelite – FCM815SL, Dentil Shelf



Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.\*

### Impact Doors

Feature a built-in 24-gauge steel plate lining.



### Impact Glass

Features special laminated glass construction.

### Impact Lip-Lite Frame

Features durable, paintable aluminum construction.

An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



## Other Considerations

### Fire Doors

We offer an industry-leading selection of fiberglass 20-Minute Fire-rated doors – with 20- and 90-Minute Fire-rated steel options available – for protection with a sense of style. See pages 230–235.

### Noise Reduction Doors

Therma-Tru Sound Transmission Class- (STC) rated Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. See page 202.



# Classic-Craft®

## Decorative & Specialty Glass Designs

36


### Villager™

Villager beautifully interprets the Craftsman chevron design with ① bronze waterglass, ② seeded glass, ③ clear bevels, ④ gray artique glass and coming. Artistically authentic in every detail.


Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection®

1 5 10

Glass Privacy Rating



Black Nickel



Brushed Nickel


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.

## Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray artique glass.

An ideal complement for a Transitional home design.

Available in:  
American Style Collection™  
Mahogany Collection™  
Rustic Collection™  
Oak Collection™  
Canvas Collection.



Black Nickel




Brushed Nickel

## Arcadia™

With its timeless petal design, Arcadia combines ① gray baroque glass, ② seeded glass, ③ clear curved bevels and coming for a distinctive display that evokes a simpler time.

Available in:  
Mahogany Collection™  
Rustic Collection™  
Oak Collection™  
Canvas Collection.



Black Nickel



Brushed Nickel



Brass



## Augustine.

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and ① granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Available in:  
Mahogany Collection™  
Rustic Collection™  
Canvas Collection®

1 10

Glass Privacy Rating



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 76 to see an example on a home.


## Bella™

As its name suggests, Bella's design is delicate and appealing, bringing together ① clear bevels, ② clear baroque glass, ③ rainglass, ④ seeded glass, ⑤ bronze waterglass and coming.

Available in:  
Mahogany Collection™  
Rustic Collection™  
Oak Collection™  
Canvas Collection®

1 6 10

Glass Privacy Rating



Black Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.

## Arborwatch.

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines ① narrow reed glass, ② M seedy glass, ③ waterglass and coming in a symmetrical arrangement accented by ④ pale amber glass, ⑤ amber artique glass and ⑥ clear bevels.

Available in:  
American Style Collection™  
Mahogany Collection™  
Rustic Collection™  
Oak Collection™  
Canvas Collection.



Glass Privacy Rating



Black Nickel

Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 48 to see an example on a home.



Brushed Nickel

## Borrassa.

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with ① hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Available in:  
Mahogany Collection™  
Rustic Collection™  
Canvas Collection.



Glass Privacy Rating



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 96 to see an example on a home.



## Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

Available in:  
Rustic Collection™  
Oak Collection™  
Canvas Collection®



Black Nickel



Brushed Nickel




Brass

## Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

Available in:  
Mahogany Collection™  
Rustic Collection™  
Canvas Collection®



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.

## Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19<sup>th</sup> century-inspired elegance with modest privacy using **1** glue chip glass, **2** clear curved bevels, **3** double waterglass and coming.

Available in:  
Rustic Collection™  
Oak Collection™  
Canvas Collection.



Black Nickel



Brushed Nickel



Brass

## Zaha®

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features **1** oceana and **2** seedy glass, **3** clear and **4** multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Available in:  
Mahogany Collection™  
Rustic Collection™  
Canvas Collection.



Black Nickel



Brushed Nickel




## Lucerna.

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of ① curved, ② diamond and ③ rectangular bevels surrounded by smooth, swirling ④ barn wood and heavily textured ⑤ diamond border glass.

Available in:  
Mahogany Collection™  
Rustic Collection™  
Oak Collection™  
Canvas Collection®



Glass Privacy Rating



Black Nickel



Brushed Nickel

## Privacy & Textured Glass

### NEW Geometric

A sleek cubic texture with a unique multidimensional view and ever-changing perspectives.

Available in:  
American Style Collection™  
Mahogany Collection™  
Rustic Collection™  
Oak Collection™  
Canvas Collection®



Glass Privacy Rating



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.

**Chord**

A vertical flowing pattern  
reminiscent of waves on  
the water.

Available in:  
American Style Collection™  
Mahogany Collection™  
Rustic Collection™  
Oak Collection™  
Canvas Collection®

1

10

Glass Privacy Rating

**Chinchilla**

A free-flowing configuration,  
presenting quiet lines  
and curves.

Available in:  
American Style Collection™  
Mahogany Collection™  
Rustic Collection™  
Oak Collection™  
Canvas Collection®

1

10

Glass Privacy Rating





## Privacy & Textured Glass *Continued*

### Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Available in:  
American Style Collection™  
Mahogany Collection™  
Rustic Collection™  
Oak Collection™  
Canvas Collection®

1 8 10

Glass Privacy Rating



### Granite

A coarse grained arrangement with surface detail over the entirety of glass.

Available in:  
American Style Collection™  
Mahogany Collection™  
Rustic Collection™  
Oak Collection™  
Canvas Collection®

1 10

Glass Privacy Rating



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.

Right Page: Classic-Craft Canvas Collection, Low-E Glass with SDLs, Door – CCV940, Sidelites – CCV100SL, Transom – 19220T, Dentil Shelf

# Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

## Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor. Look for the ( > ) icon.



45

## Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the ( ■ ) icon.

**NEW** 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs).



(40.64 mm / 1.6 in.)  
Look for the ( ■ ) icon.



(107.95 mm / 4.25 in.)  
Look for the ( ■ )  
and ( ■ ) icons.



(139.70 mm / 5.5 in.)  
Look for the ( ■ )  
and ( ■ ) icons.



Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the ( ■ ) and ( ■ ) icons.



(40.64 mm / 1.6 in.)  
Look for the ( ■ ) icon.





## Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



1-1/2"

1-1/4"

1"


1-3/4"

1-1/4"

1"



18"





**4-Block Dentil Shelf**  
Shown on 3'6" x 8'0" door.



**4-Block Dentil Shelf**  
Shown on 3'0" x 8'0" door.

## Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



**Classic-Craft. American Style Collection. 4-Block Dentil Shelf**



**Classic-Craft. American Style Collection. 4-Block Dentil Shelf\***



**Classic-Craft. American Style Collection. 16-Block Dentil Shelf**



**Classic-Craft. Canvas Collection. 4-Block Dentil Shelf**

\*Pairs with 3'6" wide doors.

Top: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA8230, Sidelites – CCA3500SL, Dentil Shelf





INSPIRE

# Classic-Craft® American Style Collection™

•


## Vertical Fir grain.

The simple vertical lines and Shaker-style recessed panels of Classic-Craft American Style premium fiberglass entryways blend timeless looks with modern design for an entry that is the perfect complement to a variety of homes.



# Classic-Craft® American Style Collection™

Features high-definition vertical Fir grain with Shaker styling, ideal for a variety of homes from Arts and Crafts to Contemporary and Modern.



**See the difference stain can make.**

Explore PrismaGuard™ finish and Same-Day® Stain color options on pages 268–269.

## Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- EnLiten™ flush-glazed designs.
- Exclusive glass designs.
- Low-E glass standard.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile for added weight and rigidity.
- Thicker fiberglass skins.

## Available Sizes

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"–82-½" and 96"–98-½" rough openings.

## Finish Options

Classic-Craft American Style entryways can be stained or painted any color.

## Warranty Riders

- See page 31 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

- ✦ Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Bottom: Classic-Craft American Style Collection, Chord Glass with SDLs, Door – CCA8240XC

Right Page: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL

## Decorative Glass Designs



**Villager™** Page 52  
Glass Privacy Rating: **5**



**Homeward™** Page 52  
Glass Privacy Rating: **4**



**Arborwatch®** Page 53  
Glass Privacy Rating: **6**

Also Available:

**Privacy & Textured Glass**

Page 54

**Low-E Glass** Page 55

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**

Clear

Opaque

**Caming Options**

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)



Simulated divided lites (SDLs) available to create authentic Craftsman glass configurations.

## Sticking Profiles



Craftsman-Lite 2-Panel Flush-Glazed



1-Panel Shaker





# Villager™



CCA212  
3'0" x 6'8"



CCA8212  
3'0" x 8'0"



CCA222  
3'0" x 6'8"




CCA8222  
3'0" x 8'0"



CCA232  
3'0" x 6'8"



CCA8232  
3'0" x 8'0"



CCA3402SL  
12" x 6'8"  
14" x 6'8"



CCA3502SL  
12" x 8'0"  
14" x 8'0"



VGRT



3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



VG30T



3'0" Door Only

CCA212SL  
12" x 6'8"  
14" x 6'8"

# Homeward™



CCA211  
3'0" x 6'8"



CCA8211  
3'0" x 8'0"



CCA87112  
3'6" x 8'0"



CCA221  
3'0" x 6'8"



CCA8221  
3'0" x 8'0"



CCA87122  
3'6" x 8'0"




CCA231  
3'0" x 6'8"



CCA8231  
3'0" x 8'0"

CCA87132  
3'6" x 8'0"



CCA3401SL  
12" x 6'8"  
14" x 6'8"



CCA3501SL  
12" x 8'0"  
14" x 8'0"



HWRT



3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



HW30T



3'0" Door Only

CCA211SL  
12" x 6'8"  
14" x 6'8"



\*Pairs with 3'6" wide doors.

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft American Style Collection, Homeward Glass, Door – CCA211, Sidelites – CCA3401SL, Transom – HWRT, Dentil Shelf

Right Page: Classic-Craft American Style Collection, Arborwatch Glass with SDLs, Door – CCA9300, Sidelites – CCA9100SL

# Arborwatch®



CCA9100  
  
 3'0" x 6'8"



CCA89100  
  
 3'0" x 8'0"



CCA87111  
  
 3'6" x 8'0"



CCA9200  
  
 3'0" x 6'8"



CCA89200  
  
 3'0" x 8'0"



CCA87121  
  
 3'6" x 8'0"



CCA9300  
  
 3'0" x 6'8"



CCA89300  
  
 3'0" x 8'0"



CCA87131  
  
 3'6" x 8'0"



CCA1423SL  
  
 12" x 6'8"  
 14" x 6'8"



CCA81423SL  
  
 12" x 8'0"  
 14" x 8'0"



CCA9100SL  
  
 12" x 6'8"  
 14" x 6'8"

## ABRT



3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Sytems Only



AB30T  
  
 3'0" Door Only



## Key

- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

## Optional Dentil Shelves

- 4-Block Dentil Shelf
- 16-Block Dentil Shelf
- 4-Block Dentil Shelf\*



# Privacy & Textured Glass



CCA210\_\_  
▲  
3'0" x 6'8"

CCA8210\_\_  
▲  
3'0" x 8'0"



CCA87100XG  
CCA87100XR  
▲  
3'6" x 8'0"



CCA220\_\_  
▲  
3'0" x 6'8"

CCA8220\_\_  
▲  
3'0" x 8'0"



CCA87200XG  
CCA87200XR  
▲  
3'6" x 8'0"



CCA230\_\_  
▲  
3'0" x 6'8"

CCA8230\_\_  
▲  
3'0" x 8'0"



CCA87300XG  
CCA87300XR  
▲  
3'6" x 8'0"



CCA240\_\_  
▲  
3'0" x 6'8"

CCA8240\_\_  
▲  
3'0" x 8'0"



CCA87400XG  
CCA87400XR  
▲  
3'6" x 8'0"



CCA260\_\_  
▲  
3'0" x 6'8"

CCA8260\_\_  
▲  
3'0" x 8'0"



CCA87600XG  
CCA87600XR  
▲  
3'6" x 8'0"



CCA3400\_\_SL  
▲  
12" x 6'8"  
14" x 6'8"



CCA3500\_\_SL  
▲  
12" x 8'0"  
14" x 8'0"



CCA3450\_\_SL  
▲  
12" x 6'8"  
14" x 6'8"



CCA3560\_\_SL  
▲  
12" x 8'0"  
14" x 8'0"



CCA210\_\_SL  
▲  
12" x 6'8"  
14" x 6'8"



CCA220\_\_SL  
▲  
12" x 6'8"  
14" x 6'8"

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 42–44.

XG = **NEW** Geometric  
XC = Chord

XJ = Chinchilla  
XR = Rainglass

XN = Granite

\*Pairs with 3'6" wide doors.

Note: See page 275 for important product details that may help with your purchase decision.

# Low-E Glass



CCA210  
 3'0" x 6'8"  
 CCA8210  
 3'0" x 8'0"



CCA87100  
 3'6" x 8'0"



CCA220  
 3'0" x 6'8"  
 CCA8220  
 3'0" x 8'0"



CCA87200  
 3'6" x 8'0"



CCA230  
 3'0" x 6'8"  
 CCA8230  
 3'0" x 8'0"



CCA87300  
 3'6" x 8'0"



CCA240  
 3'0" x 6'8"  
 CCA8240  
 3'0" x 8'0"



CCA87400  
 3'6" x 8'0"



CCA260  
 3'0" x 6'8"  
 CCA8260  
 3'0" x 8'0"



CCA87600  
 3'6" x 8'0"



CCA3400SL  
 12" x 6'8"  
 CCA3500SL  
 12" x 8'0"  
 14" x 8'0"



CCA3450SL  
 12" x 6'8"  
 CCA3560SL  
 12" x 8'0"  
 14" x 8'0"



CCA210SL  
 12" x 6'8"  
 14" x 6'8"



CCA220SL  
 12" x 6'8"  
 14" x 6'8"



19220T  
  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems




19200T  
  
 3'0" Door Only

## Key

- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

## Optional Dentil Shelves





# Classic-Craft. American Style Collection.™ Shaker Doors

Explore premium Shaker-style entries both with and without glass. Many feature premium fiberglass divider bars to create unique styles designed to complement a wide range of architectural elements.

## Privacy & Textured Glass



CCA2400  
3'0" x 6'8"

CCA82400  
3'0" x 8'0"



CCA2300  
3'0" x 6'8"

CCA82300  
3'0" x 8'0"




CCA2310  
3'0" x 6'8"

CCA82310  
3'0" x 8'0"



CCA2320  
3'0" x 6'8"

CCA82320  
3'0" x 8'0"



CCA2330  
3'0" x 6'8"

CCA82330  
3'0" x 8'0"



CCA2340  
3'0" x 6'8"

CCA82340  
3'0" x 8'0"



CCA2350  
3'0" x 6'8"

CCA82350  
3'0" x 8'0"



CCA2360  
3'0" x 6'8"

CCA82360  
3'0" x 8'0"



CCA2380  
3'0" x 6'8"

CCA82380  
3'0" x 8'0"



CCA2370  
3'0" x 6'8"

CCA82370  
3'0" x 8'0"


### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 42–44.

XG = **NEW** Geometric  
XC = Chord

XJ = Chinchilla  
XR = Rainglass

XN = Granite



CCA2400\_\_SL  
 12" x 6'8"  
 14" x 6'8"



CCA82400\_\_SL  
 12" x 8'0"  
 14" x 8'0"



CCA2300\_\_SL  
 12" x 6'8"  
 14" x 6'8"



CCA82300\_\_SL  
 12" x 8'0"  
 14" x 8'0"



CCA2310\_\_SL  
 12" x 6'8"  
 14" x 6'8"



CCA82310\_\_SL  
 12" x 8'0"  
 14" x 8'0"



CCA2320\_\_SL  
 12" x 6'8"  
 14" x 6'8"



CCA82320\_\_SL  
 12" x 8'0"  
 14" x 8'0"



CCA2330\_\_SL  
 12" x 6'8"  
 14" x 6'8"



CCA82330\_\_SL  
 12" x 8'0"  
 14" x 8'0"



CCA2340\_\_SL  
 12" x 6'8"  
 14" x 6'8"



CCA82340\_\_SL  
 12" x 8'0"  
 14" x 8'0"

## Low-E Glass



CCA2400  
 3'0" x 6'8"



CCA82400  
 3'0" x 8'0"



CCA2300  
 3'0" x 6'8"



CCA82300  
 3'0" x 8'0"



CCA2310  
 3'0" x 6'8"




CCA82310  
 3'0" x 8'0"



CCA2320  
 3'0" x 6'8"



CCA82320  
 3'0" x 8'0"



CCA2330  
 3'0" x 6'8"



CCA82330  
 3'0" x 8'0"

### Key

- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)

- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)



# Low-E Glass *Continued*



CCA2340  
3'0" x 6'8"

CCA82340  
3'0" x 8'0"



CCA2350  
3'0" x 6'8"

CCA82350  
3'0" x 8'0"



CCA2360  
3'0" x 6'8"

CCA82360  
3'0" x 8'0"



CCA2380  
3'0" x 6'8"

CCA82380  
3'0" x 8'0"



CCA2370  
3'0" x 6'8"

CCA82370  
3'0" x 8'0"



CCA2400SL  
12" x 6'8"  
14" x 6'8"

CCA82400SL  
12" x 8'0"  
14" x 8'0"



CCA2300SL  
12" x 6'8"  
14" x 6'8"

CCA82300SL  
12" x 8'0"  
14" x 8'0"



CCA2310SL  
12" x 6'8"  
14" x 6'8"

CCA82310SL  
12" x 8'0"  
14" x 8'0"




CCA2320SL  
12" x 6'8"  
14" x 6'8"

CCA82320SL  
12" x 8'0"  
14" x 8'0"



CCA2330SL  
12" x 6'8"  
14" x 6'8"

CCA82330SL  
12" x 8'0"  
14" x 8'0"



CCA2340SL  
12" x 6'8"  
14" x 6'8"

CCA82340SL  
12" x 8'0"  
14" x 8'0"

# Solid Panel



CCA1100  
3'0" x 6'8"

CCA81100  
3'0" x 8'0"



CCA1133  
3'0" x 6'8"

CCA81133  
3'0" x 8'0"



CCA1145  
3'0" x 6'8"

CCA81145  
3'0" x 8'0"



CCA1150  
3'0" x 6'8"

CCA81150  
3'0" x 8'0"



CCA1125  
3'0" x 6'8"

CCA81125  
3'0" x 8'0"



CCA1149  
3'0" x 6'8"

CCA81149  
3'0" x 8'0"



CCA1147  
3'0" x 6'8"

CCA81147  
3'0" x 8'0"



CCA1166  
3'0" x 6'8"

CCA81166  
3'0" x 8'0"



CCA1158  
3'0" x 6'8"

CCA81158  
3'0" x 8'0"




CCA1127  
3'0" x 6'8"

CCA81127  
3'0" x 8'0"




CCA2430SL  
12" x 6'8"  
14" x 6'8"

CCA82430SL  
12" x 8'0"  
14" x 8'0"



CCA2420SL  
12" x 6'8"  
14" x 6'8"

CCA82420SL  
12" x 8'0"  
14" x 8'0"



CCA2410SL  
12" x 6'8"  
14" x 6'8"

CCA82410SL  
12" x 8'0"  
14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.

## Key

- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Door Divider Bars (DDBF3)

- Door Divider Bars (DDBF4)
- Door Divider Bars (DDBF5)



Classic-Craft<sup>®</sup>  
Entry Doors

THERMA-TRU<sup>®</sup>  
DOORS



DREAM



A close-up photograph of a mahogany door, showing the intricate wood grain and a glass insert with a decorative leaded glass pattern. The door is made of a rich, warm mahogany wood.

# Classic-Craft®

## Mahogany Collection™

•

Rich, warm Mahogany wood tones.

Especially suited for European, Victorian and Colonial home styles, Classic-Craft Mahogany premium fiberglass entryways are a sophisticated, elegant option for homeowners looking to make a statement by creating dramatic, grand entrances.

# Classic-Craft® Mahogany Collection™

Offers rich, warm wood tones in authentic Honduran Mahogany, especially suited for European, Victorian and Colonial homes.



## See the difference stain can make.

Explore PrismaGuard™ finish and Same-Day®. Stain color options on pages 268–269.

## Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- EnLiten™ flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

## Heavier Construction


- 20% heavier construction.\*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile for added weight and rigidity.
- Thicker fiberglass skins.


## Available Sizes


- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"–82-½" and 96"–98-½" rough openings.

## Finish Options

Classic-Craft Mahogany entryways can be stained or painted any color.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*

 Fire-rated options available on solid-panel doors. See pages 230–235.

 Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

\*\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.  
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Mahogany Collection, Zaha Glass, Door – CCM1851, Sidelites – CCM1851SL

Right Page: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM702, Sidelites – CCM3412SL, Transom – LCET



# Decorative Glass Designs



**Villager™** Page 64  
Glass Privacy Rating: **5**



**Homeward™** Page 64  
Glass Privacy Rating: **4**



**Arcadia™** Page 64  
Glass Privacy Rating: **5**



**Augustine®** Page 65  
Glass Privacy Rating: **10**



**Bella™** Page 65  
Glass Privacy Rating: **6**



**Arborwatch®** Page 66  
Glass Privacy Rating: **6**



**Borrassa®** Page 66  
Glass Privacy Rating: **10**



**Longford™** Page 67  
Glass Privacy Rating: **8**



**Zaha®** Page 67  
Glass Privacy Rating: **3**



**Lucerna®** Page 68  
Glass Privacy Rating: **7**

Also Available:

**Privacy & Textured Glass** Page 68

**Low-E Glass** Page 69

## Caming Options

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**  
Clear Opaque





## Villager™



CCM9812  
◆ ◆  
3'0" x 6'8"



CCM9816  
◆ ◆  
3'0" x 6'8"



CCM89818  
◆ ◆  
3'0" x 8'0"



CCM9811  
◆ ◆  
3'0" x 6'8"



CCM9812SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



VGRT  
◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



VG30T  
◆ ◆  
3'0" Door Only

## Homeward™



CCM9925  
◆ ◆  
3'0" x 6'8"



CCM9923  
◆ ◆  
3'0" x 6'8"



CCM89922  
◆ ◆  
3'0" x 8'0"



CCM9926  
◆ ◆  
3'0" x 6'8"



CCM9925SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



HWRT  
◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



HW30T  
◆ ◆  
3'0" Door Only

## Arcadia™



CCM109  
◆ ◆ ◆  
3'0" x 6'8"



CCM209  
◆ ◆ ◆  
3'0" x 6'8"



CCM894  
◆ ◆ ◆  
3'0" x 8'0"



CCM309  
◆ ◆ ◆  
3'0" x 6'8"



CCM409  
◆ ◆ ◆  
3'0" x 6'8"




CCM509  
◆ ◆ ◆  
3'0" x 6'8"



CCM609  
◆ ◆ ◆  
3'0" x 6'8"



CCM709  
◆ ◆ ◆  
3'0" x 6'8"



## Augustine

Note: Product images show exterior side of door.



Note: Coordinating sidelites feature granite glass without wrought iron.

## Bella



Bella Glass Continues on next page.

### Key

- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)

**Bella™ Glass** *Continued*

CCM3410BSL  
▲  
12" x 6'8"  
14" x 6'8"



CCM8004BSL  
▲  
12" x 8'0"  
14" x 8'0"



CCM33310BSL  
▲  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



BEBHRT

3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



BEET-B

3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



BERT-B

3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

**Arborwatch®**

CCM1423  
◆  
3'0" x 6'8"



CCM1419  
◆  
3'0" x 6'8"



CCM81418  
◆  
3'0" x 8'0"



CCM1424  
◆  
3'0" x 6'8"



CCM1423SL  
◆  
12" x 6'8"  
14" x 6'8"



CCM81423SL  
◆  
12" x 8'0"  
14" x 8'0"



ABRT

3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



AB30T

3'0" Door Only

**Borrassa®**

Note: Product images show exterior side of door.



CCM1528  
✗  
3'0" x 6'8"



CCM1475  
✗  
3'0" x 6'8"



CCM81519  
✗  
3'0" x 8'0"



CCM1465  
✗  
3'0" x 6'8"




CCM3400XHSL  
▲  
12" x 6'8"  
14" x 6'8"



CCM8000XHSL  
▲  
12" x 8'0"  
14" x 8'0"

Note: Coordinating  
sidelites feature  
hammered glass  
without wrought iron.





# Zaha®



## Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

# Lucerna®



CCM10022  
◆ ◆ ◆  
3'0" x 6'8"



CCM204  
◆ ◆ ◆  
3'0" x 6'8"



CCM898  
◆ ◆ ◆  
3'0" x 8'0"



CCM302  
◆ ◆ ◆  
3'0" x 6'8"



CCM612  
◆ ◆ ◆  
3'0" x 6'8"



CCM702  
◆ ◆ ◆  
3'0" x 6'8"



CCM822  
◆ ◆ ◆  
3'0" x 6'8"



CCM3412SL  
◆ ◆ ◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



CCM8102SL  
◆ ◆ ◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



CCM3302SL  
◆ ◆ ◆ ◆ ◆  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"

CCM3502SL  
◆ ◆ ◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



LCHRT  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



LCET  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LCRT  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LC30T  
◆ ◆ ◆  
3'0" Door Only

## Privacy & Textured Glass



CCM100  
3'0" x 6'8"



CCM200  
3'0" x 6'8"



CCM891  
3'0" x 8'0"



CCM300  
3'0" x 6'8"



CCM3400\_SL  
◆ ◆ ◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



CCM8000\_SL  
◆ ◆ ◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 42–44.

XG = **NEW** Geometric  
(Only available in sidelites.)

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

## Low-E Glass

							
CCM100 ★ 3'0" x 6'8"	CCM200 ★ 3'0" x 6'8"	CCM891 ★ 3'0" x 8'0"	CCM300 ★ 3'0" x 6'8"	CCM400 ★ 3'0" x 6'8"	CCM500 ★ 3'0" x 6'8"	CCM600 ★ 3'0" x 6'8"	CCM700 ★ 3'0" x 6'8"
							
CCM800 ★ 3'0" x 6'8"	CCM3400SL ★ 12" x 6'8" 14" x 6'8"	CCM8000SL ★ 12" x 8'0" 14" x 8'0"	CCM3300SL ★ 10" x 6'8" 12" x 6'8" 14" x 6'8"	CCM3500SL ★ 12" x 6'8" 14" x 6'8"	DLHRT ★ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	19220T ★ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	
							
				19020T ★ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	19200T ★ 3'0" Door Only		

## Solid Panel

			
CCM890 6 3'0" x 8'0"	CCM60 6 3'0" x 6'8"	CCM701 6 3'0" x 6'8"	CCM801 3'0" x 6'8"

### Key

-  Flush-Glazed Glass (FG)
  Brushed Nickel Caming (1C)
-  Low-E Glass (LE)
  WBDR / HVHZ Options
-  Black Nickel Caming (1D)





Classic-Craft®  
Entry Doors

THERMA TRU  
DOORS

BEAUTY

# Classic-Craft®

## Rustic

## Collection™

71

- Casually elegant wood graining.

Designed to complement American Southwest and European-inspired home styles, Classic-Craft Rustic premium fiberglass entryways feature casually elegant wood graining that can be coordinated with decorative glass and accessories to create enchanting entrances.



# Classic-Craft® Rustic Collection™

Seamlessly blends Southwest and European styling with rustic wood grains to evoke Old World charm.



## Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- EnLiten™ flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile for added weight and rigidity.
- Thicker fiberglass skins.


## Available Sizes

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"–82-½" and 96"–98-½" rough openings.

## Finish Options

Classic-Craft Rustic entryways can be stained or painted any color.

- 6 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*
- 🔥 Fire-rated options available on solid-panel doors. See pages 230–235.
- ⛶ Tru-Defense®. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



### See the difference stain can make.

Explore PrismaGuard™ finish and Same-Day®. Stain color options on pages 268–269.

\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

\*\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.  
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Rustic Collection Door – CCR100



# Decorative Glass Designs



**Villager™** Page 74  
Glass Privacy Rating: **5**



**Homeward™** Page 75  
Glass Privacy Rating: **4**



**Arcadia™** Page 75  
Glass Privacy Rating: **5**



**Augustine™** Page 76  
Glass Privacy Rating: **10**



**Bella™** Page 77  
Glass Privacy Rating: **6**



**Arborwatch™** Page 77  
Glass Privacy Rating: **6**



**Borrassa™** Page 78  
Glass Privacy Rating: **10**



**Provincial™** Page 78  
Glass Privacy Rating: **6**



**Longford™** Page 79  
Glass Privacy Rating: **8**



**Cambridge™** Page 79  
Glass Privacy Rating: **8**



**Zaha™** Page 80  
Glass Privacy Rating: **3**



**Lucerna™** Page 80  
Glass Privacy Rating: **7**

Also Available:

**Privacy & Textured Glass**  
Page 81

**Low-E Glass**  
Page 82

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**  
Clear Opaque

**Caming Options**

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

## Panel Embossments



2-Panel Square Top – WS



2-Panel Soft Arch  
4-Panel Round Top  
Arched 2-Panel Soft Arch  
Radiused 4-Panel Round Top  
2-Panel Round Top  
Radiused 2-Panel Round Top



2-Panel Plank Soft Arch  
Arched 2-Panel Plank Soft Arch  
1-Panel Plank Soft Arch  
2-Panel Plank Round Top  
Radiused 2-Panel Plank Round Top



Arched Full Plank  
Full Plank  
Radiused Full Plank

# Villager<sup>™</sup>



**VGRT**  
◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**VG30T**  
◆ ◆ ◆  
3'0" Door Only



Note: See page 275 for important product details that may help with your purchase decision.  
Top: Classic-Craft Rustic Collection, Villager Glass, Door – CCR9822

# Homeward™



**HWRT**  
 ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**HW30T**  
 ◆ ◆  
 3'0" Door Only

# Arcadia™



**ARHRT**  
 ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CC060T**  
 ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC620T**  
 ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC600T**  
 ◆ ◆ ◆  
 3'0" Door Only

## Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)



# Augustine®

Note: Product images show exterior side of door.



CCR30027  
✗  
3'0" x 6'8"



CCR04027  
✗  
3'0" x 6'8"



CCR804027  
✗  
3'0" x 8'0"  
3'6" x 8'0"



CCR04037  
✗  
3'0" x 6'8"



CCR804037  
✗  
3'0" x 8'0"  
3'6" x 8'0"



CCR04037A  
✗  
3'0" x 6'8"



CCR804037A  
✗  
3'0" x 8'0"  
3'6" x 8'0"



CCR20527  
✗  
3'0" x 6'8"



CCR820527  
✗  
3'0" x 8'0"  
3'6" x 8'0"



CCR20537  
✗  
3'0" x 6'8"



CCR820537  
✗  
3'0" x 8'0"  
3'6" x 8'0"

CCR20537A  
✗  
3'0" x 6'8"

CCR820537A  
✗  
3'0" x 8'0"  
3'6" x 8'0"



CCR20027  
✗  
3'0" x 6'8"



CCR820027  
✗  
3'0" x 8'0"



CCR822227  
✗  
3'0" x 8'0"  
3'6" x 8'0"



CCR20037  
✗  
3'0" x 6'8"



CCR820037  
✗  
3'0" x 8'0"



CCR20037A  
✗  
3'0" x 6'8"



CCR820037A  
✗  
3'0" x 8'0"

CCR3400XNSL  
▲  
12" x 6'8"  
14" x 6'8"

CCR8000XNSL  
▲  
12" x 8'0"  
14" x 8'0"

Note: Coordinating sidelites feature granite glass without wrought iron.



Note: See page 275 for important product details that may help with your purchase decision.











Bottom: Classic-Craft Rustic Collection, Augustine Glass, Door - CCR820037

									
<b>CCR30024B</b> ◆ 3'0" x 6'8"	<b>CCR04024B</b> ◆ 3'0" x 6'8"	<b>CCR804024B</b> ◆ 3'0" x 8'0"	<b>CCR20524B</b> ◆ 3'0" x 6'8"	<b>CCR820524B</b> ◆ 3'0" x 8'0"	<b>CCR20024B</b> ◆ 3'0" x 6'8"	<b>CCR820024B</b> ◆ 3'0" x 8'0"	<b>CCR822224B</b> ◆ 3'0" x 8'0"	<b>CCR3410BSL</b> ◆◆ 12" x 6'8" 14" x 6'8"	<b>CCR8010BSL</b> ◆◆ 12" x 8'0" 14" x 8'0"



  

		
<b>BEBHRT</b> ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	<b>BEET-B</b> ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	<b>BERT-B</b> ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

# Arborwatch®

									
<b>CCR1423</b> ◆◆ 3'0" x 6'8"	<b>CCR1417</b> ◆◆ 3'0" x 6'8"	<b>CCR81417</b> ◆◆ 3'0" x 8'0" 3'6" x 8'0"	<b>CCR1415</b> ◆◆ 3'0" x 6'8"	<b>CCR81415</b> ◆◆ 3'0" x 8'0" 3'6" x 8'0"	<b>CCR1414</b> ◆◆ 3'0" x 6'8"	<b>CCR81414</b> ◆◆ 3'0" x 8'0"	<b>CCR822214</b> ◆◆ 3'0" x 8'0" 3'6" x 8'0"	<b>CCR1423SL</b> ◆◆◆ 12" x 6'8" 14" x 6'8"	<b>CCR81423SL</b> ◆◆◆ 12" x 8'0" 14" x 8'0"

	
<b>ABRT</b> ◆◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	<b>AB30T</b> ◆◆ 3'0" Door Only

## Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

# Borrassa®

Note: Product images show exterior side of door.



CCR1528  
✗  
3'0" x 6'8"

CCR1518  
✗  
3'0" x 6'8"

CCR81518  
✗  
3'0" x 8'0"  
3'6" x 8'0"

CCR1514  
✗  
3'0" x 6'8"

CCR81514  
✗  
3'0" x 8'0"  
3'6" x 8'0"

CCR1514A  
✗  
3'0" x 6'8"

CCR81514A  
✗  
3'0" x 8'0"  
3'6" x 8'0"

CCR1516  
✗  
3'0" x 6'8"

CCR81516  
✗  
3'0" x 8'0"  
3'6" x 8'0"

CCR1512  
✗  
3'0" x 6'8"

CCR81512  
✗  
3'0" x 8'0"  
3'6" x 8'0"



CCR1512A  
✗  
3'0" x 6'8"

CCR81512A  
✗  
3'0" x 8'0"  
3'6" x 8'0"

CCR1515  
✗  
3'0" x 6'8"

CCR81515  
✗  
3'0" x 8'0"

CCR822215  
✗  
3'0" x 8'0"  
3'6" x 8'0"

CCR1511  
✗  
3'0" x 6'8"

CCR81511  
✗  
3'0" x 8'0"

CCR1511A  
✗  
3'0" x 6'8"

CCR81511A  
✗  
3'0" x 8'0"

CCR3400XHSL  
▲  
12" x 6'8"  
14" x 6'8"

CCR8000XHSL  
▲  
12" x 8'0"  
14" x 8'0"

Note:  
Coordinating  
sidelites  
feature  
hammered  
glass without  
wrought iron.

# Provincial™



CCR30028  
◆ ◆ ◆  
3'0" x 6'8"

CCR04028  
◆ ◆ ◆  
3'0" x 6'8"

CCR804028  
◆ ◆ ◆  
3'0" x 8'0"

CCR20528  
◆ ◆ ◆  
3'0" x 6'8"

CCR820528  
◆ ◆ ◆  
3'0" x 8'0"

CCR20028  
◆ ◆ ◆  
3'0" x 6'8"

CCR820028  
◆ ◆ ◆  
3'0" x 8'0"

CCR822228  
◆ ◆ ◆  
3'0" x 8'0"

CCR3408SL  
▲ ◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

CCR8008SL  
▲ ◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



PRHRT

◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



CC040T

◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC420T

◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC400T

◆ ◆ ◆  
3'0" Door Only

Note: See page 275 for important product details that may help with your purchase decision.



# Longford™

Note: Product images show exterior side of door.



**LFHRT**  
 ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**LFET**  
 ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**LFRT**  
 ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**LF30T**  
 ◆ ◆  
 3'0" Door Only

# Cambridge™



**CBHRT**  
 ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CC090T**  
 ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC920T**  
 ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC900T**  
 ◆ ◆ ◆ ◆  
 3'0" Door Only

## Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

# Zaha®

Note: Product images show exterior side of door.



CCR1851  
◆ ■ ■  
3'0" x 6'8"



CCR1841  
◆ ■ ■  
3'0" x 6'8"

CCR81841  
◆ ■ ■  
3'0" x 8'0"



CCR81847  
◆ ■ ■  
3'0" x 8'0"



CCR81847A  
◆ ■ ■  
3'0" x 8'0"



CCR1839  
◆ ■ ■  
3'0" x 6'8"



CCR81839  
◆ ■ ■  
3'0" x 8'0"



CCR81846  
◆ ■ ■  
3'0" x 8'0"



CCR81846A  
◆ ■ ■  
3'0" x 8'0"



CCR1838  
◆ ■ ■  
3'0" x 6'8"

CCR81838  
◆ ■ ■  
3'0" x 8'0"



CCR822238  
◆ ■ ■  
3'0" x 8'0"



CCR81845  
◆ ■ ■  
3'0" x 8'0"



CCR81845A  
◆ ■ ■  
3'0" x 8'0"



CCR1851SL  
◆ ◆ ■ ■  
12" x 6'8"  
14" x 6'8"



CCR81851SL  
◆ ◆ ■ ■  
12" x 8'0"  
14" x 8'0"



ZHHRT  
◆ ■ ■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



ZHRT  
◆ ■ ■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

# Lucerna®



CCR10022  
◆ ■ ■  
3'0" x 6'8"



CCR04022  
◆ ■ ■  
3'0" x 6'8"

CCR804022  
◆ ■ ■  
3'0" x 8'0"  
3'6" x 8'0"



CCR20522  
◆ ■ ■  
3'0" x 6'8"

CCR820522  
◆ ■ ■  
3'0" x 8'0"  
3'6" x 8'0"



CCR20022  
◆ ■ ■  
3'0" x 6'8"

CCR820022  
◆ ■ ■  
3'0" x 8'0"



CCR822222  
◆ ■ ■  
3'0" x 8'0"  
3'6" x 8'0"



CCR820532  
◆ ■ ■  
3'0" x 8'0"

\*Available in Rainglass only.

Note: See page 275 for important product details that may help with your purchase decision.



CCR820532A  
◆ ■■  
3'0" x 8'0"



CCR820032  
◆ ■■  
3'0" x 8'0"



CCR820032A  
◆ ■■  
3'0" x 8'0"



CCR804032  
◆ ■■  
3'0" x 8'0"



CCR804032A  
◆ ■■  
3'0" x 8'0"



CCR3412SL  
◆ ◆ ■■  
12" x 6'8"  
14" x 6'8"

CCR8102SL  
◆ ◆ ■■  
12" x 8'0"  
14" x 8'0"



LCHRT  
◆ ■■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



LCET  
◆ ■■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LCRT  
◆ ■■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LC30T  
◆ ■■  
3'0" Door Only

## Privacy & Textured Glass



CCR30020  
3'0" x 6'8"



CCR04020  
3'0" x 6'8"



CCR804020  
3'0" x 8'0"  
3'6" x 8'0"\*



CCR20520  
3'0" x 6'8"



CCR820520  
3'0" x 8'0"  
3'6" x 8'0"\*



CCR20020  
3'0" x 6'8"



CCR820020  
3'0" x 8'0"



CCR822220  
3'0" x 8'0"  
3'6" x 8'0"\*



CCR804030  
3'0" x 8'0"

Privacy & Textured Glass *Continues on next page.*

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 42-44.

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

### Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)



## Privacy & Textured Glass *Continued*



CCR820530  
3'0" x 8'0"



CCR820030  
3'0" x 8'0"



CCR804030A  
3'0" x 8'0"



CCR820530A  
3'0" x 8'0"



CCR820030A  
3'0" x 8'0"



CCR3400 SL  
12" x 6'8"  
14" x 6'8"

CCR8000 SL  
12" x 8'0"  
14" x 8'0"

## Low-E Glass



CCR30020  
★  
3'0" x 6'8"



CCR04020  
★  
3'0" x 6'8"



CCR804020  
★  
3'0" x 8'0"  
3'6" x 8'0"



CCR804030  
★  
3'0" x 8'0"



CCR804030A  
★  
3'0" x 8'0"



CCR20520  
★  
3'0" x 6'8"



CCR820520  
★  
3'0" x 8'0"  
3'6" x 8'0"



CCR820530  
★  
3'0" x 8'0"



CCR820530A  
★  
3'0" x 8'0"



CCR20020  
★  
3'0" x 6'8"



CCR820020  
★  
3'0" x 8'0"



CCR822220  
★  
3'0" x 8'0"  
3'6" x 8'0"



CCR820030  
★  
3'0" x 8'0"



CCR820030A  
★  
3'0" x 8'0"



CCR3400SL  
★  
12" x 6'8"  
14" x 6'8"

CCR8000SL  
★  
12" x 8'0"  
14" x 8'0"



DLHRT  
★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19020T  
★  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19220T  
★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19200T  
★  
3'0" Door Only

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 42–44.

XG = **NEW** Geometric  
(Only available in sidelites.)

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

Note: See page 275 for important product details that may help with your purchase decision.

# Solid Panel



CCR205  
3'0" x 6'8"

CCR8205  
3'0" x 8'0"  
3'6" x 8'0"

CCR205A  
3'0" x 6'8"

CCR8205A  
3'0" x 8'0"  
3'6" x 8'0"

CCR8225  
3'0" x 8'0"  
3'6" x 8'0"

CCR8225R  
3'0" x 8'0"  
3'6" x 8'0"

CCR8005  
3'0" x 8'0"

CCR8005A  
3'0" x 8'0"

CCR040  
3'0" x 6'8"

CCR8040  
3'0" x 8'0"  
3'6" x 8'0"



CCR040R  
3'0" x 6'8"

CCR8040R  
3'0" x 8'0"  
3'6" x 8'0"

CCR8222  
3'0" x 8'0"  
3'6" x 8'0"

CCR200  
3'0" x 6'8"

CCR8200  
3'0" x 8'0"

CCR200A  
3'0" x 6'8"

CCR8200A  
3'0" x 8'0"

CCR8220  
3'0" x 8'0"

CCR8220R  
3'0" x 8'0"



CCR100  
3'0" x 6'8"  
3'6" x 8'0"

CCR8100  
3'0" x 8'0"  
3'6" x 8'0"

CCR100A  
3'0" x 6'8"  
3'6" x 8'0"

CCR8100A  
3'0" x 8'0"  
3'6" x 8'0"

CCR100R  
3'0" x 6'8"  
3'6" x 8'0"

CCR8100R  
3'0" x 8'0"  
3'6" x 8'0"

## Key

🔥 Flush-Glazed Glass (FG)

☀️ Low-E Glass (LE)

🔧 WBDP / HVHZ Options



STRIKING



# Classic-Craft®

## Oak

## Collection™

85

•

### Warm wood graining.

With warm wood graining,  
Classic-Craft Oak premium  
fiberglass entryways are designed  
as the perfect complement to  
homes with Traditional styling.

# Classic-Craft® Oak Collection™

Features warm wood grains with the look of classic Oak, suitable for homes with Traditional styling.



## See the difference stain can make.

Explore PrismaGuard™ finish and Same-Day®. Stain color options on pages 268–269.

## Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- EnLiten™ flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

## Heavier Construction


- 20% heavier construction.\*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile for added weight and rigidity.
- Thicker fiberglass skins.


## Available Sizes


- 2'8", 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"–82-½" and 96"–98-½" rough openings.

## Finish Options

Classic-Craft Oak entryways can be stained or painted any color.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*

 Fire-rated options available on solid-panel doors. See pages 230–235.

 Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

\*\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Oak Collection, Lucerna Glass, Door – CC822  
Right Page: Classic-Craft Oak Collection, Provincial Glass, Door – CC97, Sidelites – CC2040SL, Transom – CC420T



# Decorative Glass Designs



**Villager™** Page 88  
Glass Privacy Rating: **5**



**Homeward™** Page 88  
Glass Privacy Rating: **4**



**Arcadia™** Page 88  
Glass Privacy Rating: **5**



**Bella™** Page 89  
Glass Privacy Rating: **6**



**Arborwatch™** Page 90  
Glass Privacy Rating: **6**



**Provincial™** Page 90  
Glass Privacy Rating: **6**



**Cambridge™** Page 91  
Glass Privacy Rating: **8**



**Lucerna™** Page 91  
Glass Privacy Rating: **7**

Also Available:

**Privacy & Textured Glass**  
Page 92

**Low-E Glass**  
Page 92

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**  
Clear Opaque

**Caming Options**

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

▶ Removable wood grilles available to create authentic Colonial configurations.





## Villager™



CC9812  
◆ ◆  
3'0" x 6'8"



CC9818  
◆ ◆  
3'0" x 6'8"




CC89818  
◆ ◆  
3'0" x 8'0"



CC89815  
◆ ◆  
3'0" x 8'0"



CC9811  
◆ ◆  
3'0" x 6'8"



CC9812SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



CC89812SL  
◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



VGRT

◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



VG30T

◆ ◆  
3'0" Door Only

## Homeward™



CC9925  
◆ ◆  
3'0" x 6'8"



CC9922  
◆ ◆  
3'0" x 6'8"




CC89922  
◆ ◆  
3'0" x 8'0"



CC89924  
◆ ◆  
3'0" x 8'0"



CC9926  
◆ ◆  
3'0" x 6'8"



CC9925SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



CC89925SL  
◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



HWRT

◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



HW30T

◆ ◆  
3'0" Door Only

## Arcadia™



CC109  
◆ ◆ ◆  
3'0" x 6'8"



CC99  
◆ ◆ ◆  
3'0" x 6'8"



CC899  
◆ ◆ ◆  
3'0" x 8'0"



CC839  
◆ ◆ ◆  
3'0" x 8'0"



CC45  
◆ ◆ ◆  
2'8" x 6'8"  
3'0" x 6'8"



CC79  
◆ ◆ ◆  
3'0" x 6'8"



CC19  
◆ ◆ ◆  
3'0" x 6'8"



CC2060SL  
◆ ◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



CC8009SL  
◆ ◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



**CC2279SL**  
 ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**CC2160SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**CC1019SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**ARHRT**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CC060T**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC620T**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC600T**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" Door Only

## Bella™



**CC111B**  
 ◆  
 3'0" x 6'8"



**CC114B**  
 ◆ ◆ ◆  
 3'0" x 6'8"



**CC901B**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" x 8'0"



**CC900B**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" x 8'0"



**CC110B**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" x 6'8"



**CC113B**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" x 6'8"



**CC112B**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" x 6'8"



**CC2080BSL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**CC8010BSL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**CC1020BSL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**BEBHRT**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**BEET-B**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**BERT-B**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

### Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

# Arborwatch®



CC1423  
◆ ■ ■  
3'0" x 6'8"



CC1418  
◆ ■ ■  
3'0" x 6'8"




CC81418  
◆ ■ ■  
3'0" x 8'0"



CC81420  
◆ ■ ■  
3'0" x 8'0"



CC1424  
◆ ■ ■  
3'0" x 6'8"



CC1423SL  
◆ ◆ ■ ■  
12" x 6'8"  
14" x 6'8"

CC81423SL  
◆ ◆ ■ ■  
12" x 8'0"  
14" x 8'0"




ABRT  
◆ ■ ■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



AB30T  
◆ ■ ■  
3'0" Door Only

# Provincial™



CC107  
◆ ■ ◆  
3'0" x 6'8"




CC97  
◆ ■ ◆  
3'0" x 6'8"



CC897  
◆ ■ ◆  
3'0" x 8'0"



CC837  
◆ ■ ◆  
3'0" x 8'0"



CC47  
◆ ■ ■  
2'8" x 6'8"  
3'0" x 6'8"



CC77  
◆ ■ ■  
3'0" x 6'8"



CC17  
◆ ■ ◆  
3'0" x 6'8"



CC2040SL  
◆ ◆ ■ ■  
12" x 6'8"  
14" x 6'8"

CC8007SL  
◆ ◆ ■ ■  
12" x 8'0"  
14" x 8'0"



CC2277SL  
◆ ◆ ■ ■  
12" x 6'8"  
14" x 6'8"



CC2140SL  
◆ ◆ ■ ■  
12" x 6'8"  
14" x 6'8"



CC1017SL  
◆ ◆ ■ ■  
12" x 6'8"  
14" x 6'8"



PRHRT  
◆ ■ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



CC420T  
◆ ■ ■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC040T  
◆ ■ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC400T  
◆ ■ ■  
3'0" Door Only



# Cambridge™



CC106  
◆ ◆ ◆  
3'0" x 6'8"

CC96  
◆ ◆ ◆  
3'0" x 6'8"

CC896  
◆ ◆ ◆  
3'0" x 8'0"

CC836  
◆ ◆ ◆  
3'0" x 8'0"

CC44  
◆ ◆ ◆  
2'8" x 6'8"  
3'0" x 6'8"

CC76  
◆ ◆ ◆  
3'0" x 6'8"

CC16  
◆ ◆ ◆  
3'0" x 6'8"



CC2044SL  
◆ ◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

CC8006SL  
◆ ◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"

CC2276SL  
◆ ◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

CC2144SL  
◆ ◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

CC1016SL  
◆ ◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



CBHRT  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



CC090T  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC920T  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC900T  
◆ ◆ ◆  
3'0" Door Only

# Lucerna®



CC10022  
◆ ◆  
3'0" x 6'8"

CC922  
◆ ◆  
3'0" x 6'8"

CC898  
◆ ◆  
3'0" x 8'0"

CC833  
◆ ◆  
3'0" x 8'0"

CC612  
◆ ◆  
3'0" x 6'8"


CC78  
◆ ◆  
3'0" x 6'8"

CC822  
◆ ◆  
3'0" x 6'8"

## Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

Lucerna Glass Continues on next page.

Lucerna™ Glass *Continued*

CC3412SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

CC8102SL  
◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



CC2272SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



CC2122SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



CC3502SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



LCHRT

◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



LCRT

◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LCET

◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LC30T

◆ ◆ ◆  
3'0" Door Only

## Privacy & Textured Glass



CC2025\_SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

CC2020\_SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

CC8000\_SL  
◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"

## Low-E Glass with Divided Lites



CC102  
◆ ◆ ◆  
3'0" x 6'8"

CC92  
◆ ◆ ◆  
3'0" x 6'8"

CC892  
◆ ◆ ◆  
3'0" x 8'0"



CC49  
◆ ◆ ◆  
2'8" x 6'8"  
3'0" x 6'8"



CC832  
◆ ◆ ◆  
3'0" x 8'0"



CC2025SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



19020T

◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



19220T

◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



19200T

◆ ◆ ◆  
3'0" Door Only  
Grille Sticks Applied

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 42–44.

XG = **NEW** Geometric  
XC = Chord

XJ = Chinchilla  
XR = Rainglass

XN = Granite

## Low-E Glass



## Solid Panel



### Key

- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Removable Wood Grilles (RG)
- WBDR / HVHZ Options





EXCLUSIVE

# Classic-Craft®

## Canvas

## Collection®

95

•

### Premium paintable surfaces.

The first premium smooth, paintable fiberglass door to carry the Therma-Tru® brand name, Classic-Craft Canvas is designed for homeowners seeking the aesthetics of a sleek, modern entryway that can be adapted to suit multiple styles.

# Classic-Craft® Canvas Collection®

Creates a sleek, modern entryway with a smooth, paintable surface for virtually unlimited color options both inside and out.



## Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.\*
- EnLiten™ flush-glazed designs.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4" full-length engineered lumber lock stile for added weight and rigidity.
- Thicker fiberglass skins.

## Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"-82-½" and 96"-98-½" rough openings.

## Finish Options

Classic-Craft Canvas entryways can be painted any color.



WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*



Fire-rated options available on solid-panel doors. See pages 230–235.



Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



\*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit [www.thermatru.com](http://www.thermatru.com) for details.

\*\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Canvas Collection, Borrassa Glass, Door – CCV1515, Straps



# Decorative Glass Designs



**Villager™** Page 98  
Glass Privacy Rating: **5**



**Homeward™** Page 98  
Glass Privacy Rating: **4**



**Arcadia™** Page 99  
Glass Privacy Rating: **5**



**Augustine™** Page 100  
Glass Privacy Rating: **10**



**Bella™** Page 100  
Glass Privacy Rating: **6**




**Arborwatch™** Page 101  
Glass Privacy Rating: **6**



**Borrassa™** Page 102  
Glass Privacy Rating: **10**



**Provincial™** Page 102  
Glass Privacy Rating: **6**



**Longford™** Page 103  
Glass Privacy Rating: **8**



**Cambridge™** Page 104  
Glass Privacy Rating: **8**



**Zaha™** Page 104  
Glass Privacy Rating: **3**



**Lucerna™** Page 106  
Glass Privacy Rating: **7**

Also Available:

**Privacy & Textured Glass**

Page 106

**Low-E Glass**

Page 108

**Caming Options**

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**

Clear

Opaque

▶ Simulated divided lites (SDLs) and removable wood grilles available to create authentic Craftsman and Colonial configurations.

## Panel Embossments



4-Panel Square Top  
4-Panel Soft Arch  
Arched 4-Panel Soft Arch  
6-Panel



2-Panel Plank Soft Arch  
Arched 2-Panel Plank Soft Arch



2-Panel Square Top - WS



2-Panel 3/4 Top  
3-Panel  
5-Panel



Craftsman-Lite  
1-Panel Plank

# Villager™



CCV9812  
◆ ◆  
3'0" x 6'8"



CCV9818  
◆ ◆  
3'0" x 6'8"



CCV89818  
◆ ◆  
3'0" x 8'0"



CCV9821  
◆ ◆  
3'0" x 6'8"



CCV89821  
◆ ◆  
3'0" x 8'0"



CCV9822  
◆ ◆  
3'0" x 6'8"



CCV89822  
◆ ◆  
3'0" x 8'0"



CCV9820  
◆ ◆  
3'0" x 6'8"



CCV9811  
◆ ◆  
3'0" x 6'8"



CCV89819  
◆ ◆  
3'0" x 8'0"



CCV89815  
◆ ◆  
3'0" x 8'0"




CCV912  
◆ ◆  
3'0" x 6'8"



CCV922  
◆ ◆  
3'0" x 6'8"



CCV932  
◆ ◆  
3'0" x 6'8"




CCV912SL  
◆ ◆  
12" x 6'8"  
14" x 6'8"



CCV8112SL  
◆ ◆  
12" x 8'0"  
14" x 8'0"



CCV9012SL  
◆ ◆  
12" x 6'8"  
14" x 6'8"



VGRT  
◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



VG30T  
◆ ◆  
3'0" Door Only

# Homeward™



CCV9925  
◆ ◆  
3'0" x 6'8"



CCV9922  
◆ ◆  
3'0" x 6'8"



CCV89922  
◆ ◆  
3'0" x 8'0"



CCV9919  
◆ ◆  
3'0" x 6'8"



CCV89919  
◆ ◆  
3'0" x 8'0"



CCV9918  
◆ ◆  
3'0" x 6'8"



CCV89918  
◆ ◆  
3'0" x 8'0"



CCV9920  
◆ ◆  
3'0" x 6'8"




CCV9926  
◆ ◆  
3'0" x 6'8"



CCV89921  
◆ ◆  
3'0" x 8'0"



## Arcadia™



### Key

- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)

### Optional Dentil Shelf

4-Block Dentil Shelf  
Available for all Craftsman-style Canvas Collection doors.



# Augustine®

Note: Product images show exterior side of door.



CCV10027  
✗  
3'0" x 6'8"



CCV05027  
✗  
3'0" x 6'8"



CCV805027  
✗  
3'0" x 8'0"



CCV20527  
✗  
3'0" x 6'8"



CCV820527  
✗  
3'0" x 8'0"



CCV22027  
✗  
3'0" x 6'8"



CCV822027  
✗  
3'0" x 8'0"



CCV45527  
✗  
3'0" x 6'8"



CCV20537  
✗  
3'0" x 6'8"



CCV820537  
✗  
3'0" x 8'0"



CCV45537  
✗  
3'0" x 6'8"



CCV20537A  
✗  
3'0" x 6'8"



CCV820537A  
✗  
3'0" x 8'0"



CCV45537A  
✗  
3'0" x 6'8"



CCV803027  
✗  
3'0" x 8'0"



CCV806027  
✗  
3'0" x 8'0"



CCV100XNSL  
♦  
12" x 6'8"  
14" x 6'8"

Note:  
Coordinating  
sidelites feature  
granite glass  
without  
wrought iron.



CCV8100XNSL  
♦  
12" x 8'0"  
14" x 8'0"

# Bella™



CCV10024B  
♦  
3'0" x 6'8"



CCV05024B  
♦  
3'0" x 6'8"



CCV805024B  
♦  
3'0" x 8'0"



CCV20524B  
♦  
3'0" x 6'8"



CCV820524B  
♦  
3'0" x 8'0"



CCV22024B  
♦  
3'0" x 6'8"



CCV822024B  
♦  
3'0" x 8'0"



CCV45524B  
♦  
3'0" x 6'8"



**CCV06024B**  
 ◆ 3'0" x 6'8"

**CCV806024B**  
 ◆ 3'0" x 8'0"



**CCV803024B**  
 ◆ 3'0" x 8'0"



**CCV104BSL**  
 ◆ 12" x 6'8"  
 ◆ 14" x 6'8"

**CCV8104BSL**  
 ◆ 12" x 8'0"  
 ◆ 14" x 8'0"



**BEBHRT**  
 ◆ 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**BERT-B**  
 ◆ 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**BEET-B**  
 ◆ 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## Arborwatch®



**CCV1423**  
 ◆ 3'0" x 6'8"



**CCV1418**  
 ◆ 3'0" x 6'8"

**CCV81418**  
 ◆ 3'0" x 8'0"



**CCV1415**  
 ◆ 3'0" x 6'8"

**CCV81415**  
 ◆ 3'0" x 8'0"



**CCV1414**  
 ◆ 3'0" x 6'8"

**CCV81414**  
 ◆ 3'0" x 8'0"



**CCV1416**  
 ◆ 3'0" x 6'8"



**CCV1424**  
 ◆ 3'0" x 6'8"

**CCV81417**  
 ◆ 3'0" x 8'0"



**CCV81420**  
 ◆ 3'0" x 8'0"




**CCV4100**  
 ◆ 3'0" x 6'8"



**CCV4200**  
 ◆ 3'0" x 6'8"



**CCV4300**  
 ◆ 3'0" x 6'8"



**CCV1423SL**  
 ◆ 12" x 6'8"  
 ◆ 14" x 6'8"

**CCV81423SL**  
 ◆ 12" x 8'0"  
 ◆ 14" x 8'0"



**CCV4100SL**  
 ◆ 12" x 6'8"  
 ◆ 14" x 6'8"



**ABRT**  
 ◆ 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**AB30T**  
 ◆ 3'0" Door Only

### Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)
- ◆ Simulated Divided Lites (SDL)

### Optional Dentil Shelf



**4-Block Dentil Shelf**  
 Available for all Craftsman-style  
 Canvas Collection doors.

# Borrassa®

Note: Product images show exterior side of door.



CCV1528  
✗  
3'0" x 6'8"



CCV1519  
✗  
3'0" x 6'8"



CCV81519  
✗  
3'0" x 8'0"



CCV1516  
✗  
3'0" x 6'8"



CCV81516  
✗  
3'0" x 8'0"



CCV1515  
✗  
3'0" x 6'8"



CCV81515  
✗  
3'0" x 8'0"



CCV1517  
✗  
3'0" x 6'8"



CCV1512  
✗  
3'0" x 6'8"



CCV81512  
✗  
3'0" x 8'0"



CCV1513  
✗  
3'0" x 6'8"



CCV1512A  
✗  
3'0" x 6'8"



CCV81512A  
✗  
3'0" x 8'0"



CCV1513A  
✗  
3'0" x 6'8"



CCV81518  
✗  
3'0" x 8'0"



CCV81520  
✗  
3'0" x 8'0"



CCV100XHSL  
▲  
12" x 6'8"  
14" x 6'8"

Note: Coordinating  
sidelites feature  
hammered glass  
without wrought iron.



CCV8100XHSL  
▲  
12" x 8'0"  
14" x 8'0"

# Provincial™



CCV10028  
◆  
3'0" x 6'8"



CCV05028  
◆  
3'0" x 6'8"



CCV805028  
◆  
3'0" x 8'0"



CCV20528  
◆  
3'0" x 6'8"



CCV820528  
◆  
3'0" x 8'0"



CCV22028  
◆  
3'0" x 6'8"



CCV822028  
◆  
3'0" x 8'0"



CCV45528  
◆  
3'0" x 6'8"






CCV06028  
 ◆ ◆ ◆  
 3'0" x 6'8"

CCV806028  
 ◆ ◆ ◆  
 3'0" x 8'0"



CCV803028  
 ◆ ◆ ◆  
 3'0" x 8'0"



CCV108SL  
 ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

CCV8108SL  
 ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



PRHRT  
 ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



CC420T  
 ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only




CC040T  
 ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



CC400T  
 ◆ ◆ ◆  
 3'0" Door Only

## Longford™

Note: Product images show exterior side of door.



CCV10023  
 ◆ ◆ ◆  
 3'0" x 6'8"



CCV05023  
 ◆ ◆ ◆  
 3'0" x 6'8"

CCV805023  
 ◆ ◆ ◆  
 3'0" x 8'0"



CCV20523  
 ◆ ◆ ◆  
 3'0" x 6'8"

CCV820523  
 ◆ ◆ ◆  
 3'0" x 8'0"



CCV22023  
 ◆ ◆ ◆  
 3'0" x 6'8"

CCV822023  
 ◆ ◆ ◆  
 3'0" x 8'0"



CCV45523  
 ◆ ◆ ◆  
 3'0" x 6'8"




CCV06023  
 ◆ ◆ ◆  
 3'0" x 6'8"

CCV806023  
 ◆ ◆ ◆  
 3'0" x 8'0"



CCV803023  
 ◆ ◆ ◆  
 3'0" x 8'0"



CCV103SL  
 ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

CCV8103SL  
 ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



LFHRT  
 ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



LFRT  
 ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LFET  
 ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LF30T  
 ◆ ◆ ◆  
 3'0" Door Only

### Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)

- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

# Cambridge™



CCV10026  
◆ ◆ ◆  
3'0" x 6'8"



CCV05026  
◆ ◆ ◆  
3'0" x 6'8"



CCV805026  
◆ ◆ ◆  
3'0" x 8'0"



CCV20526  
◆ ◆ ◆  
3'0" x 6'8"



CCV820526  
◆ ◆ ◆  
3'0" x 8'0"



CCV22026  
◆ ◆ ◆  
3'0" x 6'8"



CCV822026  
◆ ◆ ◆  
3'0" x 8'0"



CCV45526  
◆ ◆ ◆  
3'0" x 6'8"



CCV06026  
◆ ◆ ◆  
3'0" x 6'8"



CCV803026  
◆ ◆ ◆  
3'0" x 8'0"



CCV106SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



CCV8106SL  
◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



CBHRT  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



CC090T  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC920T  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC900T  
◆ ◆ ◆  
3'0" Door Only

## Zaha®

Note: Product images show exterior side of door.



CCV1851  
◆ ◆  
3'0" x 6'8"



CCV1843  
◆ ◆  
3'0" x 6'8"



CCV81843  
◆ ◆  
3'0" x 8'0"



CCV1839  
◆ ◆  
3'0" x 6'8"



CCV81839  
◆ ◆  
3'0" x 8'0"



CCV1838  
◆ ◆  
3'0" x 6'8"



CCV81838  
◆ ◆  
3'0" x 8'0"



CCV1840  
◆ ◆  
3'0" x 6'8"



CCV81841  
◆ ◆  
3'0" x 8'0"

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Classic-Craft Canvas Collection, Zaha Glass, Door – CCV81838




CCV81840  
◆  
3'0" x 8'0"



CCV81846  
◆  
3'0" x 8'0"



CCV81846A  
◆  
3'0" x 8'0"



CCV1851SL  
◆  
12" x 6'8"  
14" x 6'8"

CCV81851SL  
◆  
12" x 8'0"  
14" x 8'0"



ZHHRT  
◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



ZHRT  
◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



## Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)



# Lucerna®



CCV10022  
◆ ■■  
3'0" x 6'8"

CCV05022  
◆ ■■  
3'0" x 6'8"

CCV805022  
◆ ■■  
3'0" x 8'0"

CCV20522  
◆ ■■  
3'0" x 6'8"

CCV820522  
◆ ■■  
3'0" x 8'0"


CCV22022  
◆ ■■  
3'0" x 6'8"

CCV822022  
◆ ■■  
3'0" x 8'0"

CCV45522  
◆ ■■  
3'0" x 6'8"

CCV06022  
◆ ■■  
3'0" x 6'8"

CCV806022  
◆ ■■  
3'0" x 8'0"



CCV803022  
◆ ■■  
3'0" x 8'0"

CCV820532  
◆ ■■  
3'0" x 8'0"

CCV820532A  
◆ ■■  
3'0" x 8'0"

CCV3412SL  
◆ ◆ ■■  
12" x 6'8"  
14" x 6'8"

CCV8102SL  
◆ ◆ ■■  
12" x 8'0"  
14" x 8'0"



LCHRT  
◆ ■■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



LCRT  
◆ ■■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LCET  
◆ ■■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LC30T  
◆ ■■  
3'0" Door Only

## Privacy & Textured Glass with Divided Lites



CCV10015  
>  
3'0" x 6'8"

CCV05012  
>  
3'0" x 6'8"

CCV805015  
>  
3'0" x 8'0"

CCV822012  
>  
3'0" x 8'0"

CCV820512  
>  
3'0" x 8'0"

CCV806012  
>  
3'0" x 8'0"

CCV803012  
>  
3'0" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 42–44.

XG = **NEW** Geometric  
(Only available in Craftsman-lite  
configurations, as well as sidelites)

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite



## Privacy & Textured Glass



### Key

- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Removable Wood Grilles (RG)

### Optional Dentil Shelf



**4-Block Dentil Shelf**  
Available for all Craftsman-style Canvas Collection doors.

## Low-E Glass with Divided Lites



CCV10015  
3'0" x 6'8"



CCV05012  
3'0" x 6'8"



CCV805015  
3'0" x 8'0"



CCV822012  
3'0" x 8'0"



CCV820512  
3'0" x 8'0"



CCV0609  
3'0" x 6'8"



CCV806012  
3'0" x 8'0"



CCV803012  
3'0" x 8'0"



CCV920  
3'0" x 6'8"



CCV930  
3'0" x 6'8"



CCV940  
3'0" x 6'8"



CCV960  
3'0" x 6'8"



CCV950SL  
12" x 6'8"  
14" x 6'8"



CCV8950SL  
12" x 8'0"  
14" x 8'0"



CCV9020SL  
12" x 6'8"  
14" x 6'8"

## Low-E Glass



CCV10020  
3'0" x 6'8"



CCV05020  
3'0" x 6'8"



CCV805020  
3'0" x 8'0"



CCV20520  
3'0" x 6'8"



CCV820520  
3'0" x 8'0"



CCV22020  
3'0" x 6'8"



CCV822020  
3'0" x 8'0"



CCV45520  
3'0" x 6'8"





## Solid Panel



### Key

- ★ Flush-Glazed Glass (FG)
- ★ Low-E Glass (LE)
- Simulated Divided Lites (SDL)

- Removable Wood Grilles (RG)
- WBDR / HVHZ Options

### Optional Dentil Shelf



**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Canvas Collection doors.

# Fiber-Classic®

Mahogany Collection™ & Oak Collection™



110

- Wood grains to suit any style.



Choose from two wood-grained collections for the perfect fiberglass door to fit a variety of home styles at an excellent value. Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak is the door that started the fiberglass revolution, featuring the distinctive look of natural Oak graining.

Top: Fiber-Classic Oak Collection, Riserva Glass, Door – FC8529, Sidelites – FC8572SL  
Bottom: Fiber-Classic Oak Collection, Pembridge Glass, Door – FC745



# Smooth-Star®



111



Smooth, paintable surfaces.



Smooth-Star is the answer when the best look for the home is delivered in a sleek, paintable package. The more attractive and durable alternative to steel, Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours that meet the needs of homeowners seeking more color options for their doorways.



# Fiber-Classic® & Smooth-Star® Fiberglass Doors

Therma-Tru gives the homeowner options to choose the style that best fits their personality and home without compromise. Fiber-Classic and Smooth-Star share many door styles in common. And the available glass families cross over between door collections. Find flexible options to fit virtually every entrance from front entry to patio to utility doors.



## Fiber-Classic & Smooth-Star fiberglass doors offer:

- High-definition panel embossments.
- Composite top and bottom rails.
- 1-1/4" engineered lumber lock stiles.
- 22-1/2" lock block in Fiber-Classic and 12-1/2" lock block in Smooth-Star.
- Durable, long-lasting fiberglass skins.

**WBDR Options:** Look for this icon to find door styles that can be configured for WBDR.\*

**WBDR / HVHZ Options:** Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*

**Fire-rated options** available on solid-panel doors. See pages 230–235.

## Warranty Riders

See page 31 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



### Fiber-Classic® Mahogany Collection™

Features deep Mahogany graining to complement homes with richer wood tones.



### Fiber-Classic® Oak Collection™

Features the warm look and feel of Oak graining.



### Smooth-Star®

Features smooth, ready-to-paint surfaces.

\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

■ = Available  
 • = Not Applicable  
 S = Stain  
 P = Paint

Fiber-Classic <sup>®</sup> Mahogany Collection <sup>™</sup>	Fiber-Classic <sup>®</sup> Oak Collection <sup>™</sup>	Smooth-Star <sup>®</sup>
--	---	--------------------------

#### Door Widths

2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	•	•	■

#### Door Heights

6'6"	■	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■

#### Glass Options

Decorative	15	15	15
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	•	■	■
Screen Vented	•	•	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Removable Wood Grilles	■	■	■
Fixed Grilles	■	■	■
Low-E	■	■	■
Clear	■	■	■

#### Additional Options

Finish	S / P	S / P	P
Vented Sidelites	■	■	■

## Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 250–252.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors



#### See the difference stain can make.

Explore PrismaGuard<sup>™</sup> finish and Same-Day<sup>®</sup> Stain color options on pages 268–269.

## Vented Sidelites



More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

### Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Note: No Impact options available for vented sidelites.

Top: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL

# Decorative & Specialty Glass Designs


## Blackstone® Page 123

Traditional English design meets

① clear curved bevels, ② rainglass and coming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.



Glass Privacy Rating



Black Nickel



Brushed Nickel

## Crystalline™ Page 126

This time-honored design features

geometric styling brought to life with ① glue chip glass, ② glue chip bevels, ③ clear bevels and coming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

## Sedona Page 129

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

① slump glass, ② clear bevels, ③ clear antique glass and coming.



Glass Privacy Rating



Black Nickel



Brushed Nickel


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.



## Salinas® Page 132

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

1 10  
Glass Privacy Rating



Wrought Iron

## Maple Park® Page 135

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and coming. The curved design adds unique appeal.

1 6 10  
Glass Privacy Rating



Black Nickel



Brushed Nickel

## Avonlea® Page 138

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's 1 clear baroque glass and 2 bronze waterglass surrounded by black nickel coming.

1 4 10  
Glass Privacy Rating



Black Nickel

## Saratoga™ Page 140

Saratoga evokes a certain urban sophistication while offering modest privacy with its ① clear bevels, ② diamond glass, ③ reed glass and coming. The geometric pattern bridges both modern and traditional designs.




Glass Privacy Rating

Black Nickel



Brushed Nickel



## Texas Star Page 142

Beautifully crafted with ① clear bevels, ② curved bevels, ③ clear waterglass, ④ granite glass, ⑤ glue chip glass and brushed nickel coming, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Glass Privacy Rating

Brushed Nickel




## Wellesley™ Page 144

Simple yet charming, Wellesley's Victorian-inspired design uses ① clear baroque glass, ② clear curved bevels, ③ waterglass, ④ granite glass and coming to add beauty to any entry.



Glass Privacy Rating

Black Nickel



Brushed Nickel



Brass



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.


## Riserva™ Page 147

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features ① oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Glass Privacy Rating

Wrought Iron



## Concorde™ Page 150

There's just something friendly about Concorde's cheery four-leaf design.

① Glue chip glass, ② clear curved bevels, ③ clear glass and coming make up its Old World charm.



Glass Privacy Rating

Black Nickel



Brushed Nickel



Brass

## Kensington™ Page 153

Kensington speaks European elegance while offering modest privacy with its

① clear bevels, ② glue chip glass, ③ granite glass and coming.



Glass Privacy Rating

Black Nickel



Brushed Nickel



**NEW Pembridge™** Page 156


Simplistic in its design, Pembridge features a field of **1** hammered glass framed by **2** gray baroque glass and **3** multifaceted bevels. A central diamond shape adds a decorative touch.



Glass Privacy Rating

Note: The use of gray baroque glass varies based on glass size.

Black Nickel



Brushed Nickel



Brass

**Axis™** Page 160

Simple and smart, Axis combines **1** narrow reed glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.



Glass Privacy Rating

Black Nickel

**Frosted Images®**

Page 163

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of **1** white-frosted glass.



Glass Privacy Rating




Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs.

## Internal Blinds Page 176

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- ❶ Single-Hand Operator
- ❷ Privacy Bar



## Screen Vented Page 178

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



## Privacy & Textured Glass Page 165



**NEW Geometric**



**Satin Etch**



**Chord**



**Chinchilla**



**Rainglass**



**Granite**





Also Available:  
**Clear Glass** Page 179

# Divided Lites

Pages 165, 169, 179, 185

## Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (   ) icons.

Shown with flat bronze GBGs, recommended.

## Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted to complement the door and home.

Look for the (   ) icons.

## Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (  ) icon.

## Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the (  ) icon.

Interior view.

\*Available in Special Quote Program.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM608



## Fixed Grilles






Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.


Look for the (◆) icon.




## SDL Bar Options



## GBG Bar Options



## GBG Color Options



## Key

1 Simulated Divided Lites (SDL)\*\*

1 Simulated Divided Lites (SDLF1)\*\*

2 Simulated Divided Lites (SDLF2)\*\*

◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

➤ Removable Wood Grilles (RG)

◆ Fixed Grilles (FXG)

# Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



## Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf\*



Smooth-Star. 4-Block Dentil Shelf\*



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Bottom: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM608XC, Sidelites – FCM6126XC SL, Dentil Shelf

# Blackstone®

## Fiber-Classic® Mahogany



FCM108  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM871  
◆ ◆ ◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM310  
◆ ◆ ◆ 6  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡

FCM816  
◆ ◆ ◆ 6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM765  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM109  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM863  
◆ ◆ ◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM6032  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM6052  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM110  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM164  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM760  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM808SL  
◆ ◆ ◆ ◆ ◆ 6  
10" x 6'8"  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡



FCM81918SL  
◆ ◆ ◆ ◆ ◆ 6  
12" x 8'0"  
14" x 8'0"



FCM871SL  
◆ ◆ ◆ 6  
12" x 8'0"  
14" x 8'0"



FCM765SL  
◆ ◆ ◆ 6  
12" x 6'8"  
14" x 6'8"



FCM882SL  
◆ ◆ ◆ 6  
12" x 8'0"  
14" x 8'0"



FCM109SL  
◆ ◆ ◆ 6  
12" x 6'8"  
14" x 6'8"



FCM863SL  
◆ ◆ ◆ 6  
12" x 8'0"  
14" x 8'0"

## Fiber-Classic® Oak



FC108  
◆ ◆ ◆ 6  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



81918P  
◆ ◆ ◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC310  
◆ ◆ ◆ 6  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡

FC816  
◆ ◆ ◆ 6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC765  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC770  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



81952P  
◆ ◆ ◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC109  
◆ ◆ ◆ 6  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



81933P  
◆ ◆ ◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

### Key

■ No Stile Lines

◆ Black Nickel Caming (1D)

◆ Brushed Nickel Caming (1C)

● Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")

6 WBDL Options

6 WBDL / HVHZ Options

Δ 6'6" Height Available

‡ 7'0" Height Available

Blackstone Glass Continues on next page.



## Blackstone® Glass Continued



81975P  
 ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC129  
 ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC714  
 ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC164  
 ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC794  
 ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




FC801  
 ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC80943  
 ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC86243  
 ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC108SL  
 ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



81918PSL  
 ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"



FC808SL  
 ◆ ◆ 6  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



81918SL  
 ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"



FC765SL  
 ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"



81952PSL  
 ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"



FC109SL  
 ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"



81933PSL  
 ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"

## Smooth-Star®



S6002  
 ◆ ◆ 6  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



S85892  
 ◆ ◆ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S310  
 ◆ ◆ 6  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8"



S816  
 ◆ ◆ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



S975  
 ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S979  
 ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S894  
 ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"






S6000  
 ◆ ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



S81933P  
 ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S6032  
 ◆ ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**BSHRT**  
 ◆ ■ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**BSRT**  
 ◆ ■ ■  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- └ Flat Lite Frame

- Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- ⚠ 6'6" Height Available
- ⚠ 7'0" Height Available



## Crystalline™


### Fiber-Classic® Mahogany

FCM16 ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8114 ◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM668 ◆◆◆◆◆ 2'6" x 6'8" Δ± 2'8" x 6'8" Δ± 2'10" x 6'8" Δ± 3'0" x 6'8" Δ±	FCM814 ◆◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM38 ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM45 ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM898 ◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6027 ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6047 ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Note: See page 275 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Crystalline Glass, Door – FC16, Sidelites – FC46SL, Transom – 19820T





## Fiber-Classic® Oak



Crystalline Glass *Continues on next page.*

### Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available



18101SL  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡



81800SL  
12" x 8'0" Δ ‡  
14" x 8'0" Δ ‡

FC38SL  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

81953PSL  
12" x 8'0" Δ ‡  
14" x 8'0" Δ ‡



FC707SL  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡



FC43SL  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

81935PSL  
12" x 8'0" Δ ‡  
14" x 8'0" Δ ‡

## Smooth-Star®



S916  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



S814  
2'6" x 8'0" Δ ‡  
2'8" x 8'0" Δ ‡  
2'10" x 8'0" Δ ‡  
3'0" x 8'0" Δ ‡



S668  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" Δ ‡

S815  
2'6" x 8'0" Δ ‡  
2'8" x 8'0" Δ ‡  
2'10" x 8'0" Δ ‡  
3'0" x 8'0" Δ ‡  
3'6" x 8'0" Δ ‡



S977  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



S981  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡

S888  
2'8" x 8'0" Δ ‡  
2'10" x 8'0" Δ ‡  
3'0" x 8'0" Δ ‡



S926  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡

S81935P  
2'8" x 8'0" Δ ‡  
2'10" x 8'0" Δ ‡  
3'0" x 8'0" Δ ‡



S6027  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



S6047  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



S38  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡

S85907  
2'8" x 8'0" Δ ‡  
2'10" x 8'0" Δ ‡  
3'0" x 8'0" Δ ‡



S950  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



S930  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



S6113  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



S9341  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



S83141  
2'8" x 8'0" Δ ‡  
2'10" x 8'0" Δ ‡  
3'0" x 8'0" Δ ‡



S6123  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡




S936  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



S916SL  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

S814SL  
12" x 8'0" Δ ‡  
14" x 8'0" Δ ‡



**S6130SL**  
 ◆ ◆ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8" ▲ ‡  
 14" x 6'8" ▲ ‡

**S84586SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**S758SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**S888SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**S768SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**S930SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**S85914SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**S950SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**BLHRT** ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**19810T** ◆ ◆ ◆ ◆ ◆  
 12" & 14" Sidelite Only

**19800T** ◆ ◆ ◆ ◆ ◆  
 3'0" Door Only


**19080T** ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**19820T** ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Sedona

### Fiber-Classic® Mahogany



**FCM100**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM872**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM241**  
 ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ▲ ‡  
 2'8" x 6'8" ▲ ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡

**FCM822**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


**FCM131**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM101**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM864**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM6025**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM6045**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM604**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM126**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM816SL**  
 ◆ ◆ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8" ▲ ‡  
 14" x 6'8" ▲ ‡

**FCM81968SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**FCM872SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**FCM131SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**FCM883SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**FCM101SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**FCM864SL**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**Sedona Glass** Continues on next page.

#### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ▤ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

#### Optional Dentil Shelf\*



**4-Block Dentil Shelf**  
 Available for all Craftsman-style  
 Fiber-Classic Mahogany Collection doors.



Sedona Glass *Continued*

## Fiber-Classic® Oak



FC100

◆ ■  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



81968P

◆ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC241

◆ ■ ■  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



FC822

◆ ■ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC131

◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC773

◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



81954P

◆ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC101

◆ ■  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



81936P

◆ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



81978P

◆ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC128

◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC126

◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC80952

◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC86252

◆ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC100SL

◆ ■  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



81968PSL

◆ ■  
12" x 8'0"  
14" x 8'0"



FC816SL

◆ ■ ■  
12" x 6'8" ‡  
14" x 6'8" ‡



81968SL

◆ ■ ■  
12" x 8'0"  
14" x 8'0"



FC131SL

◆ ■  
12" x 6'8"  
14" x 6'8"




81954PSL

◆ ■  
12" x 8'0"  
14" x 8'0"



FC101SL

◆ ■  
12" x 6'8"  
14" x 6'8"



81936PSL

◆ ■  
12" x 8'0"  
14" x 8'0"

## Smooth-Star®



S139

◆ ■  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S241

◆ ■ ■  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8"

\*Available with flat lite frame only.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.



**S95**  
◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S91**  
◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S887**  
◆ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S211**  
◆ ■  
2'6" x 6'8"  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±

**S81936P**  
◆ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S6025**  
◆ ■  
2'6" x 6'8"  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±

**S6045**  
◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S35**  
◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S833**  
◆ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S294**  
◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S2650\***  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S82650\***  
◆ ■ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S604**  
◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8604**  
◆ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S12**  
◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S9352**  
◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S83152**  
◆ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S139SL**  
◆ ■ ■  
12" x 6'8"  
14" x 6'8"

**S604SL**  
■ ◆ ■ ■  
10" x 6'8"  
12" x 6'8" △ ±  
14" x 6'8" △ ±

**S91SL**  
◆ ■  
12" x 6'8"  
14" x 6'8"

**S887SL**  
◆ ■  
12" x 8'0"  
14" x 8'0"

**S294SL**  
◆ ■  
12" x 6'8"  
14" x 6'8"

**S85915SL**  
◆ ■  
12" x 8'0"  
14" x 8'0"



**19055T**  
◆ ■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**19520T**  
◆ ■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- △ 6'6" Height Available
- ± 7'0" Height Available

## Optional Dentil Shelf\*\*

- 4-Block Dentil Shelf  
Available for all Craftsman-style  
Smooth-Star doors.

# Salinas®

Note: Product images show exterior side of door.

## Fiber-Classic® Mahogany



FCM113  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM873  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM369  
X6  
2'6" x 6'8" ±  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±

FCM817  
X6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM115  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM114  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM865  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM6031  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM6051  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM118  
X  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM814SL  
X6  
10" x 6'8"  
12" x 6'8" ±  
14" x 6'8" ±

FCM81919SL  
X6  
12" x 8'0"  
14" x 8'0"


FCM873SL  
X6  
12" x 8'0"  
14" x 8'0"

FCM115SL  
X6  
12" x 6'8"  
14" x 6'8"

FCM884SL  
X6  
12" x 8'0"  
14" x 8'0"

FCM114SL  
X6  
12" x 6'8"  
14" x 6'8"

FCM865SL  
X6  
12" x 8'0"  
14" x 8'0"



FC113  
X6  
2'6" x 6'8"  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±

81919P  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC369  
X6  
2'6" x 6'8" ±  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±

FC817  
X6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC115  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC775  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

81955P  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC114  
X6  
2'6" x 6'8"  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±

81937P  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

81980P  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC130  
X  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC118  
X  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC80953  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Doors – FCM865






FC86253  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC113SL 81919PSL  
X6 X6  
10" x 6'8" 12" x 8'0"  
12" x 6'8" 14" x 8'0"  
14" x 6'8"



FC814SL 81919SL  
X6 X6  
12" x 6'8" 12" x 8'0"  
14" x 6'8" 14" x 8'0"  
Δ‡ Δ‡



FC115SL 81955PSL  
X6 X6  
12" x 6'8" 12" x 8'0"  
14" x 6'8" 14" x 8'0"



FC114SL 81937PSL  
X6 X6  
12" x 6'8" 12" x 8'0"  
14" x 6'8" 14" x 8'0"



Salinas Glass *Continues on next page.*

## Key

- No Stile Lines
- X Wrought Iron (1W)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

## Smooth-Star®



S6008

2'6" x 6'8" Δ  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡

S85893

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S369

2'6" x 6'8" Δ  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8"

S817

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"

S6009

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S6010

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S895

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S6006

2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

S81937P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S6031

2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S6051

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S973

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S893

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S6011

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S6014

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S6012


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S9353

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83153

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S6008SL

12" x 6'8"  
14" x 6'8"

S85893SL

10" x 6'8"  
14" x 8'0"

S6134SL

12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

S85931SL

12" x 8'0"  
14" x 8'0"

S6009SL

12" x 6'8"  
14" x 6'8"

S895SL

12" x 8'0"  
14" x 8'0"

S6006SL

12" x 6'8"  
14" x 6'8"

S85916SL

12" x 8'0"  
14" x 8'0"



SART

3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

# Maple Park®

## Fiber-Classic® Mahogany



FCM900  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM1006  
■ ◆ ■ ■  
2'8" x 6'8" △ ±  
2'10" x 6'8" △ ±  
3'0" x 6'8" △ ±



FCM902  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM901  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM886  
◆ ■ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM6107  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM6108  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM609  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM904  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM736  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM8736  
◆ ■ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM812SL  
■ ◆ ■ ■  
10" x 6'8"  
12" x 6'8" △ ±  
14" x 6'8" △ ±



FCM902SL  
◆ ■ ■  
12" x 6'8"  
14" x 6'8"



FCM887SL  
◆ ■ ■  
12" x 8'0"  
14" x 8'0"



FCM901SL  
◆ ■ ■  
12" x 6'8"  
14" x 6'8"



FCM886SL  
◆ ■ ■  
12" x 8'0"  
14" x 8'0"

## Fiber-Classic® Oak



FC900  
◆ ■ ■  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



FC1006  
■ ◆ ■ ■  
2'8" x 6'8" △ ±  
2'10" x 6'8" △ ±  
3'0" x 6'8" △ ±



FC902  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC777  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



81957P  
◆ ■ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC901  
◆ ■ ■  
2'6" x 6'8"  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



81939P  
◆ ■ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



81982P  
◆ ■ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC903  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### Key

■ No Stile Lines

◆ Black Nickel Caming (1D)

■ ■ Brushed Nickel Caming (1C)

✗ Wrought Iron (1W)

⌋ Flat Lite Frame

● Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

⌋ WBDR Options

⌋ WBDR / HVHZ Options

△ 6'6" Height Available

± 7'0" Height Available

### Optional Dentil Shelf\*




4-Block Dentil Shelf

Available for all Craftsman-style  
Fiber-Classic Mahogany Collection doors.



Maple Park® Glass *Continued*

## Smooth-Star®



\*Available with flat lite frame or Impact-rated lite frame only.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM609



S83155  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




S736  
 ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




S8736  
 ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S6100SL  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"




S6131SL  
 ◆ 6  
 10" x 6'8"  
 12" x 6'8" ▲ ‡  
 14" x 6'8" ▲ ‡




S6102SL  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



S85898SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



S6101SL  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



S85918SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



FWRT ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



## Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ▲ Flat Lite Frame

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options

- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

## Optional Dentil Shelf\*\*



4-Block Dentil Shelf  
 Available for all Craftsman-style  
 Smooth-Star doors.


# Avonlea®

Note: Product images show exterior side of door.

## Fiber-Classic® Mahogany



## Fiber-Classic® Oak



Note: See page 275 for important product details that may help with your purchase decision.





FC800  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"



FC80956  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"



FC86256  
 ◆ 2'8" x 8'0"  
 ◆ 2'10" x 8'0"  
 ◆ 3'0" x 8'0"



FC758SL  
 ◆ 10" x 6'8"  
 ◆ 12" x 6'8"  
 ◆ 14" x 6'8"



FC807SL  
 ◆ 12" x 6'8" ⚡  
 ◆ 14" x 6'8" ⚡



FC764SL  
 ◆ 12" x 6'8"  
 ◆ 14" x 6'8"



81967PSL  
 ◆ 12" x 8'0"  
 ◆ 14" x 8'0"



FC761SL  
 ◆ 12" x 6'8"  
 ◆ 14" x 6'8"



81932PSL  
 ◆ 12" x 8'0"  
 ◆ 14" x 8'0"

## Smooth-Star®



S962  
 ◆ 2'8" x 6'8" ⚡  
 ◆ 2'10" x 6'8" ⚡  
 ◆ 3'0" x 6'8" ⚡



S1027  
 ◆ 2'8" x 6'8" ⚡  
 ◆ 2'10" x 6'8" ⚡  
 ◆ 3'0" x 6'8" ⚡  
 ◆ 3'6" x 6'8"



S976  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"



S980  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"



S85900  
 ◆ 2'8" x 8'0"  
 ◆ 2'10" x 8'0"  
 ◆ 3'0" x 8'0"



S964  
 ◆ 2'8" x 6'8" ⚡  
 ◆ 2'10" x 6'8" ⚡  
 ◆ 3'0" x 6'8" ⚡



S81932P  
 ◆ 2'8" x 8'0"  
 ◆ 2'10" x 8'0"  
 ◆ 3'0" x 8'0"

S968  
 ◆ 2'8" x 6'8" ⚡  
 ◆ 2'10" x 6'8" ⚡  
 ◆ 3'0" x 6'8" ⚡

S966  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"



S970  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"



S85906  
 ◆ 2'8" x 8'0"  
 ◆ 2'10" x 8'0"  
 ◆ 3'0" x 8'0"



S985  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"



S988  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"



S991  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"



S995  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"



S6121  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"

S9356  
 ◆ 2'8" x 6'8"  
 ◆ 2'10" x 6'8"  
 ◆ 3'0" x 6'8"

### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⚡ 6'6" Height Available
- ⚡ 7'0" Height Available

Avonlea Glass Continues on next page.

Avonlea® Glass *Continued*

Note: Product images show exterior side of door.



S83156  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S962SL  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



S6127SL  
 ◆ 6  
 10" x 6'8"  
 12" x 6'8" ▲  
 14" x 6'8" ▲



S976SL  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



S85900SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



S964SL  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



S85911SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



AVRT ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Saratoga™

## Fiber-Classic® Mahogany



FCM905  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6093  
 ◆ 6  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



FCM907  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM906  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM888  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM6029  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6049  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM602  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM909  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




FCM707  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM8707  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM815SL  
 ◆ 6  
 10" x 6'8"  
 12" x 6'8" ▲  
 14" x 6'8" ▲



FCM81986SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



FCM893SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



FCM907SL  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



FCM889SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



FCM906SL  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



FCM888SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"

## Fiber-Classic® Oak



FC905  
 ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



FC6093  
 ◆ 6  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 275 for important product details that may help with your purchase decision.



**FC907**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC776**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**81956P**  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC906**  
 ◆ ■ ■ ■  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡


**81938P**  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**81981P**  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC908**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC909**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC80954**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC86254**  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC707**  
 ◆ ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**FC8707**  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC905SL**  
 ◆ ■ ■ ■  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

**81986PSL**  
 ◆ ■ ■ ■  
 12" x 8'0"  
 14" x 8'0"

**FC815SL**  
 ◆ ■ ■ ■  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**81986SL**  
 ◆ ■ ■ ■  
 12" x 8'0"  
 14" x 8'0"

**FC907SL**  
 ◆ ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"

**81956PSL**  
 ◆ ■ ■ ■  
 12" x 8'0"  
 14" x 8'0"

**FC906SL**  
 ◆ ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"

**81938PSL**  
 ◆ ■ ■ ■  
 12" x 8'0"  
 14" x 8'0"

## Smooth-Star®



**S154**  
 ◆ ■ ■ ■  
 2'6" x 6'8" △  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡  
 3'6" x 6'8" △ ‡

**S6093**  
 ◆ ■ ■ ■  
 2'6" x 6'8" △  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡  
 3'6" x 6'8" △ ‡

**S6092**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S982**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S891**  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S213**  
 ◆ ■ ■ ■  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S81938P**  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6029**  
 ◆ ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S6049**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Saratoga Glass Continues on next page.

### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ ■ Brushed Nickel Caming (1C)
- ▲ Flat Lite Frame

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- WBDR Options

- WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

### Optional Dentil Shelf\*



4-Block Dentil Shelf  
 Available for all Craftsman-style  
 Fiber-Classic Mahogany Collection doors.



**S41**  
◆ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S85908**  
◆ ■ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S291**  
◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S2660\***  
◆ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S82660\***  
◆ ■ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S602**  
◆ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8602**  
◆ ■ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S20**  
◆ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S9354**  
◆ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S83154**  
◆ ■ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S707**  
◆ ■  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±

**S8707**  
◆ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S154SL**  
◆ ■ 6  
12" x 6'8"  
14" x 6'8"

**S8602SL**  
◆ ■ 6  
12" x 8'0"  
14" x 8'0"

**S602SL**  
■ ■ ■ 6  
10" x 6'8"  
12" x 6'8" Δ ±  
14" x 6'8" Δ ±

**S85932SL**  
■ ■ ■ 6  
12" x 8'0"  
14" x 8'0"

**S6092SL**  
◆ ■ 6  
12" x 6'8"  
14" x 6'8"

**S891SL**  
◆ ■ 6  
12" x 8'0"  
14" x 8'0"

**S291SL**  
◆ ■ 6  
12" x 6'8"  
14" x 6'8"

**S85917SL**  
◆ ■ 6  
12" x 8'0"  
14" x 8'0"

**19740T**  
◆ ■  
3'0" Door Only

**19750T**  
◆ ■  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Texas Star

### Fiber-Classic® Mahogany

**FCM142**  
■ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM1029**  
■ ■ 6  
2'8" x 6'8" Δ ±  
2'10" x 6'8" Δ ±  
3'0" x 6'8" Δ ±

**FCM143**  
■ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM144**  
■ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM899**  
■ ■ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FCM6074**  
■ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM6075**  
■ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM146**  
■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM165**  
■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

\*Available with flat lite frame or Impact-rated lite frame only.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

## Fiber-Classic® Oak



FCM817SL  
 ■ ■ ■ 6  
 10" x 6'8"  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡

FCM143SL  
 ■ ■ 6  
 12" x 6'8"  
 14" x 6'8"

FCM8103SL  
 ■ ■ 6  
 12" x 8'0"  
 14" x 8'0"

FCM144SL  
 ■ ■ 6  
 12" x 6'8"  
 14" x 6'8"

FCM899SL  
 ■ ■ 6  
 12" x 8'0"  
 14" x 8'0"



FC142  
 ■ ■ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

FC1029  
 ■ ■ ■ 6  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡

FC143  
 ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC778  
 ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

81958P  
 ■ ■ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC144  
 ■ ■ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

81940P  
 ■ ■ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



81983P  
 ■ ■ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC145  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC146  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC165  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC795  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC80957  
 ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

## Smooth-Star®



FC86257  
 ■ ■ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FC142SL  
 ■ ■ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

FC817SL  
 ■ ■ ■ 6  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡

FC143SL  
 ■ ■ 6  
 12" x 6'8"  
 14" x 6'8"

81958PSL  
 ■ ■ 6  
 12" x 8'0"  
 14" x 8'0"

FC144SL  
 ■ ■ 6  
 12" x 6'8"  
 14" x 6'8"

81940PSL  
 ■ ■ 6  
 12" x 8'0"  
 14" x 8'0"



S6070  
 ■ ■ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡

S1029  
 ■ ■ ■ 6  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8"

S6071  
 ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Texas Star Glass Continues on next page.

## Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- └ Flat Lite Frame

- Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")
- 6 WBDR Options

- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

## Optional Dentil Shelf\*\*



4-Block Dentil Shelf  
 Available for all Craftsman-style  
 Smooth-Star doors.

Texas Star Glass *Continued*

S6072

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S85901

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S6073

 2'8" x 6'8" ±  
 2'10" x 6'8" ±  
 3'0" x 6'8" ±

S81940P

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S6075

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S6074

 2'8" x 6'8" ±  
 2'10" x 6'8" ±  
 3'0" x 6'8" ±

S6076

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S81983

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S6077

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S6078

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


S6079

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S998

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S9357

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S83157

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S6070SL

 12" x 6'8"  
 14" x 6'8"

S6135SL

 10" x 6'8"  
 12" x 6'8" ±  
 14" x 6'8" ±

S6071SL

 12" x 6'8"  
 14" x 6'8"

85901SL

 12" x 8'0"  
 14" x 8'0"

S6073SL

 12" x 6'8"  
 14" x 6'8"

85919SL

 12" x 8'0"  
 14" x 8'0"

## Wellesley™

## Fiber-Classic® Mahogany



FCM104

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM874

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FCM6094

 2'6" x 6'8" ±  
 2'8" x 6'8" ±  
 2'10" x 6'8" ±  
 3'0" x 6'8" ±

FCM821

 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FCM147

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM105

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM866

 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FCM6030

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM6050

 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"





FCM106  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM163  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM125  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM721  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM8721  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM818SL  
 ■ ◆ ■ ■  
 10" x 6'8"  
 12" x 6'8" ▲  
 14" x 6'8" ▲



FCM81921SL  
 ■ ◆ ■ ■  
 12" x 8'0"  
 14" x 8'0"



FCM874SL  
 ◆ ■ ■ ■  
 12" x 8'0"  
 14" x 8'0"

## Fiber-Classic® Oak



FCM147SL  
 ◆ ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"



FCM885SL  
 ◆ ■ ■ ■  
 12" x 8'0"  
 14" x 8'0"

FCM105SL  
 ◆ ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"

FCM866SL  
 ◆ ■ ■ ■  
 12" x 8'0"  
 14" x 8'0"



FC104  
 ◆ ■ ■ ■  
 2'6" x 6'8"  
 2'8" x 6'8" ±  
 2'10" x 6'8" ±  
 3'0" x 6'8" ±



81921P  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC6094  
 ■ ◆ ■ ■  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



FC821  
 ■ ◆ ■ ■  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC147  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC779  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

81959P  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC105  
 ◆ ■ ■ ■  
 2'6" x 6'8"  
 2'8" x 6'8" ±  
 2'10" x 6'8" ±  
 3'0" x 6'8" ±



81941P  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



81984P  
 ◆ ■ ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC127  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC713  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC163  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC796  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC125  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Wellesley Glass Continues on next page.

### Key

■ No Stile Lines

◆ Black Nickel Caming (1D)

■ ■ ■ Brushed Nickel Caming (1C)

◆ ■ ■ Brass Caming (1A)

■ Flat Lite Frame

■ Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

■ WBDR Options

■ WBDR / HVHZ Options

▲ 6'6" Height Available

± 7'0" Height Available



## Smooth-Star®





S721  
◆ ◆ ◆  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



S8721  
◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S155SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



S85896SL  
◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



S5870SL  
◆ ◆ ◆  
10" x 6'8"  
12" x 6'8" ±  
14" x 6'8" ±



S85934SL  
◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



S6091SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



S892SL  
◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



S292SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



S85922SL  
◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



WLHRT ◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19720T ◆ ◆ ◆  
3'0" Door Only



19730T ◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Riserva™

### Fiber-Classic® Mahogany

Note: Product images show exterior side of door.



FCM574  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM8574  
X 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM571  
X 6  
2'6" x 6'8" ±  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



FCM8571  
X 6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM543  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM581  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




FCM8581  
X 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM575  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM577  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM508  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM506  
X  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM572SL  
X 6  
10" x 6'8"  
12" x 6'8" ±  
14" x 6'8" ±



FCM8572SL  
X 6  
12" x 8'0"  
14" x 8'0"



FCM8573SL  
X 6  
12" x 8'0"  
14" x 8'0"



FCM545SL  
X 6  
12" x 6'8"  
14" x 6'8"



FCM8545SL  
X 6  
12" x 8'0"  
14" x 8'0"

FCM583SL  
X 6  
12" x 6'8"  
14" x 6'8"

FCM8583SL  
X 6  
12" x 8'0"  
14" x 8'0"

Riserva Glass Continues on next page.

#### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- X Wrought Iron (1W)
- Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

#### Optional Dentil Shelf\*



4-Block Dentil Shelf  
Available for all Craftsman-style  
Fiber-Classic Mahogany Collection doors.



## Fiber-Classic® Oak



FC574  
X6  
2'6" x 6'8"  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



FC8574  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC571  
X6  
2'6" x 6'8" Δ ±  
2'8" x 6'8" Δ ±  
2'10" x 6'8" Δ ±  
3'0" x 6'8" Δ ±



FC8571  
X6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC543  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC529  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC8529  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC581  
X6  
2'6" x 6'8"  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



FC8581  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC8579  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC585  
X  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC506  
X  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC507  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC549  
X6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC573SL  
X6  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



FC8573SL  
X6  
12" x 8'0"  
14" x 8'0"




FC572SL  
X6  
12" x 6'8" Δ ±  
14" x 6'8" Δ ±



FC8572SL  
X6  
12" x 8'0" Δ ±  
14" x 8'0" Δ ±

## Smooth-Star®



FC545SL  
X6  
12" x 6'8"  
14" x 6'8"



FC8545SL  
X6  
12" x 8'0"  
14" x 8'0"



FC583SL  
X6  
12" x 6'8"  
14" x 6'8"



FC8583SL  
X6  
12" x 8'0"  
14" x 8'0"



S574  
X6  
2'6" x 6'8" Δ ±  
2'8" x 6'8" Δ ±  
2'10" x 6'8" Δ ±  
3'0" x 6'8" Δ ±



S8574  
X6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S571  
X6  
2'6" x 6'8" Δ ±  
2'8" x 6'8" Δ ±  
2'10" x 6'8" Δ ±  
3'0" x 6'8" Δ ±  
3'6" x 6'8"



S8571  
X6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



S543  
X6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

\*Available with flat lite frame or Impact-rated lite frame only.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.



S529

X 6

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8529

X 6

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S581

X 6

2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

S8581

X 6

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S575

X 6

2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S577

X 6

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S579

X 6

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8579

X 6

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S585

X

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S2670\*

X 6

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S82670\*

X 6

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S508

X 6

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8508

X 6

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S506

X

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S507

X 6

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S549

X 6

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S573SL

X 6

12" x 6'8"  
14" x 6'8"

S8573SL

X 6


12" x 8'0"  
14" x 8'0"



S572SL

X 6

10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



S8572SL

X 6

12" x 8'0"  
14" x 8'0"



S545SL

X 6


12" x 6'8"  
14" x 6'8"



S8545SL

X 6

12" x 8'0"  
14" x 8'0"



S583SL

X 6

12" x 6'8"  
14" x 6'8"



S8583SL

X 6

12" x 8'0"  
14" x 8'0"



RSRT

X

3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match  
a Fiber-Classic or Smooth-Star door system.

## Key

■ No Stile Lines

X Wrought Iron (1W)

▲ Flat Lite Frame

● Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

6 WBDR Options

6 WBDR / HVHZ Options

▲ 6'6" Height Available

‡ 7'0" Height Available

## Optional Dentil Shelf\*\*



4-Block Dentil Shelf  
Available for all Craftsman-style  
Smooth-Star doors.

# Concorde™

## Fiber-Classic® Mahogany



FCM910  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM890  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM6095  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

FCM820  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM912  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM911  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM891  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM6026  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM6046  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM916  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM915  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM914  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM735  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8735  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM809SL  
10" x 6'8"  
12" x 6'8" †  
14" x 6'8" †

FCM81928SL  
12" x 8'0"  
14" x 8'0"

FCM890SL  
12" x 8'0"  
14" x 8'0"

FCM912SL  
12" x 6'8"  
14" x 6'8"

FCM892SL  
12" x 8'0"  
14" x 8'0"

FCM916SL  
12" x 6'8"  
14" x 6'8"

FCM911SL  
12" x 6'8"  
14" x 6'8"

FCM891SL  
12" x 8'0"  
14" x 8'0"

## Fiber-Classic® Oak



FC910  
2'6" x 6'8"  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

81928P  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC6095  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

FC820  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC912  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC780  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

81960P  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC911  
2'6" x 6'8"  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

81942P  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

81985P  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"





**FC913**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC916**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC915**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC797**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC914**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC80947**  
 ◆ ■ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC86247**  
 ◆ ■ ■ ■ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC735**  
 ◆ ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC917**  
 ◆ ■ ■ ■  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC910SL**  
 ◆ ■ ■ ■ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC809SL**  
 ◆ ■ ■ ■  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**FC912SL**  
 ◆ ■ ■ ■ 6  
 12" x 6'8"  
 14" x 6'8"



**FC916SL**  
 ◆ ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"



**FC911SL**  
 ◆ ■ ■ ■ 6  
 12" x 6'8"  
 14" x 6'8"

## Smooth-Star®



**S6090**  
 ◆ ■ ■ ■ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S85895**  
 ◆ ■ ■ ■ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6095**  
 ◆ ■ ■ ■ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8"



**S820**  
 ◆ ■ ■ ■ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S912**  
 ◆ ■ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S97**  
 ◆ ■ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S85902**  
 ◆ ■ ■ ■ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S426**  
 ◆ ■ ■ ■ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S81942P**  
 ◆ ■ ■ ■ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6026**  
 ◆ ■ ■ ■ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

Concorde Glass Continues on next page.

### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ ■ Brushed Nickel Caming (1C)
- ◆ ■ ■ ■ Brass Caming (1A)

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- △ 6'6" Height Available
- ‡ 7'0" Height Available



**S6046**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S37**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S837**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S450**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S430**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S400**  
  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ‡  
 2'10" x 6'8" Δ‡  
 3'0" x 6'8" Δ‡  
 3'6" x 6'8"

**S773**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S6084**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S1000**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S17**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S9347**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83147**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S735**  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8735**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S454**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S416SL**  
 6  
 12" x 6'8"  
 14" x 6'8"

**S85895SL**  
 6  
 12" x 8'0"  
 14" x 8'0"



**S4070SL**  
 6  
 10" x 6'8"  
 12" x 6'8" Δ‡  
 14" x 6'8" Δ‡

**S85930SL**  
 6  
 12" x 8'0"  
 14" x 8'0"

**S757SL**  
 6  
 12" x 6'8"  
 14" x 6'8"


**S85902SL**  
 6  
 12" x 8'0"  
 14" x 8'0"

**S767SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S430SL**  
 6  
 12" x 6'8"  
 14" x 6'8"

**S85920SL**  
 6  
 12" x 8'0"  
 14" x 8'0"

**S450SL**  
  
 12" x 6'8"  
 14" x 6'8"



**CNVRT**

3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CNRT**

3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Fiber-Classic® Mahogany



**FCM148**  
◆ ■ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM626**  
◆ ■ ■ ■  
2'8" x 6'8" △  
2'10" x 6'8" △  
3'0" x 6'8" △



**FCM156**  
◆ ■ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM149** | **FCM8149**  
◆ ■ ■ ■ | ◆ ■ ■ ■  
2'8" x 6'8" | 2'8" x 8'0"  
2'10" x 6'8" | 2'10" x 8'0"  
3'0" x 6'8" | 3'0" x 8'0"



**FCM6036**  
◆ ■ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM6056**  
◆ ■ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM151**  
■ ■ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM789**  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM150**  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM813SL**  
■ ◆ ■ ■ ■  
10" x 6'8"  
12" x 6'8" △  
14" x 6'8" △



**FCM1442SL**  
◆ ■ ■ ■  
12" x 6'8"  
14" x 6'8"



**FCM8107SL**  
◆ ■ ■ ■  
12" x 8'0"  
14" x 8'0"

**FCM149SL**  
◆ ■ ■ ■  
12" x 6'8"  
14" x 6'8"

**FCM867SL**  
◆ ■ ■ ■  
12" x 8'0"  
14" x 8'0"

## Fiber-Classic® Oak




**FC148**  
◆ ■ ■ ■  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**FC626**  
■ ◆ ■ ■ ■  
2'8" x 6'8" △  
2'10" x 6'8" △  
3'0" x 6'8" △



**FC20042**  
◆ ■ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**81961P**  
◆ ■ ■ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FC156**  
◆ ■ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FC149**  
◆ ■ ■ ■  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**FC8149**  
◆ ■ ■ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FC89701**  
◆ ■ ■ ■  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FC152**  
◆ ■ ■  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### Key

■ No Stile Lines

◆ Black Nickel Caming (1D)

■ ■ ■ Brushed Nickel Caming (1C)

◆ ■ ■ Brass Caming (1A)

■ Flat Lite Frame

■ Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

■ WBDR Options

■ WBDR / HVHZ Options

△ 6'6" Height Available

‡ 7'0" Height Available

Kensington Glass Continues on next page.





FC709

◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC151

◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC798

◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC150

◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC80942

◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC86242

◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC148SL

◆ ◆ ◆  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



FC813SL

◆ ◆ ◆ ◆  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

## Smooth-Star®



FC1442SL

◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



81961PSL

◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"

FC149SL

◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

FC8867SL

◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



S160

◆ ◆ ◆  
2'8" x 6'8" ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



S626

◆ ◆ ◆ ◆  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8"



S20042

◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S902

◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S161

◆ ◆ ◆  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S8149

◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S6036

◆ ◆ ◆  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S6056

◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S43

◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S89701

◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S162

◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S709

◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S163**  
 ◆ ■■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S1001**  
 ◆ ■■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S6119**  
 ◆ ■■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S9342**  
 ◆ ■■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S83142**  
 ◆ ■■ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S160SL**  
 ◆ ■■ 6  
 12" x 6'8"  
 14" x 6'8"



**S6132SL**  
 ■ ◆ ■■ 6  
 10" x 6'8"  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**S1442SL**  
 ◆ ■■ 6  
 12" x 6'8"  
 14" x 6'8"



**S902SL**  
 ◆ ■■ 6  
 12" x 8'0"  
 14" x 8'0"



**KNRT** ◆ ■■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**S161SL**  
 ◆ ■■ 6  
 12" x 6'8"  
 14" x 6'8"

**S867SL**  
 ◆ ■■ 6  
 12" x 8'0"  
 14" x 8'0"

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



## Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ■ ■ Brushed Nickel Caming (1C)
- ▲ Flat Lite Frame

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- ▲ 6'6" Height Available
- ▲ 7'0" Height Available

# NEW Pembridge™

## Fiber-Classic® Mahogany



FCM6550  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




FCM86550  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FCM6500  
 ◆ ◆ ◆ ◆ ◆  
 2'4" x 6'8" Δ ‡  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡

FCM86500  
 ◆ ◆ ◆ ◆ ◆  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM6582  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6560  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM86560  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM6565  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6568  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6577  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6575  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6520  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6532  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM745  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM8745  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




FCM6570  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM86570  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM86550SL  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



FCM6500SL  
 ◆ ◆ ◆ ◆ ◆  
 10" x 8'0"  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡

FCM86500SL  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



FCM6580SL  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

FCM86580SL  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



FCM6565SL  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

FCM86560SL  
 ◆ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



## Fiber-Classic® Oak



FC6550  
◆ ◆ ◆ 6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

FC86550  
◆ ◆ ◆ 6  
2'8" x 8'0"  
2'10" x 8'0"

FC6500  
◆ ◆ ◆ 6  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

FC86500  
◆ ◆ ◆ 6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC6582  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC6580  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC86580  
◆ ◆ ◆ 6  
2'8" x 8'0"  
2'10" x 8'0"

FC6560  
◆ ◆ ◆ 6  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

FC86560  
◆ ◆ ◆ 6  
2'8" x 8'0"  
2'10" x 8'0"


FC86536  
◆ ◆ ◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




FC6572  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC6577  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC6576  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC06575  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC6532  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC6534  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC86533  
◆ ◆ ◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC745  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




FC8745  
◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC6570  
◆ ◆ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC86570  
◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC6550SL  
◆ ◆ ◆ 6  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



FC86550SL  
◆ ◆ ◆ 6  
12" x 8'0"  
14" x 8'0"



FC6500SL  
◆ ◆ ◆ 6  
12" x 6'8" ‡  
14" x 6'8" ‡



FC86500SL  
◆ ◆ ◆ 6  
12" x 8'0"  
14" x 8'0"

## Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

- ◆ Brass Caming (1A)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available

- ‡ 7'0" Height Available

## Optional Dentil Shelf\*



4-Block Dentil Shelf  
Available for all Craftsman-style  
Fiber-Classic Mahogany Collection doors.

Pembridge Glass *Continues on next page.*

## Smooth-Star®




FC6580SL  
 12" x 6'8"  
 14" x 6'8"



FC86580SL  
 12" x 8'0"  
 14" x 8'0"

FC6565SL  
 12" x 6'8"  
 14" x 6'8"

FC86560SL  
 12" x 8'0"  
 14" x 8'0"



S6550  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ  
 3'0" x 6'8" Δ

S86550  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S6500  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ  
 3'0" x 6'8" Δ

S86500  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S6582  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S6580  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S86580  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S6560  
 2'6" x 6'8"  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ  
 3'0" x 6'8" Δ

S86560  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S6565  
 2'6" x 6'8"  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ  
 3'0" x 6'8" Δ



S6536  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S86536  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S6577  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S6575  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S6576  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S2640\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S82640\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S6520  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S86520  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S6532  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

\*Available with flat lite frame or Impact-rated lite frame only.


\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Pembridge Glass, Door – S6576



**S86500SL**  
  
 12" x 8'0"  
 14" x 8'0"



S86560SL  
     
 12" x 8'0"  
 14" x 8'0"



**PBRT** ♦ ■ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Smooth-Star doors.



# Axis™

Note: Product images show exterior side of door.

## Fiber-Classic® Mahogany



FCM1652  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM81652  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM1651  
2'4" x 6'8" Δ  
2'6" x 6'8" Δ‡  
2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡

FCM81651  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM1647  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM1654  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM81654  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM1656  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM1658  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM1650  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM1645  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM81645  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM1651SL  
10" x 6'8" Δ‡  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡

FCM81651SL  
12" x 8'0"  
14" x 8'0"

FCM81652SL  
12" x 8'0"  
14" x 8'0"

FCM1646SL  
12" x 6'8"  
14" x 6'8"

FCM81646SL  
12" x 8'0"  
14" x 8'0"

FCM1656SL  
12" x 6'8"  
14" x 6'8"

FCM81654SL  
12" x 8'0"  
14" x 8'0"

## Fiber-Classic® Oak



FC1652  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

FC81652  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC1651  
2'4" x 6'8" Δ  
2'6" x 6'8" Δ‡  
2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡

FC81651  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC1647  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC1646  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC81646  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC1654  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

FC81654  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

\*Available with flat lite frame or Impact-rated lite frame only.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.



FC81653  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC1655  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC81649  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC1645  
 ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FC81645  
 ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC1661  
 ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC1652SL  
 ◆ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC81652SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



FC1651SL  
 ◆ 6  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



FC81651SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"

## Smooth-Star®



FC1646SL  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



FC81646SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"

FC1656SL  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"

FC81654SL  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



S1652  
 ◆ 6  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



S81652  
 ◆ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S1651  
 ◆ 6  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8"



S81651  
 ◆ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



S1647  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S1646  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S81646  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S1654  
 ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



S81654  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S1656  
 ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



S1658  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S1653  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S81653  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S2620\*  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S82620\*  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

### Key

■ No Stile Lines

◆ Black Nickel Caming (1D)

⌋ Flat Lite Frame

● Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

● WBDOR Options

● WBDOR / HVHZ Options

Δ 6'6" Height Available

‡ 7'0" Height Available

### Optional Dentil Shelves\*\*



4-Block Dentil Shelf  
 Available for all Craftsman-style  
 Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf  
 Available for all Craftsman-style  
 Smooth-Star doors.

Axis Glass Continues on next page.



**S1650**  
 ♦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S81650**  
 ♦ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S1655**  
 ♦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S81649**  
 ♦ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S1645**  
 ♦  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S81645**  
 ♦  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S1661**  
 ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S1652SL**  
 ♦ 6  
 12" x 6'8"  
 14" x 6'8"



**S81652SL**  
 ♦ 6  
 12" x 8'0"  
 14" x 8'0"



**S1651SL**  
 ♦ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**S81651SL**  
 ♦ 6  
 12" x 8'0"  
 14" x 8'0"



**S1646SL**  
 ♦ 6  
 12" x 6'8"  
 14" x 6'8"

**S81646SL**  
 ♦ 6  
 12" x 8'0"  
 14" x 8'0"




**S1656SL**  
 ♦ 6  
 12" x 6'8"  
 14" x 6'8"

**S81654SL**  
 ♦ 6  
 12" x 8'0"  
 14" x 8'0"

**AXRT** ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Fiber-Classic Mahogany Collection, Axis Glass, Door – FCM1652, ©TheHouseDesigners.com



# Frosted Images®

## Fiber-Classic® Mahogany



FCM11  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8113  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM669  
2'6" x 6'8" Δ±  
2'8" x 6'8" Δ±  
2'10" x 6'8" Δ±  
3'0" x 6'8" Δ±

FCM813  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM763  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM66  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM895  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM6023  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM6043  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM784  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM787  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8113SL  
12" x 8'0"  
14" x 8'0"

FCM13101SL  
10" x 6'8"  
12" x 6'8" Δ±  
14" x 6'8" Δ±

FCM81300SL  
12" x 8'0"  
14" x 8'0"

FCM8109SL  
12" x 8'0"  
14" x 8'0"

FCM66SL  
12" x 6'8"  
14" x 6'8"

FC11  
2'6" x 6'8"  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±

81970P  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC669  
2'6" x 6'8" Δ±  
2'8" x 6'8" Δ±  
2'10" x 6'8" Δ±  
3'0" x 6'8" Δ±

FC813  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM763  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM768  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

81963P  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM66  
2'6" x 6'8"  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±

81931P  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

81973P  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC44  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC784  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC787  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

## Fiber-Classic® Oak



FC11  
2'6" x 6'8"  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±

81970P  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC669  
2'6" x 6'8" Δ±  
2'8" x 6'8" Δ±  
2'10" x 6'8" Δ±  
3'0" x 6'8" Δ±

FC813  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

Frosted Images Glass Continues on next page.

### Key

■ No Stile Lines

◆ Black Nickel Caming (1D)

⌞ Flat Lite Frame

● Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

● WBDR Options

● WBDR / HVHZ Options

Δ 6'6" Height Available

± 7'0" Height Available



### Optional Dentil Shelf\*



4-Block Dentil Shelf  
Available for all Craftsman-style  
Smooth-Star doors.

Frosted Images® Glass *Continued*

## Smooth-Star®



## Privacy &amp; Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

**XG** = **NEW** Geometric  
**XE** = Satin Etch


**XC** = Chord  
**XJ** = Chinchilla

**XR** = Rainglass  
**XN** = Granite

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.


Right Page: Fiber-Classic Oak Collection, Satin Etch Glass with SDLs, Door – FCO2000XE-3C



## EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.

### Fiber-Classic® Oak



EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites *Continues on next page.*

#### Key

■ No Stile Lines

▲ Flush-Glazed Glass (FG)

■ Simulated Divided Lites (SDL)\*

▲ Flat Lite Frame

● Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

6 WBDL Options

6 WBDL / HVHZ Options

Δ 6'6" Height Available

‡ 7'0" Height Available



EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites *Continued*


FC02000\_\_-4C

▲  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'6" ▲  
3'0" x 6'8" ▲



FC082000\_\_-4C

▲  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



FC02000\_\_-6C

▲  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'6" ▲  
3'0" x 6'8" ▲



FC082000\_\_-6C

▲  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



FC5720\_\_

▲  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'6" ▲  
3'0" x 6'8" ▲



FC85720\_\_

▲  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



FC5700\_\_SL

▲  
12" x 6'8" ▲  
14" x 6'8" ▲



FC5710\_\_SL

▲  
12" x 6'8" ▲  
14" x 6'8" ▲



FC5720\_\_SL

▲  
12" x 6'8" ▲  
14" x 6'8" ▲



S1207\_\_

▲  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲



S2010\_\_

▲  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲



S82105\_\_

▲  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲



S2010\_\_SL

▲  
10" x 6'8" ▲  
12" x 6'8" ▲  
14" x 6'8" ▲



S84886\_\_SL

▲  
12" x 8'0" ▲  
14" x 8'0" ▲



S2000\_\_SL

▲  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲



S2000\_\_-2C

▲  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0" ▲

## Privacy &amp; Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XG = **NEW** Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.



**S2000\_-4C**  
 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

**S82000\_-4C**  
 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**S2000\_-6C**  
 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"


**S82000\_-6C**  
 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**S82112\_**  
 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**S82113\_**  
 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"


**S82114\_**  
 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**S82116\_**  
 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



**S4812\_**  
 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

**S84812\_**  
 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



**S4813\_**  
 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

**S84813\_**  
 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



**S4814\_**  
 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

**S84814\_**  
 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



**S4816\_**  
 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

**S84816\_**  
 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



**S2000\_SL-2C**  
 10" x 6'8" 12" x 6'8" 14" x 6'8"

**S2000\_SL-4C**  
 10" x 6'8" 12" x 6'8" 14" x 6'8"



**S4812\_SL\_**  
 12" x 6'8" 14" x 6'8"

**S84812\_SL\_**  
 12" x 8'0" 14" x 8'0"



**S5700\_**  
 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

**S85700\_**  
 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



**S5710\_**  
 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

**S85710\_**  
 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



**S5720\_**  
 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

**S85720\_**  
 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



**S85730\_**  
 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites** *Continues on next page.*

## Key

- Flush-Glazed Glass (FG)
- Simulated Divided Lites (SDL)\*
- Simulated Divided Lites (SDLF1)\*

- Simulated Divided Lites (SDLF2)\*
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

6'6" Height Available

## Optional Dentil Shelf\*

**4-Block Dentil Shelf**  
 Available for all Craftsman-style  
 Smooth-Star doors.

**EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites** *Continued*

**S5700\_SL**  
 ▲ 2  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**S85700\_SL**  
 ▲ 2  
 12" x 8'0"  
 14" x 8'0"



**S5710\_SL**  
 ▲ 2  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"


**S85710\_SL**  
 ▲ 2  
 12" x 8'0"  
 14" x 8'0"

**S5720\_SL**  
 ▲ 2  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

**S85720\_SL**  
 ▲ 2  
 12" x 8'0"  
 14" x 8'0"

## EnLiten™ Flush-Glazed Privacy & Textured Glass

### Fiber-Classic® Oak



**2000\_**  
 ▲  
 2'0" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'6"  
 3'0" x 6'8"



**8000\_**  
 ▲  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**2000\_SL**  
 ▲  
 12" x 6'8"  
 14" x 6'8"


### Smooth-Star®




**S2000\_**  
 ▲  
 2'0" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8000\_**  
 ▲  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S82200\_**  
 ▲  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S4810\_**  
 ▲  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S84810\_**  
 ▲  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S2000\_SL**  
 ▲  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"




**S8000\_SL**  
 ▲  
 12" x 8'0"  
 14" x 8'0"



**S4810\_SL**  
 ▲  
 12" x 6'8"  
 14" x 6'8"

**S84810\_SL**  
 ▲  
 12" x 8'0"  
 14" x 8'0"



### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

**XG** = **NEW** Geometric  
**XE** = Satin Etch

**XC** = Chord  
**XJ** = Chinchilla

**XR** = Rainglass  
**XN** = Granite

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 275 for important product details that may help with your purchase decision.



# Privacy & Textured Glass with Divided Lites

## Fiber-Classic® Mahogany

Note: For details on divided lite options, see pages 120–121.



FCM138\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM1285\_  
2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡



FCM18\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM1284\_  
2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡



FCM82\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM65\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM6022\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM6042\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM8321\_  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM12102\_SL  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡



FCM92\_SL  
12" x 6'8"  
14" x 6'8"



FCM8101\_SL  
12" x 8'0"  
14" x 8'0"



FCM65\_SL  
12" x 6'8"  
14" x 6'8"



FCM3487\_SL  
12" x 8'0"  
14" x 8'0"



FCM605\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

## Fiber-Classic® Oak



FCM606\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM607\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM608\_  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM6124\_SL  
10" x 6'8"  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡



FCM6125\_SL  
10" x 6'8"  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡



FCM6126\_SL  
10" x 6'8"  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡



FC138\_  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



1285\_  
2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡

Privacy & Textured Glass with Divided Lites *Continues on next page.*

Look for the ( ) for flush-glazed options on page 165.

### Key

- No Stile Lines
- Flush-Glazed Glass (FG)
- Simulated Divided Lites (SDL)\*
- Simulated Divided Lites (SDLF2)\*

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

### Optional Dentil Shelves\*



**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Fiber-Classic Mahogany Collection doors.



**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Smooth-Star doors.

## Privacy & Textured Glass with Divided Lites *Continued*



FC18\_

2'8" x 6'8"  $\Delta$   $\ddagger$   
2'10" x 6'8"  $\ddagger$   
3'0" x 6'8"  $\ddagger$



1284\_

2'8" x 6'8"  $\Delta$   $\ddagger$   
2'10" x 6'8"  $\Delta$   $\ddagger$   
3'0" x 6'8"  $\Delta$   $\ddagger$



FC82\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC92\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



81945P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



81946P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC65\_

2'6" x 6'8"  
2'8" x 6'8"  $\ddagger$   
2'10" x 6'8"  $\ddagger$   
3'0" x 6'8"  $\ddagger$



FC8321\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC832\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC807\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC809203\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC862203\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC18\_SL

12" x 6'8"  
14" x 6'8"



12102\_SL

12" x 6'8"  $\Delta$   $\ddagger$   
14" x 6'8"  $\Delta$   $\ddagger$



FC92\_SL

12" x 6'8"  
14" x 6'8"



81946P\_SL

12" x 8'0"  
14" x 8'0"



FC63\_SL

12" x 6'8"  
14" x 6'8"



FC3487\_SL

12" x 8'0"  
14" x 8'0"



FC06188\_SL

10" x 6'8"  
12" x 6'8"  
14" x 6'8"



FC06184\_SL

12" x 6'8"  $\Delta$   $\ddagger$   
14" x 6'8"  $\Delta$   $\ddagger$



FC06189\_SL

10" x 6'8"  
12" x 6'8"  
14" x 6'8"



FC06185\_SL

12" x 6'8"  $\Delta$   $\ddagger$   
14" x 6'8"  $\Delta$   $\ddagger$



FC06190\_SL

10" x 6'8"  
12" x 6'8"  
14" x 6'8"



FC06186\_SL

12" x 6'8"  $\Delta$   $\ddagger$   
14" x 6'8"  $\Delta$   $\ddagger$

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XG = **NEW** Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.

## Smooth-Star®



S128\_

2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡



S141\_

2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡  
3'6" x 6'8"



S108\_

2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡



S6063\_

2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡  
3'6" x 6'8"



S82\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S92\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S881\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S822\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S262\_

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S6022\_

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S6042\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S32\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S8321\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S832\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S807\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S93203\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S831203\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S308\_SL

12" x 6'8"  
14" x 6'8"



S1170\_SL

10" x 6'8"  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡



S82\_SL

12" x 6'8"  
14" x 6'8"



S881\_SL

12" x 8'0"  
14" x 8'0"



S263\_SL

12" x 6'8"  
14" x 6'8"



S3487\_SL

12" x 8'0"  
14" x 8'0"

**Privacy & Textured Glass with Divided Lites** *Continues on next page.*

Look for the ( ) for flush-glazed options on page 165.

## Key

■ No Stile Lines

■ Simulated Divided Lites (SDL)\*

● Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

Δ 6'6" Height Available

‡ 7'0" Height Available



## Privacy & Textured Glass with Divided Lites *Continued*



S605\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S8605\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S606\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S8606\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S607\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S8607\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S608\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S8608\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S605\_SL

12" x 6'8"  
14" x 6'8"



S6124\_SL

10" x 6'8"  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡



S606\_SL

12" x 6'8"  
14" x 6'8"



S6125\_SL

10" x 6'8"  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡



S607\_SL

12" x 6'8"  
14" x 6'8"



S6126\_SL

10" x 6'8"  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡

## Privacy & Textured Glass

Fiber-Classic® Mahogany



FCM10\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM870\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM1283\_

2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡



FCM81200\_

2'6" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM32\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM62\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM862\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM6021\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XG = **NEW** Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.



FCM6041\_  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM104\_  
6  
2'8" x 6'8" ‡  
2'10" x 6'8"  
3'0" x 6'8" ‡



FCM601\_  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM61\_  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM861\_  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM870\_\_SL  
6  
12" x 8'0"  
14" x 8'0"



FCM32\_\_SL  
6  
12" x 6'8"  
14" x 6'8"



FCM881\_\_SL  
6  
12" x 8'0"  
14" x 8'0"



FCM62\_\_SL  
6  
12" x 6'8"  
14" x 6'8"



FCM862\_\_SL  
6  
12" x 8'0"  
14" x 8'0"




FCM12101\_\_SL  
6  
10" x 6'8"  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡




FCM81200\_\_SL  
6  
12" x 8'0"  
14" x 8'0"

## Fiber-Classic® Oak



FC10\_  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



81200P\_  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



1283\_  
6  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡



81200\_  
6  
2'6" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC766\_  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



81943P\_  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC32\_  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC62\_  
6  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



81929P\_  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Privacy & Textured Glass** *Continues on next page.*

Look for the ( ) for flush-glazed options on page 168.

### Key

■ No Stile Lines

■ Simulated Divided Lites (SDL)\*

● Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")



WBDL Options



WBDL / HVHZ Options



6'6" Height Available



7'0" Height Available

### Optional Dentil Shelves\*




**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Fiber-Classic Mahogany Collection doors.



**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Smooth-Star doors.

Privacy & Textured Glass *Continued*


FC104\_   
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

81971P\_   
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FC48\_   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


FC80920\_   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC86220\_   
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FC61\_   
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

FC861\_   
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




FC47\_SL   
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

81200P\_SL   
 12" x 8'0"  
 14" x 8'0"


12101\_SL   
 12" x 6'8" ‡  
 14" x 6'8" ‡

81200\_SL   
 12" x 8'0"  
 14" x 8'0"

FC32\_SL   
 12" x 6'8"  
 14" x 6'8"


81943P\_SL   
 12" x 8'0"  
 14" x 8'0"


FC48\_SL   
 12" x 6'8"  
 14" x 6'8"


81929P\_SL   
 12" x 8'0"  
 14" x 8'0"


## Smooth-Star®





S118\_   
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡


S818\_   
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


S140\_   
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8"

S8140\_   
 2'6" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"


S90\_   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S880\_   
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S80\_   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S206\_   
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

S81929P\_   
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S6021\_   
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

## Privacy &amp; Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XG = **NEW** Geometric  
 XE = Satin Etch

XC = Chord  
 XJ = Chinchilla



XR = Rainglass  
 XN = Granite

\*Available with flat lite frame or Impact-rated lite frame only.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.





Look for the ( ) for flush-glazed options on page 168.

### Key

- No Stile Lines
- └ Flat Lite Frame
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

### Optional Dentil Shelf\*\*



**4-Block Dentil Shelf**  
 Available for all Craftsman-style  
 Smooth-Star doors.


# Internal Blinds

Note: Product images show exterior side of door.

## Fiber-Classic® Mahogany



<b>FCM141</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8115</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1286</b> ★ 2'4" x 6'8" △ 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	<b>FCM81225</b> ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM5425</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM678</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8678</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6035</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6055</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	---	---	---	--	---	---	---



<b>FCM116</b> ★ 2'6" x 6'8" ± 2'8" x 6'8" ± 2'10" x 6'8" ± 3'0" x 6'8" ±	<b>FCM8115SL</b> ★ 12" x 8'0" 14" x 8'0"	<b>FCM1286SL</b> ★ 10" x 6'8" 12" x 6'8" △ 14" x 6'8" △	<b>FCM81225SL</b> ★ 12" x 8'0" 14" x 8'0"	<b>FCM5425SL</b> ★ 12" x 6'8" 14" x 6'8"	<b>FCM8110SL</b> ★ 12" x 8'0" 14" x 8'0"	<b>FCM678SL</b> ★ 12" x 6'8" 14" x 6'8"	<b>FCM8678SL</b> ★ 12" x 8'0" 14" x 8'0"
---	---	---	--	---	---	--	---

## Fiber-Classic® Oak




<b>FC141</b> ★ 2'6" x 6'8" 2'8" x 6'8" ± 2'10" x 6'8" ± 3'0" x 6'8" ±	<b>81225P</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>1286</b> ★ 2'4" x 6'8" △ 2'6" x 6'8" △ 2'8" x 6'8" △ 2'10" x 6'8" △ 3'0" x 6'8" △	<b>81225</b> ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>1964P</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81964P</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC5425</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC678</b> ★ 2'6" x 6'8" 2'8" x 6'8" ± 2'10" x 6'8" ± 3'0" x 6'8" ±	<b>FC8678</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	---	--	--	--	--

Note: See page 275 for important product details that may help with your purchase decision.

**FC116**

2'4" x 6'8"  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**FC8971**

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC925**

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC8972**

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC141SL**

10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

**81225PSL**

12" x 8'0"  
 14" x 8'0"

**1286SL**

12" x 6'8" ‡  
 14" x 6'8" ‡

**81225SL**

12" x 8'0"  
 14" x 8'0"

**FC5425SL**

12" x 6'8"  
 14" x 6'8"

**81964PSL**

12" x 8'0"  
 14" x 8'0"

**FC678SL**

12" x 6'8"  
 14" x 6'8"

**FC8678SL**

12" x 8'0"  
 14" x 8'0"

## Smooth-Star®

**S130**

2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S829**

2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S6061**

2'4" x 6'8" ‡  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8"

**S81225**

2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"

**S682**

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8682**

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S5425**

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S132**

2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8132**

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**Internal Blinds** *Continues on next page.*

### Key

No Stile Lines

Low-E Glass (LE)

Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

6'6" Height Available

7'0" Height Available



Internal Blinds *Continued*

Note: Product images show exterior side of door.

**S6035**

★  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**S6055**

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S131**

★  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**S971**

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8971**

★  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S925**

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8972**

★  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S130SL**

★  
12" x 6'8"  
14" x 6'8"

**S829SL**

★  
12" x 8'0"  
14" x 8'0"

**S6128SL**

★  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡

**S85928SL**

★  
12" x 8'0"  
14" x 8'0"

**S5425SL**

★  
12" x 6'8"  
14" x 6'8"

**S8682SL**

★  
12" x 8'0"  
14" x 8'0"

**S132SL**

★  
12" x 6'8"  
14" x 6'8"

**S8132SL**

★  
12" x 8'0"  
14" x 8'0"

## Screen Vented Lites\*

Smooth-Star®

**S243**

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**S6034**

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**S6054**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S137**

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

\*Features a gliding operation and sash locking system.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

# EnLiten™ Flush-Glazed Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.

Fiber-Classic® Oak



FC1205

2'6" x 6'8" ⚠  
2'8" x 6'8" ⚠  
2'10" x 6'6" ⚠  
3'0" x 6'8" ⚠



FC1206

2'6" x 6'8" ⚠  
2'8" x 6'8" ⚠  
2'10" x 6'6" ⚠  
3'0" x 6'8" ⚠




FC1207

2'6" x 6'8" ⚠  
2'8" x 6'8" ⚠  
2'10" x 6'6" ⚠  
3'0" x 6'8" ⚠



2010

2'6" x 6'8" ⚠  
2'8" x 6'8" ⚠  
2'10" x 6'6" ⚠  
3'0" x 6'8" ⚠



FC1204

2'6" x 6'8" ⚠  
2'8" x 6'8" ⚠  
2'10" x 6'6" ⚠  
3'0" x 6'8" ⚠



2050

2'6" x 6'8" ⚠  
2'8" x 6'8" ⚠  
2'10" x 6'6" ⚠  
3'0" x 6'8" ⚠



8000-12

2'6" x 8'0" ⚠  
2'8" x 8'0" ⚠  
2'10" x 8'0" ⚠  
3'0" x 8'0" ⚠



8000-18

2'0" x 8'0" ⚠  
2'6" x 8'0" ⚠  
2'8" x 8'0" ⚠  
2'10" x 8'0" ⚠  
3'0" x 8'0" ⚠



2150

2'6" x 6'8" ⚠  
2'8" x 6'8" ⚠  
3'0" x 6'8" ⚠



FC1205SL

12" x 6'8" ⚠  
14" x 6'8" ⚠



FC1206SL

12" x 6'8" ⚠  
14" x 6'8" ⚠



FC1204SL

12" x 6'8" ⚠  
14" x 6'8" ⚠




2050SL

12" x 6'8" ⚠  
14" x 6'8" ⚠



FC02000-2C

2'0" x 6'8" ⚠  
2'6" x 6'8" ⚠  
2'8" x 6'8" ⚠  
2'10" x 6'6" ⚠  
3'0" x 6'8" ⚠



FC082000-2C

2'0" x 8'0" ⚠  
2'6" x 8'0" ⚠  
2'8" x 8'0" ⚠  
2'10" x 8'0" ⚠  
3'0" x 8'0" ⚠



FC02000-3C

2'0" x 6'8" ⚠  
2'6" x 6'8" ⚠  
2'8" x 6'8" ⚠  
2'10" x 6'6" ⚠  
3'0" x 6'8" ⚠

FC082000-3C

2'0" x 8'0" ⚠  
2'6" x 8'0" ⚠  
2'8" x 8'0" ⚠  
2'10" x 8'0" ⚠  
3'0" x 8'0" ⚠



FC02000-4C

2'0" x 6'8" ⚠  
2'6" x 6'8" ⚠  
2'8" x 6'8" ⚠  
2'10" x 6'6" ⚠  
3'0" x 6'8" ⚠

FC082000-4C

2'0" x 8'0" ⚠  
2'6" x 8'0" ⚠  
2'8" x 8'0" ⚠  
2'10" x 8'0" ⚠  
3'0" x 8'0" ⚠



FC02000-6C

2'0" x 6'8" ⚠  
2'6" x 6'8" ⚠  
2'8" x 6'8" ⚠  
2'10" x 6'6" ⚠  
3'0" x 6'8" ⚠

FC082000-6C

2'0" x 8'0" ⚠  
2'6" x 8'0" ⚠  
2'8" x 8'0" ⚠  
2'10" x 8'0" ⚠  
3'0" x 8'0" ⚠

EnLiten Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

## Key

■ No Stile Lines

🔥 Flush-Glazed Glass (FG)

☀ Low-E Glass (LE)

🔲 Simulated Divided Lites (SDL)\*\*

◆ Flat White Grilles Between Glass Only (GBGFW)

◇ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

➡ Removable Wood Grilles (RG)

🖼 Flat Lite Frame

🟢 Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

⚠ 6'6" Height Available

⚠ 7'0" Height Available



## EnLiten™ Flush-Glazed Clear Glass with Divided Lites *Continued*

180



**2009**  
 2'0" x 6'8" ⚠  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'6" ⚠  
 3'0" x 6'8" ⚠



**8000-9**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠



**FC1409**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 3'0" x 6'8" ⚠



**2009SL**  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠



**FC5700**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'6" ⚠  
 3'0" x 6'8" ⚠




**FC85700**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠




**FC5710**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'6" ⚠  
 3'0" x 6'8" ⚠



**FC85710**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠



**FC5720**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'6" ⚠  
 3'0" x 6'8" ⚠



**FC85720**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠



**FC5700SL**  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠



**FC5710SL**  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠



**FC5720SL**  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5710, Sidelite – FC5710SL



## Smooth-Star®



**S1205**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'8" ⚠  
 3'0" x 6'8" ⚠



**S1206**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'8" ⚠  
 3'0" x 6'8" ⚠



**S1207**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'8" ⚠  
 3'0" x 6'8" ⚠



**S2010**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'8" ⚠  
 3'0" x 6'8" ⚠



**S1204**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'8" ⚠  
 3'0" x 6'8" ⚠



**S2050**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'8" ⚠  
 3'0" x 6'8" ⚠



**S8000-12**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠



**S8000-18**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠



**S2103**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'8" ⚠  
 3'0" x 6'8" ⚠

**S82103**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠



**S2104**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'8" ⚠  
 3'0" x 6'8" ⚠

**S82104**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠



**S2105**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'8" ⚠  
 3'0" x 6'8" ⚠

**S82105**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠



**S2250**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'8" ⚠  
 3'0" x 6'8" ⚠

**S82250**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠



**S82106**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠



**S82107**  
 2'6" x 8'0" ⚠  
 2'8" x 8'0" ⚠  
 2'10" x 8'0" ⚠  
 3'0" x 8'0" ⚠



**S2150**  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 3'0" x 6'8" ⚠



**S1205SL**  
 10" x 6'8" ⚠  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠



**S1206SL**  
 10" x 6'8" ⚠  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠



**S1204SL**  
 10" x 6'8" ⚠  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠



**S2010SL**  
 10" x 6'8" ⚠  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠



**S84886SL**  
 12" x 8'0" ⚠  
 14" x 8'0" ⚠



**S2103SL**  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠



**S2104SL**  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠



**S92SL**  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠

**EnLiten Flush-Glazed Clear Glass with Divided Lites** *Continues on next page.*

**Key**

Flush-Glazed Glass (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDL)\*

Simulated Divided Lites (SDLF1)\*

Simulated Divided Lites (SDLF2)\*

Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

Removable Wood Grilles (RG)

Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

6'6" Height Available

**EnLiten™ Flush-Glazed Clear Glass with Divided Lites** *Continued*

**S2000-2C**  
  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82000-2C**  
  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2000-3C**  
  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82000-3C**  
  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2000-4C**  
  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82000-4C**  
  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S2000-6C**  
  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S82112**  
  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲




**S82113**  
  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲




**S82114**  
  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S82116**  
  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**S4812**  
  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S84812**  
  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

**S4813**  
  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲


**S84813**  
  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Satin Etch Glass with SDLs, Door – S4813XE




S4814

▲ ★ 2  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S84814

▲ ★ 2  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S4816

▲ ★ 2  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S84816

▲ ★ 2  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S2000SL-2C

▲ ★ 2  
10" x 6'8" ▲  
12" x 6'8" ▲  
14" x 6'8" ▲



S2000SL-4C

▲ ★ 2  
10" x 6'8" ▲  
12" x 6'8" ▲  
14" x 6'8" ▲



S4812SL

▲ ★ 2  
12" x 6'8"  
14" x 6'8"

S84812SL

▲ ★ 2  
12" x 8'0"  
14" x 8'0"



S2009

▲ ★ 2  
2'0" x 6'8" ▲  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S8000-9

▲ ★ 2  
2'0" x 8'0"  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S1401

▲ ★ 2  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S81401

▲ ★ 2  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S1409

▲ ★ 2  
2'6" x 6'8"  
2'8" x 6'8"  
3'0" x 6'8"



S2009SL

▲ ★ 2  
10" x 6'8" ▲  
12" x 6'8" ▲  
14" x 6'8" ▲



S1401SL

▲ ★ 2  
12" x 6'8"  
14" x 6'8"



S5700

▲ ★ 2  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S85700

▲ ★ 2  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




S5710

▲ ★ 2  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S85710

▲ ★ 2  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S5720

▲ ★ 2  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S85720

▲ ★ 2  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S5730

▲ ★ 2  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8" ▲

S85730

▲ ★ 2  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S5700SL

▲ ★ 2  
10" x 6'8" ▲  
12" x 6'8" ▲  
14" x 6'8" ▲

S85700SL

▲ ★ 2  
12" x 8'0"  
14" x 8'0"

EnLiten Flush-Glazed Clear Glass with Divided Lites *Continues on next page.***Key**

- ▲ Flush-Glazed Glass (FG)
- ★ Low-E Glass (LE)
- 2 Simulated Divided Lites (SDL)\*
- 2 Simulated Divided Lites (SDLF1)\*

- 2 Simulated Divided Lites (SDLF2)\*
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)


- ▶ Removable Wood Grilles (RG)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ▲ 6'6" Height Available

**Optional Dentil Shelf\***



**4-Block Dentil Shelf**  
Available for all Craftsman-style  
Smooth-Star doors.





**EnLiten™ Flush-Glazed Clear Glass with Divided Lites** *Continued*

**S5710SL**  
 10" x 6'8"  
 12" x 8'0"  
 12" x 6'8" 14" x 8'0"  
 14" x 6'8"



**S85710SL**  
 10" x 6'8"  
 12" x 8'0"  
 12" x 6'8" 14" x 8'0"  
 14" x 6'8"

**EnLiten™ Flush-Glazed Clear Glass****Fiber-Classic® Oak**

**2000**  
 2'0" x 6'8" Δ  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ  
 2'10" x 6'6"  
 3'0" x 6'8" Δ



**8000**  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**2100**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"

**2000SL**  
 12" x 6'8"  
 14" x 6'8"

**Smooth-Star®**


**S2000**  
 2'0" x 6'8" Δ  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ  
 3'0" x 6'8" Δ




**S8000**  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S2200**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S82200**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S2100**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"




**S4810**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S84810**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S2000SL**  
 10" x 6'8" Δ  
 12" x 6'8" Δ  
 14" x 6'8" Δ

**S8000SL**  
 12" x 8'0"  
 14" x 8'0"



**S90SL**  
 12" x 6'8"  
 14" x 6'8"

**S4810SL**  
 12" x 6'8"  
 14" x 6'8"

**S84810SL**  
 12" x 8'0"  
 14" x 8'0"

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Top: Smooth-Star, Clear Glass with SDLs, Door – S85720

# Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.

## Fiber-Classic® Mahogany



FCM1209  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM1201  
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



FCM1211  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM1202  
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



FCM1212  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




FCM1203  
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"




FCM138  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM1285  
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



FCM1208  
 2'6" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM1200  
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



FCM18  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




FCM1284  
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



FCM828  
 2'6" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM81828  
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



FCM81208P  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM81829  
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



FCM2106  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM2107  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM2108  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM82  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM63  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

Look for the ( ) for flush-glazed options on page 179.

### Key

- No Stile Lines
- Flush-Glazed Glass (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)\*
- Simulated Divided Lites (SDLF2)\*

- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

### Optional Dentil Shelf\*



4-Block Dentil Shelf  
 Available for all Craftsman-style Smooth-Star doors.

Clear Glass with Divided Lites *Continued*

FCM6097  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM811  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM8322  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM8323  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM8324  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM65  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6022  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6042  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM8321  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM752 | FCM8752  
  
 2'8" x 6'8" | 2'8" x 8'0"  
 2'10" x 6'8" | 2'10" x 8'0"  
 3'0" x 6'8" | 3'0" x 8'0"



FCM1201SL  
  
 10" x 6'8"  
 12" x 6'8" Δ±  
 14" x 6'8" Δ±



FCM1202SL  
  
 10" x 6'8"  
 12" x 6'8" Δ±  
 14" x 6'8" Δ±



FCM1200SL  
  
 10" x 6'8"  
 12" x 6'8" Δ±  
 14" x 6'8" Δ±



FCM12102SL  
  
 10" x 6'8"  
 12" x 6'8" Δ±  
 14" x 6'8" Δ±



FCM81208PSL  
  
 12" x 8'0"  
 14" x 8'0"



FCM81208SL  
  
 12" x 8'0"  
 14" x 8'0"



FCM1089SL | FCM8311SL  
  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



FCM2101SL | FCM8313SL  
  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



FCM92SL | FCM8310SL  
  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



FCM8101SL  
  
 12" x 8'0"  
 14" x 8'0"



FCM8675SL  
  
 12" x 8'0"  
 14" x 8'0"



FCM65SL | FCM7125SL  
  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



FCM3487SL  
  
 12" x 8'0"  
 14" x 8'0"





FCM3000-2C  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ  
 3'0" x 6'8"



FCM83000-2C  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FCM3000F-2C  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ  
 3'0" x 6'8" Δ

FCM83000F-2C  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM3000-3C  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM83000-3C  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM3000F-3C  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ  
 3'0" x 6'8" Δ

FCM83000F-3C  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM3000-4C  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM83000-4C  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM3000F-4C  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ  
 3'0" x 6'8" Δ



FCM83000F-4C  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FCM3000-6C  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM83000-6C  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM3000F-6C  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ  
 3'0" x 6'8" Δ

FCM83000F-6C  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM605  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM606  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM607  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM608  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6124SL  
 10" x 6'8"  
 12" x 6'8" Δ  
 14" x 6'8" Δ



FCM6125SL  
 10" x 6'8"  
 12" x 6'8" Δ  
 14" x 6'8" Δ



FCM6126SL  
 10" x 6'8"  
 12" x 6'8" Δ  
 14" x 6'8" Δ



FCM81900SL  
 12" x 8'0"  
 14" x 8'0"



FCM81947SL  
 12" x 8'0"  
 14" x 8'0"



FCM81949SL  
 12" x 8'0"  
 14" x 8'0"



FCM198  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM1289  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ  
 3'0" x 6'8" Δ



FCM1402  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

Look for the (Δ) for flush-glazed options on page 179.

### Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- ▢ Simulated Divided Lites (SDL)\*

- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)

- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options

- Δ 6'6" Height Available
- ‡ 7'0" Height Available

### Optional Dentil Shelf\*


4-Block Dentil Shelf  
 Available for all Craftsman-style  
 Fiber-Classic Mahogany Collection doors.



## Clear Glass with Divided Lites *Continued*



## Fiber-Classic® Oak




\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.


Top: Shown Left – Smooth-Star, Clear Glass with GBGs, Doors – S808; Shown Right – Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – 81946P, Sidelites 81946PSL



1285  
  
 2'6" x 6'8"  $\Delta$   $\ddagger$   
 2'8" x 6'8"  $\Delta$   $\ddagger$   
 2'10" x 6'8"  $\Delta$   $\ddagger$   
 3'0" x 6'8"  $\Delta$   $\ddagger$



FC1208  
  
 2'6" x 6'8"  
 2'8" x 6'8"  $\ddagger$   
 2'10" x 6'8"  $\ddagger$   
 3'0" x 6'8"  $\ddagger$




FC1200  
  
 2'6" x 6'8"  $\Delta$   $\ddagger$   
 2'8" x 6'8"  $\Delta$   $\ddagger$   
 2'10" x 6'8"  $\Delta$   $\ddagger$   
 3'0" x 6'8"  $\Delta$   $\ddagger$



FC18  
  
 2'6" x 6'8"  
 2'8" x 6'8"  $\ddagger$   
 2'10" x 6'8"  $\ddagger$   
 3'0" x 6'8"  $\ddagger$




1284  
  
 2'6" x 6'8"  $\Delta$   $\ddagger$   
 2'8" x 6'8"  $\Delta$   $\ddagger$   
 2'10" x 6'8"  $\Delta$   $\ddagger$   
 3'0" x 6'8"  $\Delta$   $\ddagger$




FC828  
  
 2'6" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



81828  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



81208P  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



81208  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC2106  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC2107  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC2108  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC82  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC1089  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC8311  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC2101  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC8313  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC2102  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC8316  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC92  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC8310  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



81945P  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



81946P  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Look for the ( ) for flush-glazed options on page 179.

### Key

No Stile Lines

Low-E Glass (LE)

Simulated Divided Lites (SDL)\*

Flat or Contour, White or Color Grilles  
Between Glass (GBGF / GBGC)

Removable Wood Grilles (RG)

Fixed Grilles (FXG)

Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

WBDR / HVHZ Options

6'6" Height Available

7'0" Height Available



Clear Glass with Divided Lites *Continued*

FC8322  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8323  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8324  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC63  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FC65  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FC8321  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8318  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8319  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8320  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC832  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC807  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC809203  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC862203  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC752  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

FC8752  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC23  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC1209SL  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC1201SL  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



FC1211SL  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC1202SL  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



FC1208SL  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC1200SL  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



FC18SL  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



12102SL  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



81208PSL 12"x 8'0" 14"x 8'0" 81208SL 12"x 8'0" 14"x 8'0" FC1089SL 12"x 6'8" 14"x 6'8" FC8311SL 12"x 8'0" 14"x 8'0" FC2101SL 12"x 6'8" 14"x 6'8" FC8313SL 12"x 8'0" 14"x 8'0" FC92SL 12"x 6'8" 14"x 6'8" FC8310SL 12"x 8'0" 14"x 8'0" 81946PSL 12"x 8'0" 14"x 8'0" FC8675SL 12"x 8'0" 14"x 8'0" FC63SL 12"x 6'8" 14"x 6'8" FC7125SL 12"x 8'0" 14"x 8'0" FC3487SL 12"x 8'0" 14"x 8'0"



FC3000-2C 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡ FC083000P-2C 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" FC03000F-2C 2'4"x 6'8" ‡ 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡ FC083000F-2C 2'4"x 8'0" ‡ 2'6"x 8'0" ‡ 2'8"x 8'0" ‡ 2'10"x 8'0" ‡ 3'0"x 8'0" ‡ FC3000-3C 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡ FC083000P-3C 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" FC03000F-3C 2'4"x 6'8" ‡ 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡ FC083000F-3C 2'4"x 8'0" ‡ 2'6"x 8'0" ‡ 2'8"x 8'0" ‡ 2'10"x 8'0" ‡ 3'0"x 8'0" ‡ FC3000-4C 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡ FC083000P-4C 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC03000F-4C 2'4"x 6'8" ‡ 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡ FC083000F-4C 2'4"x 8'0" ‡ 2'6"x 8'0" ‡ 2'8"x 8'0" ‡ 2'10"x 8'0" ‡ 3'0"x 8'0" ‡ FC3000-6C 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡ FC083000P-6C 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" FC03000F-6C 2'4"x 6'8" ‡ 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡ FC083000F-6C 2'4"x 8'0" ‡ 2'6"x 8'0" ‡ 2'8"x 8'0" ‡ 2'10"x 8'0" ‡ 3'0"x 8'0" ‡ 81947P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 81948P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 81949P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Look for the ( ) for flush-glazed options on page 179.

### Key

■ No Stile Lines

☀ Low-E Glass (LE)

▨ Simulated Divided Lites (SDL)\*

◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

➤ Removable Wood Grilles (RG)

◆ Fixed Grilles (FXG)

● Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

6 WBDP Options

6 WBDP / HVHZ Options

▲ 6'6" Height Available

‡ 7'0" Height Available

▨ PVC Doorlite Frame\*

Clear Glass with Divided Lites *Continued*

81950P  
 2'8" x 8'0"  
 2'8" x 6'8"  
 3'0" x 8'0"



FC06188SL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC06184SL  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



FC06189SL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC06185SL  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



FC06190SL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC06186SL  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡




81900PSL  
 12" x 8'0"  
 14" x 8'0"




81947PSL  
 12" x 8'0"  
 14" x 8'0"



81949PSL  
 12" x 8'0"  
 14" x 8'0"



FC198  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



1289  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡




FC1402  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC1400  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




81944P  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC1408  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FC8145  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8144  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC1411  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC1404  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC8141  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC704  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




FC8704  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




FC198SL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"




FC1289SL  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



FC1400SL | 81944PSL  
 12" x 6'8"  
 14" x 6'8" | 12" x 8'0"  
 14" x 8'0"



FC1408SL | FC8145SL  
 12" x 6'8"  
 14" x 6'8" | 12" x 8'0"  
 14" x 8'0"



# Smooth-Star®



**S1209**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†



**S1201**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†  
 3'6" x 6'8"



**S1211**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†



**S1202**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†  
 3'6" x 6'8"



**S1212**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†



**S1203**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†  
 3'6" x 6'8"




**S128**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†



**S141**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†  
 3'6" x 6'8"



**S1208**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†



**S1200**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†  
 3'6" x 6'8"



**S108**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†



**S6063**  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†  
 3'6" x 6'8"




**S828**  
 2'6" x 8'0" Δ  
 2'8" x 8'0" Δ†  
 2'10" x 8'0" Δ†  
 3'0" x 8'0"



**S81828**  
 2'6" x 8'0" Δ  
 2'8" x 8'0" Δ†  
 2'10" x 8'0" Δ†  
 3'0" x 8'0" Δ†  
 3'6" x 8'0"



**S808**  
 2'6" x 8'0" Δ  
 2'8" x 8'0" Δ†  
 2'10" x 8'0" Δ†  
 3'0" x 8'0"



**S81208**  
 2'6" x 8'0" Δ  
 2'8" x 8'0" Δ†  
 2'10" x 8'0" Δ†  
 3'0" x 8'0" Δ†  
 3'6" x 8'0"



**S2106**  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ†  
 3'0" x 6'8"



**S2107**  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ†  
 3'0" x 6'8"



**S2108**  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ†  
 3'0" x 6'8"



**S82**  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ†  
 3'0" x 6'8"



**S1089**  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ†  
 3'0" x 6'8"




**S8311**  
 2'8" x 8'0" Δ  
 2'10" x 8'0" Δ†  
 3'0" x 8'0"



**S2101**  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ†  
 3'0" x 6'8"



**S8313**  
 2'8" x 8'0" Δ  
 2'10" x 8'0" Δ†  
 3'0" x 8'0"



**S2102**  
 2'8" x 6'8" Δ  
 2'10" x 6'8" Δ†  
 3'0" x 6'8"

**S8316**  
 2'8" x 8'0" Δ  
 2'10" x 8'0" Δ†  
 3'0" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Look for the ( ) for flush-glazed options on page 179.

## Key

No Stile Lines

Low-E Glass (LE)

Simulated Divided Lites (SDL)\*

Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

Removable Wood Grilles (RG)

Fixed Grilles (FXG)

Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

WBDR Options


WBDR / HVHZ Options

6'6" Height Available

7'0" Height Available



## Clear Glass with Divided Lites *Continued*



**S881**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S92**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**S8310**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S882**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S63**  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6097**  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S811**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S262**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6022**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S6042**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8322**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8323**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8324**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8321**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8318**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8319**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Top: Smooth-Star, Clear Glass with GBGs, Door – S1089, Transom – 19200T



**S8320**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S32**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S832**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


**S151**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S807**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S93203**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S831203**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S115**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S752**  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8752**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S255**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S236**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8317**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S237**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 (Scalloped Lite Frame)

**S1209SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S1201SL**  
  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**S1211SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S1202SL**  
  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**S1208SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S1200SL**  
  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**S308SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S1170SL**  
  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**S808SL**  
  
 12" x 8'0"  
 14" x 8'0"

**S81186SL**  
  
 12" x 8'0"  
 14" x 8'0"

**S1089SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S8311SL**  
  
 12" x 8'0"  
 14" x 8'0"

**S2101SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S8313SL**  
  
 12" x 8'0"  
 14" x 8'0"

**S8310SL**  
  
 12" x 8'0"  
 14" x 8'0"

**S82SL**  
  
 12" x 6'8"  
 14" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

Look for the ( ) for flush-glazed options on page 179.

## Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)\*
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

Clear Glass with Divided Lites *Continued*

S881SL  
 12" x 8'0"  
 14" x 8'0"



S8675SL  
 12" x 8'0"  
 14" x 8'0"



S263SL  
 12" x 6'8"  
 14" x 6'8"



S7125SL  
 12" x 8'0"  
 14" x 8'0"



S3487SL  
 12" x 8'0"  
 14" x 8'0"



S151SL  
 12" x 6'8"  
 14" x 6'8"



S3000-2C  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†



S83000-2C  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S3000F-2C  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†  
 3'6" x 6'8"

S83000F-2C  
 2'4" x 8'0" Δ  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"

S3000-3C  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†

S83000-3C  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S3000F-3C  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†  
 3'6" x 6'8"



S83000F-3C  
 2'4" x 8'0" Δ  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



S3000-4C  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†

S83000-4C  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S3000F-4C  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†  
 3'6" x 6'8"

S83000F-4C  
 2'4" x 8'0" Δ  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"




S3000-6C  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†

S83000-6C  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S3000F-6C  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ†  
 2'10" x 6'8" Δ†  
 3'0" x 6'8" Δ†  
 3'6" x 6'8"

S83000F-6C  
 2'4" x 8'0" Δ  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



S8202  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S8203  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S8204  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S8205  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S605  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S8605  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"






S606  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S8606  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S607  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S8607  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Clear Glass with Divided Lites *Continues on next page.*

Look for the ( ) for flush-glazed options on page 179.

**Key**


- No Stile Lines
- ☀ Low-E Glass (LE)
- 🔲 Simulated Divided Lites (SDL)\*
- 🍀 Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)

- ◆ Fixed Grilles (FXG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- ⬆ 6'6" Height Available
- ‡ 7'0" Height Available
- 🚪 PVC Doorlite Frame\*

**Optional Dentil Shelf\***

4-Block Dentil Shelf  
Available for all Craftsman-style Smooth-Star doors.

**Clear Glass with Divided Lites** *Continued***19020T**

★  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied

**19220T**

★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied

**19200T**

★  
3'0" Door Only  
Grille Sticks Applied

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

**Clear Glass**

## Fiber-Classic® Mahogany



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 275 for important product details that may help with your purchase decision.

## Fiber-Classic® Oak



FCM870SL  
★ 6  
12" x 8'0"  
14" x 8'0"


FCM32SL  
★ 6  
12" x 6'8"  
14" x 6'8"

FCM881SL  
★ 6  
12" x 8'0"  
14" x 8'0"

FCM701SL  
★  
12" x 6'8"  
14" x 6'8"

FCM62SL  
★ 6  
12" x 6'8"  
14" x 6'8"

FCM862SL  
★ 6  
12" x 8'0"  
14" x 8'0"



FC10  
★ 6  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

81200P  
★ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

1283  
★ 6  
2'0" x 6'8"  
2'4" x 6'8" ▲  
2'6" x 6'8" ▲ ‡  
2'8" x 6'8" ▲ ‡  
2'10" x 6'8" ▲ ‡  
3'0" x 6'8" ▲ ‡

81200  
★ 6  
2'0" x 8'0"  
2'4" x 8'0" ▲  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC32  
★ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC766  
★ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

81943P  
★ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC62  
★ 6  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

81929P  
★ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC670  
★ 6  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

81971P  
★ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC48  
★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC710  
★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC160  
★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC789  
★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC132  
★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC80920  
★ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FC86220  
★ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC708  
★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

FC8708  
★  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC803  
★  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Clear Glass Continues on next page.

Look for the (★) for flush-glazed options on page 184.

## Key

- No Stile Lines
- ★ Low-E Glass (LE)
- ▲ Turtle Glass

- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available

- ‡ 7'0" Height Available
- ▲ PVC Doorlite Frame\*

## Optional Dentil Shelf\*



4-Block Dentil Shelf  
Available for all Craftsman-style  
Fiber-Classic Mahogany Collection doors.

Clear Glass *Continued*

FC61  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FC861  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC47SL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



81200PSL  
 12" x 8'0"  
 14" x 8'0"



12101SL  
 12" x 6'8" ‡  
 14" x 6'8" ‡



81200SL  
 12" x 8'0"  
 14" x 8'0"



FC32SL  
 12" x 6'8"  
 14" x 6'8"



81943PSL  
 12" x 8'0"  
 14" x 8'0"



FC701SL  
 12" x 6'8"  
 14" x 6'8"



FC48SL  
 12" x 6'8"  
 14" x 6'8"



81929PSL  
 12" x 8'0"  
 14" x 8'0"

## Smooth-Star®



S118  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



S818  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S140  
 2'0" x 6'8" ‡  
 2'4" x 6'8" ‡  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8"



S8140  
 2'0" x 8'0" ‡  
 2'4" x 8'0" ‡  
 2'6" x 8'0" ‡  
 2'8" x 8'0" ‡  
 2'10" x 8'0" ‡  
 3'0" x 8'0" ‡  
 3'6" x 8'0"



S80  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S90  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S880  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S206  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



S81929P  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S6021  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



S6041  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S104  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



S30  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S830  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S150  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S289  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S770  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S6080  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

\*Available with flat lite frame or Impact-rated lite frame only.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.





S992

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S105

★  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S2610\*

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S82610\*

★  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S601

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S8601

★  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S10

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S9320

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83120

★  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S708

★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



S8708

★  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S256

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S296

★  
2'6" x 6'8"  
2'8" x 6'8" ‡  
3'0" x 6'8" ‡



S896

★  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S100SL

★  
12" x 6'8"  
14" x 6'8"



S8601SL

★  
12" x 8'0"  
14" x 8'0"



S601SL

★  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



S81086SL

★  
12" x 8'0"  
14" x 8'0"



S751SL

★  
12" x 6'8"  
14" x 6'8"



S880SL

★  
12" x 8'0"  
14" x 8'0"



S761SL

★  
12" x 6'8"  
14" x 6'8"



S210SL

★  
12" x 6'8"  
14" x 6'8"



S85910SL

★  
12" x 8'0"  
14" x 8'0"



S150SL

★  
12" x 6'8"  
14" x 6'8"


DLHRT

★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19020T

★  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19220T

★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19200T

★  
3'0" Door Only



19210T

★  
12" & 14" Sidelite Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Look for the (★) for flush-glazed options on page 184.

### Key

- No Stile Lines
- ★ Low-E Glass (LE)
- Turtle Glass
- Flat Lite Frame

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- △ 6'6" Height Available
- ‡ 7'0" Height Available
- PVC Doorlite Frame\*\*

### Optional Dentil Shelf\*\*

- 4-Block Dentil Shelf
- Available for all Craftsman-style Smooth-Star doors.

# Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.

## Smooth-Star®



**S140STC**

2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**S8140STC**

2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



**S141STC**

2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**S6063STC**

2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

## Solid Panel

### Fiber-Classic® Mahogany



**FCM31**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**FCM220**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**FCM205**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**FCM755**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**FCM600**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**FCM134**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**FCM60**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**FCM860**

2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"

**FCM1000**

2'0" x 6'8"   
 2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

2'0" x 8'0"   
 2'4" x 8'0"   
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"

### Fiber-Classic® Oak



**FC31**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**FC809**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**FC862**

2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



**FC808**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

\*Available with elevated 10" bottom rail.

Note: See page 275 for important product details that may help with your purchase decision.

## Smooth-Star®




**FC755**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC134**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC60\***  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡


**FC860**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


**1000**  
 2'0" x 6'8"  
 2'4" x 6'8" ‡  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**81000**  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S93**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S220\***  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡


**S8200**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S1100**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


**S81100**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S120**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8120**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S200**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


**S897**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S205**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8201**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S31**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


**S831**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S960**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S755**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**S4800**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**S84800**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S600**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"





**S8600**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S11**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S210\***  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S810**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S100**  
 2'0" x 6'8"  
 2'4" x 6'8" ‡  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8"

**S81000**  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"

## Key

-  No Stile Lines
-  Low-E Glass (LE)
-  Flat White Grilles Between Glass Only (GBG-F)
-  WBDR Options
-  WBDR / HVHZ Options
-  6'6" Height Available
-  7'0" Height Available

# Profiles™ Steel



204



Versatile, affordable options.



Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Frosted Images Glass, Door – 206EHD, Sidelite – 289ESLHD  
 Bottom: Profiles, Texas Star Glass, Door – 1035HD, Sidelites – 1032SLHD



# Traditions Steel



205



Back to basics.




It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.


Top: Traditions, Clear Glass with SDLs, Door – TS3000-6C, Sidelites – 100SL  
Bottom: Traditions, Clear Glass with SDLs, Doors – TS263

# Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 230–235.



## Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



## Traditions Steel

Features 25-gauge steel, standard embossed smooth surface.

All 8'0" doors are 24-gauge steel with standard embossments.



■ = Available  
• = Not Applicable  
P = Paint

Profiles™

Traditions

### Door Widths

2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•

### Door Heights

6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■

### Glass Options

Decorative	15	15
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Removable Wood Grilles	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

### Additional Options

Finish	P	P
--------	---	---

## Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 250–252.

5'0" Patio Opening = (2) 2'4" Doors  
6'0" Patio Opening = (2) 2'10" Doors

\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

\*\*Decorative glass designs are shown in Profiles only.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

# Decorative & Specialty Glass Designs\*\*



Black Nickel



Brushed Nickel

**Blackstone**™ Page 209  
Glass Privacy Rating: **7**



Black Nickel



Brushed Nickel



Brass

**Crystalline**™ Page 209  
Glass Privacy Rating: **7**



Black Nickel



Brushed Nickel

**Sedona** Page 210  
Glass Privacy Rating: **7**



Wrought Iron

**Salinas** Page 211  
Glass Privacy Rating: **10**



Black Nickel



Brushed Nickel

**Maple Park** Page 211  
Glass Privacy Rating: **6**



Black Nickel

**Avonlea** Page 212  
Glass Privacy Rating: **4**



Black Nickel




Brushed Nickel

**Saratoga**™ Page 213  
Glass Privacy Rating: **7**



Brushed Nickel

**Texas Star** Page 213  
Glass Privacy Rating: **5**



Black Nickel



Brushed Nickel



Brass

**Wellesley**™ Page 214  
Glass Privacy Rating: **6**



Wrought Iron

**Riserva**™ Page 214  
Glass Privacy Rating: **10**



Black Nickel



Brushed Nickel



Brass

**Concorde**™ Page 215  
Glass Privacy Rating: **8**



Black Nickel



Brushed Nickel

**Kensington**™ Page 216  
Glass Privacy Rating: **8**



Black Nickel



Brushed Nickel



Brass

**Pembroke**™ Page 216  
Glass Privacy Rating: **7**



Black Nickel

**Axis**™ Page 217  
Glass Privacy Rating: **7**



**Frosted Images**™ Page 218  
Glass Privacy Rating: **8**

**Internal Blinds**  
Page 219, 225

**Screen Vented**  
Page 220, 225

## Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque



## Privacy & Textured Glass

Pages 218, 224



**Geometric (XG)**  
Glass Privacy Rating: **7**



**Satin Etch (XE)**  
Glass Privacy Rating: **10**



**Chord (XC)**  
Glass Privacy Rating: **10**



**Chinchilla (XJ)**  
Glass Privacy Rating: **10**




**Rainglass (XR)**  
Glass Privacy Rating: **8**



**Granite (XN)**  
Glass Privacy Rating: **10**

### Glass Privacy Rating Scale



Also Available:

**Divided Lites** Pages 218, 220, 224, 226

**Clear Glass** Pages 222, 228




Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD



# Blackstone®



**310**  
 ◆ ■ ■ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1037HD**  
 ◆ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**309HD**  
 ◆ ■ ■ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1001HD**  
 ◆ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1117HD**  
 ◆ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**311HD**  
 ◆ ■ ■  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1025HD**  
 ◆ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**310SL**  
 ◆ ■ ■ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1037SLHD**  
 ◆ ■ ■ 6  
 12" x 6'8"  
 14" x 6'8"



**311SLHD**  
 ◆ ■ ■ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**BSHRT**  
 ◆ ■ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**BSRT**  
 ◆ ■ ■  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

# Crystalline™



**916**  
 ◆ ■ ■ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1042HD**  
 ◆ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**926HD**  
 ◆ ■ ■ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**991HD**  
 ◆ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1119HD**  
 ◆ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**950HD**  
 ◆ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**930HD**  
 ◆ ■ ■  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**953HD**  
 ◆ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**Crystalline Glass** Continues on next page.

## Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

**Crystalline™ Glass** *Continued***1055HD**

◆ ■ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**936HD**

◆ ■ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**916SL**

◆ ■ ◆ 6  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**956SLHD**

◆ ■ ◆ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**975SLHD**

◆ ■ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**930SLHD**

◆ ■ ◆ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**950SLHD**

◆ ■ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**936SLHD**

◆ ■ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**19820T**

◆ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**19080T**

◆ ■ ◆  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**19810T**

◆ ■ ◆  
 12" & 14" Sidelite Only

**19800T**

◆ ■ ◆  
 3'0" Door Only

**BLHRT**

◆ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

# Sedona

**139**

◆ ■  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡

**965HD**

◆ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**211HD**

◆ ■  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**996HD**

◆ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**1114HD**

◆ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**294HD**

◆ ■  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**139SL**

◆ ■  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**965SLHD**

◆ ■  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**294SLHD**

◆ ■  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**19520T**

◆ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**19055T**

◆ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Salinas®

Note: Product images show exterior side of door.



**369**  
X 6  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡



**968HD**  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**374HD**  
X 6  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**1002HD**  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1115HD**  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




**372HD**  
X  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**371HD**  
X  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**369SL**  
X 6  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**971SLHD**  
X 6  
12" x 6'8"  
14" x 6'8"



**371SLHD**  
X 6  
12" x 6'8" ‡  
14" x 6'8" ‡



**SART**  
X  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

# Maple Park®



**1006**  
◆ ■ ■ 6  
2'8" x 6'8" ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡



**1009HD**  
◆ ■ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1007HD**  
◆ ■ ■ 6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**1011HD**  
◆ ■ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1116HD**  
◆ ■ ■ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1008HD**  
◆ ■ ■  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

Maple Park Glass Continues on next page.

## Key

- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- X Wrought Iron (1W)
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

## Maple Park. Glass *Continued*



736HD

2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



1006SL

10" x 6'8"  
12" x 6'8" ±  
14" x 6'8" ±



1009SLHD

12" x 6'8"  
14" x 6'8"



1007SLHD

12" x 6'8" ±  
14" x 6'8" ±



FWRT

3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## Avonlea®

Note: Product images show exterior side of door.



1027

2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±  
3'6" x 6'8" ±



1038HD

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



1031HD

2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



1034HD

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



1107HD

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



1044HD

2'6" x 6'8" ±  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



1047HD

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



1027SL

10" x 6'8"  
12" x 6'8" ±  
14" x 6'8" ±



1038SLHD

12" x 6'8"  
14" x 6'8"



1031SLHD

12" x 6'8" ±  
14" x 6'8" ±



AVRT

3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



# Saratoga™



**610**  
 ◆ ■ ■ 6  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴  
 2'10" x 6'8" ⚴  
 3'0" x 6'8" ⚴  
 3'6" x 6'8" ⚴



**1039HD**  
 ◆ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**613HD**  
 ◆ ■ ■ 6  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴  
 2'10" x 6'8" ⚴  
 3'0" x 6'8" ⚴



**988HD**  
 ◆ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1112HD**  
 ◆ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**615HD**  
 ◆ ■ ■  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴  
 2'10" x 6'8" ⚴  
 3'0" x 6'8" ⚴



**707HD**  
 ◆ ■ ■  
 2'8" x 6'8" ⚴  
 2'10" x 6'8" ⚴  
 3'0" x 6'8" ⚴



**610SL**  
 ◆ ■ ■ 6  
 10" x 6'8"  
 12" x 6'8" ⚴  
 14" x 6'8" ⚴



**1039SLHD**  
 ◆ ■ ■ 6  
 12" x 6'8"  
 14" x 6'8"



**615SLHD**  
 ◆ ■ ■ 6  
 12" x 6'8" ⚴  
 14" x 6'8" ⚴



**19740T**  
 ◆ ■ ■  
 3'0" Door Only



**19750T**  
 ◆ ■ ■  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

# Texas Star



**1029**  
 ■ ■ 6  
 2'8" x 6'8" ⚴  
 2'10" x 6'8" ⚴  
 3'0" x 6'8" ⚴  
 3'6" x 6'8" ⚴



**1040HD**  
 ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1032HD**  
 ■ ■ 6  
 2'8" x 6'8" ⚴  
 2'10" x 6'8" ⚴  
 3'0" x 6'8" ⚴



**1035HD**  
 ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1111HD**  
 ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1045HD**  
 ■ ■  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴  
 2'10" x 6'8" ⚴  
 3'0" x 6'8" ⚴



**1048HD**  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1029SL**  
 ■ ■ 6  
 10" x 6'8"  
 12" x 6'8" ⚴  
 14" x 6'8" ⚴



**1040SLHD**  
 ■ ■ 6  
 12" x 6'8"  
 14" x 6'8"



**1032SLHD**  
 ■ ■ 6  
 12" x 6'8" ⚴  
 14" x 6'8" ⚴

## Key

- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- 6 WBDR / HVHZ Options

- ⚴ 6'6" Height Available
- ⚴ 7'0" Height Available

# Wellesley™



**620**  
 ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1041HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**623HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**989HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1120HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**625HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1022HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**721HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**620SL**  
 ◆ ◆ ◆ ◆ ◆  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1041SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**625SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**19720T**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" Door Only



**19730T**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only



**WLHRT**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

# Riserva™

Note: Product images show exterior side of door.



**571**  
 ✕ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**544HD**  
 ✕ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**582HD**  
 ✕ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**576HD**  
 ✕ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**578HD**  
 ✕ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**588HD**  
 ✕  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




**TS572SL**  
 ✕ 6  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**546SLHD**  
 ✕ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**584SLHD**  
 ✕ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**RSRT**  
 ✕  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only



**1028**  
 ◆ ■ ■ ■ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**967HD**  
 ◆ ■ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**426HD**  
 ◆ ■ ■ ■ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**999HD**  
 ◆ ■ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1118HD**  
 ◆ ■ ■ ■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**450HD**  
 ◆ ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**430HD**  
 ◆ ■ ■ ■  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**453HD**  
 ◆ ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**400HD**  
 ◆ ■ ■ ■  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1024HD**  
 ◆ ■ ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**735HD**  
 ◆ ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**454HD**  
 ◆ ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**416SL**  
 ◆ ■ ■ ■ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**967SLHD**  
 ◆ ■ ■ ■ 6  
 12" x 6'8"  
 14" x 6'8"




**977SLHD**  
 ◆ ■ ■ ■  
 12" x 6'8"  
 14" x 6'8"



**430SLHD**  
 ◆ ■ ■ ■ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**450SLHD**  
 ◆ ■ ■ ■  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**CNHRT**  
 ◆ ■ ■ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CNRT**  
 ◆ ■ ■ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

# Kensington™



**626**  
 ◆ ◆ ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**03142HD**  
 ◆ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**627HD**  
 ◆ ◆ ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**631HD**  
 ◆ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1113HD**  
 ◆ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**628HD**  
 ◆ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**630HD**  
 ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**626SL**  
 ◆ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**966SLHD**  
 ◆ ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**628SLHD**  
 ◆ ◆ ◆ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**KNRT**  
 ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# NEW Pembridge™



**6500HD**  
 ◆ ◆ ◆ 6  
 2'4" x 6'8" ‡  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**6582HD**  
 ◆ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**6560HD**  
 ◆ ◆ ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**6565HD**  
 ◆ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**6568HD**  
 ◆ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**6572HD**  
 ◆ ◆ ◆  
 2'8" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**6578HD**  
 ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"





745HD

◆ 2'8" x 6'8" ‡  
◆ 2'10" x 6'8" ‡  
◆ 3'0" x 6'8" ‡



6570HD

◆ 2'8" x 6'8" ‡  
◆ 2'10" x 6'8" ‡  
◆ 3'0" x 6'8" ‡



6500SL

◆ 10" x 6'8" 6  
◆ 12" x 6'8" ‡  
◆ 14" x 6'8" ‡



6580SLHD

◆ 12" x 6'8" 6  
◆ 14" x 6'8" ‡



6565SLHD

◆ 12" x 6'8" ‡  
◆ 14" x 6'8" ‡



6570SLHD

◆ 12" x 6'8" ‡  
◆ 14" x 6'8" ‡



PBRT

◆ 3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems

## Axis™

Note: Product images show exterior side of door.



1651HD

◆ 2'4" x 6'8" 6  
◆ 2'6" x 6'8" 6  
◆ 2'8" x 6'8" 6  
◆ 2'10" x 6'8" 6  
◆ 3'0" x 6'8" 6  
◆ 3'6" x 6'8" 6



1644HD

◆ 2'8" x 6'8" 6  
◆ 2'10" x 6'8" 6  
◆ 3'0" x 6'8" 6



1660HD

◆ 2'6" x 6'8" ‡  
◆ 2'8" x 6'8" ‡  
◆ 2'10" x 6'8" ‡  
◆ 3'0" x 6'8" ‡



1657HD

◆ 2'8" x 6'8" 6  
◆ 2'10" x 6'8" 6  
◆ 3'0" x 6'8" 6



1659HD

◆ 2'8" x 6'8" 6  
◆ 2'10" x 6'8" 6  
◆ 3'0" x 6'8" 6



1662HD

◆ 2'6" x 6'8" ‡  
◆ 2'8" x 6'8" ‡  
◆ 2'10" x 6'8" ‡  
◆ 3'0" x 6'8" ‡



1643HD

◆ 2'8" x 6'8" ‡  
◆ 2'10" x 6'8" ‡  
◆ 3'0" x 6'8" ‡



1651SL

◆ 10" x 6'8" 6  
◆ 12" x 6'8" ‡  
◆ 14" x 6'8" ‡



1644SLHD

◆ 12" x 6'8" 6  
◆ 14" x 6'8" 6



1657SLHD

◆ 12" x 6'8" ‡  
◆ 14" x 6'8" ‡



1643SLHD

◆ 12" x 6'8" ‡  
◆ 14" x 6'8" ‡



AXRT

◆ 3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems

### Key

- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- 6 WBDR / HVHZ Options

- △ 6'6" Height Available
- ‡ 7'0" Height Available

# Frosted Images®



**138**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**963HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**206EHD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**985HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1110HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**250HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**289EHD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**253HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**103HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1021HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**260HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**138SL**  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**289ESLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**250SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡

# Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.



**128**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**108**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**961HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**262HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1123HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**982HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**263HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**6720HD\_SL**  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**263SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 208.

**XG** = **NEW** Geometric  
**XE** = Satin Etch

**XC** = Chord  
**XJ** = Chinchilla

**XR** = Rainglass  
**XN** = Granite

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 275 for important product details that may help with your purchase decision.

# Privacy & Textured Glass



**118**\_\_\_\_  
 2'8" x 6'8"  $\Delta$  ‡  
 2'10" x 6'8"  $\Delta$  ‡  
 3'0" x 6'8"  $\Delta$  ‡  
 3'6" x 6'8" ‡



**959HD**\_\_\_\_  
 2'8" x 6'8"  
 2'10" x 6'8" ‡  
 3'0" x 6'8"



**206HD**\_\_\_\_  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**980HD**\_\_\_\_  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1101**\_\_HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**104**\_\_\_\_  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**289HD**\_\_\_\_  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**296HD**\_\_\_\_  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**100**\_\_SL  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**959HD**\_\_SL  
 12" x 6'8"  
 14" x 6'8"



**210SLHD**\_\_\_\_  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**296SLHD**\_\_\_\_  
 12" x 6'8" ‡  
 14" x 6'8" ‡

# Internal Blinds

Note: Product images show exterior side of door.



**130**  
 2'4" x 6'8"  $\Delta$   
 2'6" x 6'8"  $\Delta$  ‡  
 2'8" x 6'8"  $\Delta$  ‡  
 2'10" x 6'8"  $\Delta$  ‡  
 3'0" x 6'8"  $\Delta$  ‡  
 3'6" x 6'8" ‡



**5425**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**132HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**984HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1121HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**131**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**130SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**5425SL**  
 12" x 6'8"  
 14" x 6'8"



**132SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡

## Key

- $\Delta$  Low-E Glass (LE)
- $\Delta$  Simulated Divided Lites (SDL)\*
- $\Delta$  WBDZ / HVHZ Options

- $\Delta$  6'6" Height Available
- $\Delta$  7'0" Height Available

# Screen Vented Lites\*



**243HD**  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**1004HD**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1102HD**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**137**  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

# Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.



**1201**  
★ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



**1202**  
★ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



**1203**  
★ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



**128**  
★ ◆ ◆ ◆ ◆ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



**1200**  
★ ◆ ◆ ◆ ◆ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



**108**  
★ ◆ ◆ ◆ ◆ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



**2109HD**  
★ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**2110HD**  
★ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**2111HD**  
★ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**961HD**  
★ ◆ ◆ ◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**6023HD**  
★ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1122HD**  
★ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**262HD**  
★ ◆ ◆ ◆ ◆ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**982HD**  
★ ◆ ◆ ◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1123HD**  
★ ◆ ◆ ◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**151HD**  
★ ◆ ◆  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

\*Features a gliding operation and sash locking system.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.





**Clear Glass with Divided Lites** *Continued***1405HD**

★ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**1406HD**

★ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**1411HD**

★ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**704HD**

★ ◆  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**198SL**

★ ◆  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡

**1400SLHD**

★ ◆  
12" x 6'8"  
14" x 6'8"

**1405SLHD**

★ ◆  
12" x 6'8" ‡  
14" x 6'8" ‡

**19020T**

★  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied

**19220T**

★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied

**19200T**

★  
3'0" Door Only  
Grille Sticks Applied

## Clear Glass

**118**

★ ◆ 6  
2'0" x 6'8" ▲  
2'4" x 6'8" ▲  
2'6" x 6'8" ▲ ‡  
2'8" x 6'8" ▲ ‡  
2'10" x 6'8" ▲ ‡  
3'0" x 6'8" ▲ ‡  
3'6" x 6'8" ‡

**959HD**

★ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**206HD**

★ 6  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**980HD**

★ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**1101HD**

★ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**104**

★ 6  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**150HD**

★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**289HD**

★  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**153HD**

★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**105**

★  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**1020HD**

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**708HD**

★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**256HD**

★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**296HD**

★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Right Page Left: Profiles, Door – 205HD

Right Page Right: Profiles, Door – 203HD

							
<b>100SL</b> ★ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>959SLHD</b> ★ 12" x 6'8" 14" x 6'8"	<b>970SLHD</b> ★ 12" x 6'8" 14" x 6'8"	<b>210SLHD</b> ★ 12" x 6'8" ‡ 14" x 6'8" ‡	<b>150SLHD</b> ★ 12" x 6'8" ‡ 14" x 6'8" ‡	<b>296SLHD</b> ★ 12" x 6'8" ‡ 14" x 6'8" ‡	<b>19020T</b> ★ 3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	<b>19200T</b> ★ 3'0" Door Only
							
						<b>19220T</b> ★ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	<b>19210T</b> ★ 12" & 14" Sidelite Only

## Solid Panel

						
<b>969HD</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>978HD</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1005HD</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>205HD</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>203HD</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>210HD</b> ★ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>100</b> ★ 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'6" x 6'8" ‡



### Key









- ★ Low-E Glass (LE)
- 🐢 Turtle Glass
- ♦ Flat or Contour, White or Color Grilles (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- 🔗 WBDR / HVHZ Options
- ⤴ 6'6" Height Available
- ⤵ 7'0" Height Available
- ▤ PVC Doorlite Frame\*

# Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.

									
TS128_	TS108_	TS262_	8321_	TS263_	6184_SL	6185_SL	6186_SL	632_SL	TS263_SL
2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'6" x 6'8"	10" x 6'8"	10" x 6'8"	10" x 6'8"	10" x 6'8"	12" x 6'8"
2'10" x 6'8" Δ	2'10" x 6'8" Δ	2'10" x 6'8"	2'10" x 8'0"	2'8" x 6'8"	12" x 6'8" ‡	12" x 6'8" ‡	12" x 6'8" ‡	12" x 6'8" ‡	14" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	2'10" x 6'8"	14" x 6'8" ‡	14" x 6'8" ‡	14" x 6'8" ‡	14" x 6'8" ‡	14" x 6'8"
				3'0" x 6'8"					

# Privacy & Textured Glass

							
TS118_	818_	TS206_	8206_	TS104_	TS289_	TS296_	896_
2'8" x 6'8"	2'6" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'6" x 6'8"	2'6" x 6'8"	2'8" x 8'0"
2'10" x 6'8" Δ	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8" Δ	2'8" x 6'8"	2'8" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	2'10" x 6'8"	2'10" x 6'8"	3'0" x 8'0"
					3'0" x 6'8"	3'0" x 6'8"	

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 208.

XG = **NEW** Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

\*Features a gliding operation and sash locking system.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.





100\_SL  
 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



818\_SL  
 6  
 12" x 8'0"  
 14" x 8'0"



TS210\_SL  
 6  
 12" x 6'8"  
 14" x 6'8"

TS296\_SL  
 12" x 6'8"  
 14" x 6'8"

## Internal Blinds

Note: Product images show exterior side of door.



TS130  
 \*  
 2'4" x 6'8" △  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" △  
 3'0" x 6'8"



829  
 \*  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

TS132  
 \*  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

8132  
 \*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



TS131  
 \*  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" △  
 3'0" x 6'8"



130SL  
 \*  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



829SL  
 \*  
 12" x 8'0"  
 14" x 8'0"

TS132SL  
 \*  
 12" x 6'8"  
 14" x 6'8"

## Screen Vented Lites\*



TS243  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



TS137  
 2'8" x 6'8"  
 2'10" x 6'8" △  
 3'0" x 6'8"

### Key

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)\*\*
-  WBDL / HVHZ Options
-  6'6" Height Available
-  7'0" Height Available

# Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.



TS1201

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  $\Delta$   
3'0" x 6'8"



TS1202

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  $\Delta$   
3'0" x 6'8"



TS1203

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  $\Delta$   
3'0" x 6'8"



TS128

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  $\Delta$   
3'0" x 6'8"



TS1200

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  $\Delta$   
3'0" x 6'8"



TS108

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  $\Delta$   
3'0" x 6'8"



828

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



808

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



8322

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



8323

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



8324

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



TS262

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



8321

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



TS151

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



TS263

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



TS154

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



TS115

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  $\Delta$   
3'0" x 6'8"



TS752

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



8752

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



TS255

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



TS236

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



8317

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



TS237

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



1201SL

10" x 6'8"  
12" x 6'8"  $\pm$   
14" x 6'8"  $\pm$



1202SL


10" x 6'8"  
12" x 6'8"  $\pm$   
14" x 6'8"  $\pm$



1200SL

10" x 6'8"  
12" x 6'8"  $\pm$   
14" x 6'8"  $\pm$

(Scalloped Lite Frame)



**632SL**  
    
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**828SL**  
    
 12" x 8'0"  
 14" x 8'0"

**TS263SL**  
    
 12" x 6'8"  
 14" x 6'8"

**TS151SL**  
  
 12" x 6'8"  
 14" x 6'8"

**TS3000-2C**  
   
 2'4" x 6'8" △  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" △  
 3'0" x 6'8"

**83000-2C**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS3000-3C**  
   
 2'4" x 6'8" △  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" △  
 3'0" x 6'8"

**83000-3C**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS3000-4C**  
   
 2'4" x 6'8" △  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" △  
 3'0" x 6'8"

**83000-4C**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**TS3000-6C**  
   
 2'4" x 6'8" △  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" △  
 3'0" x 6'8"

**83000-6C**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**6184SL**  
  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡




**86184SL**  
  
 12" x 8'0"  
 14" x 8'0"

**6185SL**  
  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**86185SL**  
  
 12" x 8'0"  
 14" x 8'0"

**6186SL**  
  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**86186SL**  
  
 12" x 8'0"  
 14" x 8'0"

**TS198**  
    
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" △  
 3'0" x 6'8"



**TS1408**  
   
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**8145**  
   
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**TS1411**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS704**  
   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8704**  
   
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


**198SL**  
   
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**TS1405SL**  
   
 12" x 6'8"  
 14" x 6'8"

## Key

 Low-E Glass (LE)

 Simulated Divided Lites (SDL)\*

 Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

 Removable Wood Grilles (RG)

 Fixed Grilles (FXG)

 WBDR / HVHZ Options

△ 6'6" Height Available

‡ 7'0" Height Available

# Clear Glass



**TS118**  
★ 6  
2'0" x 6'8" ▲  
2'4" x 6'8" ▲  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8"



**818**  
★ 6  
2'0" x 8'0" ▲  
2'6" x 8'0" ▲  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0"

**TS206**  
★ 6  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8"

**8206**  
★ 6  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0"



**TS104**  
★ 6  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8"



**TS150**  
★  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8"



**TS289**  
★  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8"



**TS153**  
★  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8"



**TS105**  
★  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8"



**TS708**  
★  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8"



**8708**  
★  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0"



**TS256**  
★  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8"

**TS296**  
★  
2'6" x 6'8" ▲  
2'8" x 6'8" ▲  
2'10" x 6'8" ▲  
3'0" x 6'8"

**896**  
★  
2'8" x 8'0" ▲  
2'10" x 8'0" ▲  
3'0" x 8'0"



**100SL**  
★ 6  
10" x 6'8" ▲  
12" x 6'8" ‡  
14" x 6'8" ‡

**818SL**  
★ 6  
12" x 8'0" ▲  
14" x 8'0"



**TS210SL**  
★ 6  
12" x 6'8" ▲  
14" x 6'8"




**TS150SL**  
★  
12" x 6'8" ▲  
14" x 6'8"




**TS296SL**  
★  
12" x 6'8" ▲  
14" x 6'8"



**19020T**  
★  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**19220T**  
★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**19200T**  
★  
3'0" Door Only



**19210T**  
★  
12" & 14" Sidelite Only

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Bottom: Traditions, Sedona Glass, Door – TS211, Sidelites – 139SL



# Solid Panel



TS290  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




TS214  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



TS210  
6  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

810  
6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



TS100  
6  
2'0" x 6'8"  
2'4" x 6'8"  $\Delta$   
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  $\Delta$   
3'0" x 6'8"

800  
6  
2'0" x 8'0"  
2'4" x 8'0"  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



## Key

- Low-E Glass (LE)
- Turtle Glass
- WBDR / HVHZ Options

- 6'6" Height Available
- 7'0" Height Available
- PVC Doorlite Frame\*

# Fire Doors

Classic-Craft®, Fiber-Classic®, Smooth-Star® & Steel

The phrase  
“safety first” is more  
than just a saying. It’s  
our standard.

From smooth to wood-grained, we have products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.\*



• Safety first.

## Adjusta-Fit® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

### Therma-Tru® Adjusta-Fit 2 frames also feature these key benefits:


- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.

\*To confirm fire door requirements in your jurisdiction, always check with your local building code authority. Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit [www.thermatru.com/performance](http://www.thermatru.com/performance).

## 90-Minute Fire-Rated Steel Edge

Therma-Tru's TR 12-24 Steel Edge 90-Minute Fire-rated doors and door systems provide outstanding protection. Constructed with 24-gauge steel edges and tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit, the doors are perfect for multi-family living and house-to-garage projects. Available in a variety of door styles, sizes and lock preparations, the units are suitable for a minimum 4" wall depth or greater. Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.

**6** WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ in an Adjusta-Fit. 2 frame.\*



SE100  
 2'0" x 6'8"  
 2'4" x 6'8" ‡  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



SE210HD  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡



SE514  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡



SE978HD  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡



SE969HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



SE1005HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

## 20-Minute Fire-Rated Wood Edge

Therma-Tru offers an industry-leading selection of fiberglass 20-Minute Fire-rated doors. Most of our solid-panel fiberglass wood-edge doors can be ordered as 20-Minute Fire-rated product, featuring a proprietary cement-based core. Solid-panel steel wood-edge doors in select sizes can be ordered with the 20-Minute Fire-rated label. The doors are tested to withstand a minimum of 20 minutes of fire exposure at temperatures that reach more than 1,400 degrees Fahrenheit, and are certified and approved for use with mortise locks.

**6** WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ in a Therma-Tru-specified wood frame.\*

### Classic-Craft. Mahogany Collection™



CCMF890  
 3'0" x 8'0"



CCMF060  
 3'0" x 6'8"



CCMF701  
 3'0" x 6'8"

Classic-Craft *Continues on next page.*

\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit [www.thermatru.com/performance](http://www.thermatru.com/performance). See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions. See page 275 for important product details that may help with your purchase decision.

Left Page: Smooth-Star door – SSF120

### Key

- No Stile Lines
- WBDR Options
- ‡ 7'0" Height Available

## Rustic Collection™

CCRF205  
3'0" x 6'8"CCRF8205  
3'0" x 8'0"CCRF205A  
3'0" x 6'8"CCRF8205A  
3'0" x 8'0"CCRF8225  
3'0" x 8'0"CCRF8225R  
3'0" x 8'0"CCRF8005  
3'0" x 8'0"CCRF8005A  
3'0" x 8'0"CCRF040  
3'0" x 6'8"CCRF8040  
3'0" x 8'0"CCRF040F  
3'0" x 6'8"CCRF8040F  
3'0" x 8'0"CCRF8222  
3'0" x 8'0"CCRF200  
3'0" x 6'8"CCRF8200  
3'0" x 8'0"CCRF200A  
3'0" x 6'8"CCRF8200A  
3'0" x 8'0"CCRF8220  
3'0" x 8'0"CCRF8220R  
3'0" x 8'0"

## Oak Collection™

CCF91  
3'0" x 6'8"CCF831  
3'0" x 8'0"CCF810  
3'0" x 8'0"CCF060  
2'8" x 6'8"  
3'0" x 6'8"

## Canvas Collection®

CCVF400  
3'0" x 6'8"CCVF205  
3'0" x 6'8"CCVF8205  
3'0" x 8'0"CCVF205A  
3'0" x 6'8"CCVF8205A  
3'0" x 8'0"

\*Available with elevated 10" bottom rail.

Note: See page 275 for important product details that may help with your purchase decision.





## Fiber-Classic®

### Mahogany Collection™



### Oak Collection™



#### Key

■ No Stile Lines

6 WBDR Options

‡ 7'0" Height Available

## Smooth-Star.



**SSF1100**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF81100**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**SSF93**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**SSF120**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF8120**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**SSF220\***  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**SSF8220**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**SSF200**  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF8200**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**SSF205**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF8205**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**SSF31**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF831**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**SSF960**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**SSF755**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**SSF4800**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF84800**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**SSF600**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF8600**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**SSF11**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**SSF160\***  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**SSF8160**  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**SSF100**  
2'0" x 6'8"  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**SSF8100**  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

\*Available with elevated 10" bottom rail.

Note: See page 275 for important product details that may help with your purchase decision.

## Profiles™



969HD  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



978HD  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



1005HD  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




205HD  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




203HD  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



210HD  
 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



100  
 6  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

## Traditions




TS290  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



TS214  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



TS210  
 6  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




TS100  
 6  
 2'0" x 6'8"  
 2'4" x 6'8" Δ  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" Δ  
 3'0" x 6'8"

### Key

 No Stile Lines

 WBDR Options

 WBDR / HVHZ Options

Δ 6'6" Height Available

‡ 7'0" Height Available

# PULSE



236

•

Modern design. Upbeat living.



Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement.

With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.


\*Please verify that there is a Therma-Tru product approval for the configuration before buying. Not impact tested for use in multi-lite door style configurations.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals. Top: Pulse Echo, Geometric Glass with Flat Lite Frame, Door – S9XG, Sidelite – S9XGSL




## It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse). Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.



237



## The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



Fiberglass



Steel




WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*




## 1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



## 2 Choose a MATERIAL.

Each style is available in any of these material choices.




## 3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

### Privacy & Textured Glass

Available for all Pulse door styles.




### Decorative Glass

Available for Línea.



Available for Ari.



Available for Echo.




- 1 Blackstone®
- 2 Crystalline™
- 3 Sedona
- 4 Salinas®
- 5 Avonlea®
- 6 Saratoga™
- 7 Reserva™
- 8 **NEW** Pembridge™
- 9 Axis™

▲ New to Pulse

## 4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.



### Pulse® Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
			3'6" x 6'8"	3'6" x 8'0"	3'6" x 6'8"	
Sidelites	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	

• Available in full-lite sidelites only.

◦ Available in Línea and Echo only.





# Ari

Note: Product images show exterior side of door.




S2SN  
◆ ■ ■ ■

S83SN  
◆ ■ ■ ■



S2SG  
◆ ■ ■ ■

S83SG  
◆ ■ ■ ■



S2RS  
✗

S83RS  
✗




S2PB  
◆ ■ ■ ◆

S83PB  
◆ ■ ■ ◆



S2AX  
◆

S83AX  
◆



S2  
S2CL ★

S83  
S83CL ★




# Línea

Note: Product images show exterior side of door.




S1LBS  
◆ ■ ■ 6

S81LBS  
◆ ■ ■ 6



S1BS  
◆ ■ ■ 6

S81BS  
◆ ■ ■ 6




S1RBS  
◆ ■ ■ 6

S81RBS  
◆ ■ ■ 6



S1LBL  
◆ ■ ■ ◆ 6

S81LBL  
◆ ■ ■ ◆ 6



S1BL  
◆ ■ ■ ◆ 6

S81BL  
◆ ■ ■ ◆ 6



Wood-Grained Fiberglass:  
Mahogany or Oak (Shown in Natural Oak stain.)



Smooth  
Fiberglass



Steel

## It's your decision, by design.


Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

Note: See page 275 for important product details that may help with your purchase decision.

Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX





**Línea** *Continues on next page.*

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XG = **NEW** Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

### Key

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- X Wrought Iron (1W)
- 6 WBDP / HVHZ Options

## Línea *Continued*




S1RRS  
X 6

S81RRS  
X 6



S1LPB  
◆ ◆ ◆ 6

S81LPB  
◆ ◆ ◆ 6



S1PB  
◆ ◆ ◆ 6

S81PB  
◆ ◆ ◆ 6




S1RPB  
◆ ◆ ◆ 6

S81RPB  
◆ ◆ ◆ 6




S1LAX  
◆ 6

S81LAX  
◆ 6



S1AX  
◆ 6

S81AX  
◆ 6



S1RAX  
◆ 6

S81RAX  
◆ 6



S1L\_  
S1LCL ★  
◆ 6

S81L\_  
S81LCL ★  
◆ 6



S1\_  
S1CL ★  
◆ 6

S81\_  
S81CL ★  
◆ 6



S1R\_  
S1RCL ★  
◆ 6

S81R\_  
S81RCL ★  
◆ 6

## Echo

Note: Product images show exterior side of door.



S4LBL  
◆ ◆ ◆

S84LBL  
◆ ◆ ◆



S4BL  
◆ ◆ ◆

S84BL  
◆ ◆ ◆



S4RBL  
◆ ◆ ◆

S84RBL  
◆ ◆ ◆



S5LBL  
◆ ◆ ◆

S85LBL  
◆ ◆ ◆



Wood-Grained Fiberglass:  
Mahogany or Oak (Shown in Natural Oak stain.)



Smooth  
Fiberglass




Steel

### It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

Note: See page 275 for important product details that may help with your purchase decision.

S5BL  
◆ ◆ ◆S85BL  
◆ ◆ ◆S5RBL  
◆ ◆ ◆S85RBL  
◆ ◆ ◆S86LBL  
◆ ◆ ◆S86BL  
◆ ◆ ◆S86RBL  
◆ ◆ ◆S9LBL  
◆ ◆ ◆S9BL  
◆ ◆ ◆S9RBL  
◆ ◆ ◆S8LBL  
◆ ◆ ◆S8BL  
◆ ◆ ◆S8RBL  
◆ ◆ ◆S811LBL  
◆ ◆ ◆S811BL  
◆ ◆ ◆S811RBL  
◆ ◆ ◆S810LBL  
◆ ◆ ◆S810BL  
◆ ◆ ◆S810RBL  
◆ ◆ ◆Echo *Continues on next page.***Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XG = **NEW** Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

**Key**

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 🌀 WBDR / HVHZ Options

Echo *Continued*

Note: Product images show exterior side of door.



S4LPB



S84LPB



S4PB



S84PB



S4RPB



S84RPB



S5LPB



S85LPB



S5PB



S85PB



S5RPB



S85RPB



S86LPB



S86PB



S86RPB



S9LPB



S9PB



S9RPB



S8LPB



S8PB



S8RPB

Wood-Grained Fiberglass:  
Mahogany or Oak (Shown in Natural Oak stain.)Smooth  
Fiberglass

Steel

**It's your decision, by design.**

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

Note: See page 275 for important product details that may help with your purchase decision.





S811LPB  
◆ ◆ ◆ ◆



S811PB  
◆ ◆ ◆ ◆



S811RPB  
◆ ◆ ◆ ◆




S810LPB  
◆ ◆ ◆ ◆



S810PB  
◆ ◆ ◆ ◆




S810RPB  
◆ ◆ ◆ ◆



S4LAX  
◆

S84LAX  
◆




S4AX  
◆

S84AX  
◆




S4RAX  
◆

S84RAX  
◆




S5LAX  
◆

S85LAX  
◆



S5AX  
◆

S85AX  
◆



S5RAX  
◆

S85RAX  
◆



S86LAX  
◆



S86AX  
◆



S86RAX  
◆

**Echo** *Continues on next page.*

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XG = **NEW** Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

### Key

- ◆ Black Nickel Caming (1D)
- ◆ ◆ Brushed Nickel Caming (1C)
- ◆ ◆ ◆ Brass Caming (1A)



S9LAX



S9AX



S9RAX




S8LAX



S8AX



S8RAX



S811LAX



S811AX



S811RAX







S810LAX



S810AX



S810RAX

S4L\_  
S4LCLS84L\_  
S84LCLS4\_  
S4CLS84\_  
S84CLS4R\_  
S4RCLS84R\_  
S84RCLS5L\_  
S5LCLS85L\_  
S85LCLWood-Grained Fiberglass:  
Mahogany or Oak (Shown in Natural Oak stain.)Smooth  
Fiberglass


Steel

**It's your decision, by design.**

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse).


**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

Note: See page 275 for important product details that may help with your purchase decision.



S5\_  
S5CL\*

S85\_  
S85CL\*



S5R\_  
S5RCL\*

S85R\_  
S85RCL\*



S86L\_  
S86LCL\*



S86\_  
S86CL\*



S86R\_  
S86RCL\*



S9L\_  
S9LCL\*



S9\_  
S9CL\*



S9R\_  
S9RCL\*



S8L\_  
S8LCL\*



S8\_  
S8CL\*



S8R\_  
S8RCL\*



S811L\_  
S811LCL\*



S811\_  
S811CL\*



S811R\_  
S811RCL\*



S810L\_  
S810LCL\*



S810\_  
S810CL\*



S810R\_  
S810RCL\*

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XG = **NEW** Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla


XR = Rainglass  
XN = Granite

### Key


- \* Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)

# Sidelites


Note: Product images show exterior side of door.




S4570SL  
◆ ◆ ◆ 6



S85927SL  
◆ ◆ ◆ 6




S6130SL  
◆ ◆ ◆ 6



S84586SL  
◆ ◆ ◆ 6



S604SL  
◆ ◆ ◆



S6134SL  
X ◆ ◆ 6



S85931SL  
X ◆ ◆ 6




S6127SL  
◆ ◆ ◆ 6



S602SL  
◆ ◆ ◆ 6




S85932SL  
◆ ◆ ◆ 6



S572SL  
X ◆ ◆ 6



S8572SL  
X ◆ ◆ 6



S6500SL  
◆ ◆ ◆ 6



S86500SL  
◆ ◆ ◆ 6



S1651SL  
◆ ◆ ◆ 6



S81651SL  
◆ ◆ ◆ 6



S601\_SL  
◆ ◆ ◆ 6



S601SL  
◆ ◆ ◆ 6

S81086\_SL  
S81086SL  
◆ ◆ ◆ 6



S86BLSL  
◆ ◆ ◆



S5BLSL  
◆ ◆ ◆



S85BLSL  
◆ ◆ ◆



S4BLSL  
◆ ◆ ◆



S84BLSL  
◆ ◆ ◆



S811BLSL  
◆ ◆ ◆



S810BLSL  
◆ ◆ ◆



S9BLSL  
◆ ◆ ◆



S10BLSL  
◆ ◆ ◆



Wood-Grained Fiberglass:  
Mahogany or Oak (Shown in Natural Oak stain.)



Smooth  
Fiberglass



Steel




## It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

Note: See page 275 for important product details that may help with your purchase decision.





## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XG = **NEW** Geometric  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

## Key

-  **Low-E Glass (LE)**
-  **Black Nickel Caming (1D)**
-  **Brushed Nickel Caming (1C)**
-  **Brass Caming (1A)**
-  **Wrought Iron (1W)**
-  **Vented Sidelite (No Impact)**  
(6"8" only in 12" & 14")  
(8"0" only in 14")
-  **WBDR / HVHZ Options**

# Hinged Patio Doors



250

•

Simply beautiful, any way you see it.



Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with smart options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass, Doors - S140, Transoms - 19200T  
Bottom: Smooth-Star, Clear Glass with GBGs, Doors - S81828

## Door Selections



Classic-Craft®  
American Style  
Collection™



Classic-Craft®  
Mahogany  
Collection™



Classic-Craft®  
Oak Collection™



Classic-Craft®  
Rustic Collection™




Classic-Craft®  
Canvas  
Collection™




Fiber-Classic®  
Mahogany  
Collection™



Fiber-Classic®  
Oak Collection™



Smooth-Star®




Profiles™ & Traditions

(Wood-grained images shown in Natural Oak stain.)

## Glass Selections



Internal Blinds



Low-E / Clear

### Divided Lites

For details on divided lite options, see page 120–121.



Simulated  
Divided  
Lites



Grilles  
Between  
Glass



Removable  
Wood  
Grilles



Fixed  
Grilles

## Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

## EnLiten™ Flush-Glazed Warranty Riders

See page 31 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

■ = Available

Door Selections	Classic-Craft®	Fiber-Classic®	Smooth-Star®	Profiles™	Traditions
Material	Fiberglass	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years
Finish Options	Stain or Paint	Stain or Paint	Paint	Paint	Paint

### Glass Selections

Internal Blinds		■	■	■	■
Flush-Glazed Low-E with Divided Lites	■	■	■		
Flush-Glazed Clear with Divided Lites		■	■		
Low-E with Divided Lites	■	■	■	■	■
Clear with Divided Lites		■	■	■	■
Flush-Glazed Low-E	■	■	■		
Flush-Glazed Clear		■	■		
Low-E	■	■	■	■	■
Clear		■	■	■	■
Also Available	12 Decorative / 5 Privacy & Textured	15 Decorative / 6 Privacy & Textured	15 Decorative / 6 Privacy & Textured	15 Decorative / 6 Privacy & Textured	15 Decorative / 6 Privacy & Textured

### Available Sizes

Heights	6'8", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	3'0"	2'0"–3'0"	2'0"–3'6"	2'0"–3'6"	2'0"–3'0"
Double Widths	6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings		5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"

### Additional Options

Vented Sidelites (Single / Double Widths)		6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, Stone, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options		■	■	■	■
Tru-Defense Eligible	■	■	■		

# Hinged Patio Door Systems




- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Astragal
- 8 Frame Components
- 9 Multi-Point Locking System (Included)
- 10 Removable Screens

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.


## Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.



19250T



19050T

## Vented Sidelites

**Enjoy the view – and a fresh breeze, too.**

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

### Available Configurations



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)





## Internal Blinds




### Available Door Styles

Fiber-Classic® Mahogany (Page 176) / Fiber-Classic® Oak (Page 176) / Smooth-Star® (Page 177) / Profiles® (Page 219) / Traditions (Page 225)  
See page numbers above for door styles and sizes.



### Available Configurations



# EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites

## Colonial Style




### Available Door Styles

Fiber-Classic® Oak (Page 179) / Smooth-Star® (Page 181)

See page numbers above for door styles and sizes.



### Available Configurations



## Craftsman Style




### Available Door Styles

Fiber-Classic® Oak (Page 179) / Smooth-Star® (Page 182)

See page numbers above for door styles and sizes.



### Available Configurations



Note: See page 275 for important product details that may help with your purchase decision.

## Prairie Style




### Available Door Styles

Fiber-Classic® Oak (Page 180) / Smooth-Star® (Page 183)  
See page numbers above for door styles and sizes.



### Available Configurations



## EnLiten™ Flush-Glazed Low-E / Clear Glass




### Available Door Styles

**NEW** Classic-Craft® American Style (Page 57) / Fiber-Classic® Oak (Page 184) / Smooth-Star® (Page 184)  
See page numbers above for door styles and sizes.



### Available Configurations



# Low-E / Clear Glass with Divided Lites

## Colonial Style




### Available Door Styles

Classic-Craft® Oak (Page 92) / Classic-Craft® Canvas (Page 108) /  
Fiber-Classic® Mahogany (Page 185) / Fiber-Classic® Oak (Page 188) /  
Smooth-Star® (Page 193) / Profiles™ (Page 220) / Traditions (Page 226)  
*See page numbers above for door styles and sizes.*



### Available Configurations



## Craftsman Style




### Available Door Styles

Fiber-Classic® Mahogany (Page 187) / Fiber-Classic® Oak (Page 191) /  
Smooth-Star® (Page 196) / Profiles™ (Page 221) / Traditions (Page 227)  
*See page numbers above for door styles and sizes.*



### Available Configurations



Note: See page 275 for important product details that may help with your purchase decision.




## Prairie Style




### Available Door Styles

Fiber-Classic® Mahogany (Page 187) / Fiber-Classic® Oak (Page 192) / Smooth-Star® (Page 197) / Profiles™ (Page 221) / Traditions (Page 227)  
See page numbers above for door styles and sizes.



### Available Configurations



## Low-E / Clear Glass




### Available Door Styles

Classic-Craft® Mahogany (Page 69) / Classic-Craft® Rustic (Page 82) / Classic-Craft® Oak (Page 93) / Classic-Craft® Canvas (Page 108) / Fiber-Classic® Mahogany (Page 198) / Fiber-Classic® Oak (Page 199) / Smooth-Star® (Page 200) / Profiles™ (Page 222) / Traditions (Page 228)  
See page numbers above for door styles and sizes.



### Available Configurations





# Door System Components



259

•

Engineered to work together.



A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts configurator to maintain the integrity of a complete door system with genuine Therma-Tru components – [www.thermatru.com/parts](http://www.thermatru.com/parts).

Left Page: Classic-Craft Oak Collection, Arborwatch Glass, Door – CC1423, Sidelites – CC1423SL, Transom – ABRT  
Top: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028



# Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

## Inswing Options



### Composite Adjustable Sill

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.

Continuous length with spread mullion capability to fill 49"–75" rough openings.\*



### Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush zinc dichromate screws.



### Basic Composite Adjustable Sill


- Wood-grained composite cap and nosing.
- Adjustable zinc dichromate screws with removable screw caps.



### Basic Fixed Sill

- Slanted cap and nosing mates with the single-bulb bottom sweep.

## Outswing Options



### Composite Outswing Sill

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.



### Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



### Coastal Sill (For Coastal Regions)


- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

## Outswing Sill Extender




2"  
Finishes:  
Lightwood (Premium)  
Darkwood (Premium)

## Inswing Sill Extenders



## Public Access Sill



### Public Access Sill with Thermal Break\*\* (For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

## Key

✚ Tru-Defense Eligible

\*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

\*\*Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

\*\*\*For full details on the Tru-Defense Warranty Rider, visit [www.thermatru.com/trudefense](http://www.thermatru.com/trudefense).


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision.



## Sill Finishes



**Mill**



**Bronze**



**Satin Nickel**

## Cap Colors



**Lightwood (Premium)**  
Composite Adjustable /  
Composite Outswing



**Darkwood (Premium)**  
Composite Adjustable /  
Composite Outswing



**Lightwood (Economy)**  
Basic Composite Adjustable



**Darkwood (Economy)**  
Basic Composite Adjustable /  
Basic Fixed



**Hardwood**  
Hardwood Adjustable

■ = Available  
• = Not Applicable

	Inswing Options				Outswing Options				Public Access (Inswing / Outswing)	Public Access (ADA)**
	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal		
<b>Sill Finishes</b>										
Mill	■	■	■	■	■	■	■	■		■
Bronze	■	■	■	■	■	■	■	•		■
Satin Nickel	■	•	•	•	■	•	•	•		•
<b>Cap Colors</b>										
Lightwood	■	•	■	•	■	•	•	•		•
Darkwood	■	•	■	■	■	•	•	•		•
Hardwood	•	■	•	•	•	•	•	•		•
<b>Sill Configurations</b>										
Single	■	■	■	■	■	■	■	■		■
French	■	■	•	■	■	■	■	■		■
Double Patio	■	■	•	•	■	•	•	•		•
Triple Patio	■	•	•	•	■	•	•	•		•
Lineal	■	■	•	•	•	•	•	•		•
<b>Sidelite Configurations</b>										
Boxed Sidelites	■	•	•	•	•	•	•	•		•
Single with Sidelites	■	■	•	•	■	•	•	•		•
French with Sidelites	■	•	•	•	•	•	•	•		•
Single Vented Sidelites	■	•	•	•	•	•	•	•		•
French Vented Sidelites	■	•	•	•	•	•	•	•		•
<b>Depths</b>										
4-9/16"	■	•	■	■	•	•	■	■		■
5-3/4"	■	■	■	■	■	■	•	•		•
6-9/16"	•	•	•	•	•	•	•	•		■
7-3/4"	■	■	■	■	•	■	•	•		•
<b>Substrates</b>										
Composite Extruded	■	•	•	•	■	•	•	•		•
Composite Injection Molded	■	•	■	•	•	•	•	•		•
Treated Pine	•	■	•	■	•	■	■	■		•
<b>Other Options</b>										
Integrated Thermal Break	■	■	■	■	■	■	•	•		■
Screen Rail Available	■	■	•	•	■	•	•	•		•
Sill Extenders Available	■	■	■	•	■	•	•	•		•
Sill Covers Available	■	■	■	■	■	•	•	•		•
Tru-Defense Eligible***	■	•	•	•	■	•	•	•		•
With Anchor Holes	•	•	•	•	•	■	■	•		■
Without Anchor Holes	■	■	■	■	■	■	•	■		•

# Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill.

Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

## Inswing Options



### Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable

**Colors:**  
Bronze  
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



### Kerf-Applied Single-Bulb Bottom Sweep

**Sills:**  
Basic Fixed

**Colors:**  
Bronze



### Inactive Door Bottom

**Sills:**  
Composite Adjustable  
Hardwood Adjustable

**Colors:**  
Bronze

## Outswing Options



### Outswing Bottom Sweep

**Sills:**  
Composite Outswing  
Aluminum  
Coastal

**Color:**  
Bronze



### Inactive Door Bottom

**Sills:**  
Composite Outswing

**Colors:**  
Bronze

## ADA / Replacement



### Bottom Sweep

**Sills:**  
Public Access

**Color:**  
Bronze

# Sill Protection



### Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 260 for availability.

Shown over composite adjustable sill.



### Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

# Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

## Classic-Craft. 7-Shape Pads



Colors:  
Bronze  
White

Sills:  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Public Access

## Fiber-Classic. / Smooth-Star. 7-Shape Pads



Colors:  
Bronze  
White

Sills:  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Public Access

## Basic Fixed Pads



Colors:  
Bronze

Sills:  
Basic Fixed

# Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible, foam-filled material protected by a durable jacket to resist moisture and wear.

## Medium-Reach Weatherstrip



Colors:  
Bronze  
White

## Long-Reach Weatherstrip



Colors:  
Bronze  
White

# Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

## Rain Deflector (Inswing)




Colors:  
Bronze  
White

## Rain Guard (Outswing)



Colors:  
Bronze  
White



Rain Deflector

Bottom Sweep

Bottom of door;  
exterior view.



Jamb

Rain Guard

Weatherstrip

Top of door;  
exterior view.

## Key

Tru-Defense Eligible

# Hardware

## Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

### Grip-Style MPLS

New grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors. Strike plate package available.)

### Standard Door MPLS



**Tongue Heights:**  
6'8"  
7'0"  
8'0"

**Configurations:**  
Inswing  
Outswing

- ❶ Self-lubricating locks.
- ❷ 1" premium stainless steel deadbolt.
- ❸ Integrated mishandling device.

### Key

❖ Tru-Defense Eligible

Side view of door.

❶  
❷  
❸

Engages at three critical points.

Interior view of door.





## Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

## Standard Door MPLS



### Tongue

Heights:  
6'6"  
6'8"  
7'0"  
8'0"

Configurations:  
Inswing  
Outswing



### Shootbolt

(For door systems with an astragal.)

Heights:  
6'6"  
6'8"  
7'0"  
8'0"

Configurations:  
Inswing  
Outswing

## Vented Sidelite MPLS





### Tongue

(Included in vented sidelite units.)

Heights:  
6'6"  
6'8"  
8'0"

# Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru door styles from traditional to contemporary.



Backplates:  
Wide  
Narrow  
Locking:  
Active  
Inactive

## Finish Options for Handlesets & Hinges



Bright Brass\*    Antique Brass\*    Brushed Nickel    Black Nickel    Polished Chrome\*    Oil-Rubbed Bronze

\*Not available for Forte and Prospect handlesets.

## Hinges & Strike Plate

Hinge Finish Options	Hinges							Adjustable Security Strike Plate (For Latch & Deadbolt)
	Adjustable	Classic-Craft Ball-Bearing	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded	
Bright Brass	■	■	■	●	●	●	●	●
Antique Brass	■	■	■	●	●	●	●	■
Brushed Nickel	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	●	■	●	■	■
Polished Chrome	■	■	■	●	■	●	■	■
Oil-Rubbed Bronze	■	■	■	■	■	●	■	■
Stainless Steel	●	■	■	●	■	■	■	■
Zinc Dichromate	●	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

# Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



Astragal

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

## Stainable Astragal

**Heights:**  
6'6"  
6'8"  
7'0"  
8'0"

**Width:**  
7/8"

**Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

**Grain Options:**  
Oak  
Mahogany  
Fir

**Weatherstrip:**  
Bronze



Shown in Oak grain with Mahogany stain.

## Aluminum Astragal

**Heights:**  
6'6"  
6'8"  
7'0"  
8'0"

**Width:**  
7/8"

**Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

**Finish Colors:**  
Bronze  
White

**Weatherstrip:**  
Bronze



Coastal option also available.

## Textures Available

Stainable (Shown in Natural Oak stain.)

Aluminum



Oak Grain



Mahogany Grain



Fir Grain



Bronze



White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028

**Key**

Tru-Defense Eligible





## Finished for lasting beauty.

PrismaGuard™ stain brings the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors.

- Handcrafted and professionally applied in a controlled environment, a PrismaGuard™ finish is built to last, giving confidence and peace of mind.
- Features enhanced durability to protect from everyday wear and tear.
- Designed for optimal performance with Therma-Tru® fiberglass doors.
- Backed by a 10-year limited finish warranty.

Explore a nature-inspired color palette of premium stains designed to enhance the overall beauty of the entry.

Shown on Classic-Craft® American Style Collection™



Wildflower Honey



Rustic Clay



Redwood



New Earth



Barley



Driftwood



Autumn Harvest



Mulberry



Raven



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door.
- 2 A base coat provides an even, consistent color across the surface of the door.
- 3 A wiping stain enhances the base coat to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability.

**10 YEAR**  
LIMITED  
WARRANTY

10-Year Warranty



Durable Topcoat



Professional  
Application



# SAME-DAY® STAIN

**Create the authentic look of real wood in just a few simple steps.**

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors.

Shown on Classic-Craft®  
American Style Collection™



## All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.\*

Watch easy-to-follow instructions at [www.samedaystain.com](http://www.samedaystain.com).



**5 YEAR**  
LIMITED  
WARRANTY

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to [www.samedaystain.com](http://www.samedaystain.com) or ask your seller for more details.

Light Oak

Natural Oak

Walnut

English Walnut

Mahogany

Cherry

Cedar

\*Actual coverage may vary based on product selected, application method and desired appearance.  
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 275 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

# Special Quote Program

Don't sacrifice the look you want. In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.






## Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Special Quote SDL Pattern Example



Special  
Quote  
GBG  
Color  
Options

## Divided Lites

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



Texas Star with Standard Brushed Nickel Caming











Texas Star with Special Quote Black Nickel Caming

## Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

# 3'6" Width Door Style Options


















## Classic-Craft®

	Door Styles								
Glass Designs									
Homeward™	◆		◆				◆	■	
Augustine®	◆	◆	◆	◆	◆	◆	◆		
Arborwatch®	◆		◆				◆	■	
Borrassa®	◆	◆	◆	◆	◆	◆	◆		
Lucerna®	◆		◆				◆		
<b>NEW</b> Geometric								■	
Rainglass	◆		◆				◆	■	
Low-E	◆		◆				◆	■	▲













## Key

- Classic-Craft® American Style Collection™
- ◆ Classic-Craft® Rustic Collection™
- ▲ Classic-Craft® Oak Collection™
- \* Smooth-Star®
- ▮ Profiles™ & Traditions
















## Solid-Panel Door Styles

																	
	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	▲	▲






## Smooth-Star®, Profiles™, Traditions & Pulse®

	Door Styles		All Pulse Styles									
Glass Designs												
Blackstone®	*▮	*			*▮	*						
Crystalline™	*▮	*			*▮	*						
Sedona	*▮				*▮	*						
Salinas®	*▮	*			*▮	*						
Maple Park®	*▮				*▮							
Avonlea®	*▮				*▮							
Saratoga™	*▮				*▮	*						
Texas Star	*▮				*▮							
Wellesley™	*▮	*										
Riserva™	*▮	*	*▮	*	*▮	*						
Concorde™	*▮	*										
Kensington™	*▮											
<b>NEW</b> Pembridge™	*▮	*	*▮	*	*▮	*	*▮	*	*▮	*		
Axis™	*▮	*	*▮	*	*▮	*	*▮	*	*▮	*		
Frosted Images®	*▮	*										
Privacy & Textured Glass	*▮	*	*▮	*	*▮	*	*▮	*	*▮	*		
Internal Blinds	*▮	*			*▮	*						
Divided Lites	*▮	*										
Clear	*▮	*	*▮	*	*▮	*	*▮	*	*▮	*		
Solid Panel											*▮	*

## 7'0" Height Door Style Options

Door Styles																
Glass Designs																
Blackstone®	▼▲*▶	▲*▶	*			▶								▼▲*▶	▶	
Crystalline™	▼▲*▶	▲*▶	*		▶	▶	▶			▶	▲*▶			▼▲*▶	▶	
Sedona	▼▲*▶	▲*▶	*			▶								▼▲*▶	▶	
Salinas®	▼▲*▶	▲*▶	*		▶	▶								▼▲*▶	▶	
Maple Park®	▼▲*▶	▲*▶	*			▶			▲*▶					▼▲*▶	▶	
Avonlea®	▼▲*▶	▲*▶	*			▶								▼▲*▶	▶	
Saratoga™	▼▲*▶	▲*▶	*			▶			▲*▶					▼▲*▶	▶	
Texas Star	▼▲*▶	▲*▶	*			▶								▼▲*▶	▶	
Wellesley™	▼▲*▶	▲*▶	*			▶			▲*▶					▼▲*▶	▶	
Riserva™	▼▲*▶	▲*▶	*			▶								▼▲*▶	▶	
Concorde™	▼▲*▶	▲*▶	*		▶	▶	▶		▲*▶	▶				▼▲*▶	▶	
Kensington™	▼▲*▶	▲*▶	*			▶								▼▲*▶	▶	
NEW Pembridge™	▼▲*▶	▲*▶	*			▶			▲*▶		▲*▶			▼▲*▶	▶	
Axis™	▼▲*▶	▲*▶	*			▶					▲*▶			▼▲*▶	▶	
Frosted Images®	▼▲*▶	▲*▶	*		▶	▶	▶			▶				▼▲*▶	▶	
Privacy & Textured Glass	▼▲*▶	▲*▶	*	▼▲*▶		▶					▲*▶			▼▲*▶	▶	
Internal Blinds	▼▲*▶	▲*▶	*	▼▲*▶										▼▲*▶	▶	
Screen Vented		*▶	*	*▶												
Divided Lites	▼▲*▶	▲*▶	*		▶	▶	▶	*▶	▲*▶	▶		▶	▶	▼▲*▶	▶	
Clear	▼▲*▶	▲*▶	*	▼▲*▶	▶	▶	▶	*▶	▲*▶	▶	▲*▶			▼▲*▶	▶	
Solid Panel																

## 6'6" Height Door Style Options

Door Styles					
Glass Designs					
Blackstone <sub>®</sub>	▼▲*			▼▲*	
Crystalline <sub>™</sub>	▼▲*			▼▲*	
Sedona	▼▲*			▼▲*	
Salinas <sub>®</sub>	▼▲*			▼▲*	
Maple Park <sub>®</sub>	▼▲*			▼▲*	
Avonlea <sub>®</sub>	▼▲*			▼▲*	
Saratoga <sub>™</sub>	▼▲*			▼▲*	
Texas Star	▼▲*			▼▲*	
Wellesley <sub>™</sub>	▼▲*			▼▲*	
Riserva <sub>™</sub>	▼▲*			▼▲*	
Concorde <sub>™</sub>	▼▲*			▼▲*	
Kensington <sub>™</sub>	▼▲*			▼▲*	
<b>NEW</b> Pembridge <sub>™</sub>	▼▲*			▼▲*	
Axis <sub>™</sub>	▼▲*			▼▲*	
Frosted Images <sub>®</sub>	▼▲*			▼▲*	
Privacy & Textured Glass	▼▲*	▶		▼▲*	
Internal Blinds	▼▲*	▶		▼▲*	
Screen Vented		▶			
Divided Lites	▼▲*		▶	▼▲*	
Clear	▼▲*	▶	▶	▼▲*	
Solid Panel					▼▲*

## Key

- ▼ Fiber-Classic<sub>®</sub> Mahogany Collection<sub>™</sub>
- ▲ Fiber-Classic<sub>®</sub> Oak Collection<sub>™</sub>
- \* Smooth-Star<sub>®</sub>
- ▶ Profiles<sub>™</sub> & Traditions
- Steel Edge





# Entry & Patio Door Systems

Feature	Classic-Craft.	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles™ & Pulse. Steel (6'8")	Traditions & Pulse. Steel (8'0")
<b>Skin Material</b>	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
<b>Skin Texture</b>	Oak, Mahogany, Fir Grain; High-Detail Smooth	Oak, Mahogany Grain	High-Detail Smooth	Smooth	Smooth
<b>Exterior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint
<b>Interior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint
<b>Panel – Top Rail</b>	Composite	Composite	Composite	Wood	Wood
<b>Panel – Bottom Rail</b>	Composite	Composite	Composite	Composite	Composite
<b>Lock Stile</b>	4" Full-Length Engineered Lumber	1-¼" Engineered Lumber	1-¼" Engineered Lumber	1-¼" Wood	1-¼" Wood
<b>Lock Block</b>	4" Full-Length Engineered Lumber Stile	22-½" Wood	12-½" Wood	12-½" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
<b>Height Options</b>	6'8" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'6", 6'8" & 8'0"
<b>Width Options</b>	2'8", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
<b>Panel Options</b>	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
<b>Sidelite Options</b>	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
<b>Glass Options</b>	SMC Frame; Deco / Privacy & Textured / Low-E IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG
<b>Sill*</b>	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum
<b>Weatherstrip – Hinge</b>	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
<b>Weatherstrip – Lock</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
<b>Weatherstrip – Head</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
<b>Multi-Point Lock</b>	Recommended	Recommended	Recommended	–	–
<b>Security Strike Plate</b>	Recommended	Recommended	Recommended	Recommended	Recommended
<b>Hinges*</b>	Classic-Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
<b>Frame*</b>	Rot-Resistant	Rot-Resistant	Rot-Resistant	Primed Pine	Primed Pine
<b>Screens &amp; Screen Accessories Available</b> Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
<b>Residential Limited Warranty</b>	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

\*Standard product recommendations shown; additional options may be available.

# Therma-Tru® Door Systems

## Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E 331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to [www.thermatru.com](http://www.thermatru.com) for design pressure and other performance ratings.

## Doors

**Recommended Door Overhang** – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

## Doorlites

Doorlites are insulated, and exposed panes are tempered. Optional wood grilles available for clear doorlites and transoms.

**Inserts** – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames and dividers must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames and dividers are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Decorative Glass & Wrought Iron** – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the Old World charm.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

**NOTE:** Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Components

**Adjustable Security Strike Plate** – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

**Hinges** – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic-Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

## Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit [www.thermatru.com](http://www.thermatru.com) for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

## Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

## Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft, Fiber-Classic, Smooth-Star and Pulse. Door Systems; Steel – Pulse, Profiles, Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft, Fiber-Classic, Smooth-Star and Pulse. Fiberglass Door Systems
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, Fiber-Classic and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft, Fiber-Classic and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft and Fiber-Classic. Door Systems.
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products

## Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Installation Instructions
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

**NOTE:** Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Therma-Tru. Owner's Manual & Warranties

[www.thermatru.com/warranty](http://www.thermatru.com/warranty)

**American Style  
Collection.**

19200T.....	55	CCA2310XJSL.....	57	CCA2400XJ.....	56	CCA8221.....	52	CCA82350XJ.....	56	CCA9100SL.....	53
19220T.....	55	CCA2310XN.....	56	CCA2400XJSL.....	57	CCA8222.....	52	CCA82350XN.....	56	CCA9200.....	53
AB30T.....	53	CCA2310XNSL.....	57	CCA2400XN.....	56	CCA8230.....	55	CCA82350XR.....	56	CCA9300.....	53
ABRT.....	53	CCA2310XR.....	56	CCA2400XNSL.....	57	CCA82300.....	57	CCA82360.....	58	HW30T.....	52
CCA1100.....	59	CCA2310XRSL.....	57	CCA2400XR.....	56	CCA82300SL.....	58	CCA82360XC.....	56	HWRT.....	52
CCA1125.....	59	CCA232.....	52	CCA2400XRSL.....	57	CCA82300XC.....	56	CCA82360XG.....	56	VG30T.....	52
CCA1127.....	59	CCA2320.....	57	CCA240XC.....	54	CCA82300XCSL.....	57	CCA82360XJ.....	56	VGRT.....	52
CCA1133.....	59	CCA2320SL.....	58	CCA240XG.....	54	CCA82300XG.....	56	CCA82360XN.....	56		
CCA1145.....	59	CCA2320XC.....	56	CCA240XJ.....	54	CCA82300XGSL.....	57	CCA82360XR.....	56		
CCA1147.....	59	CCA2320XCSL.....	57	CCA240XN.....	54	CCA82300XJ.....	56	CCA82370.....	58		
CCA1149.....	59	CCA2320XG.....	56	CCA240XR.....	54	CCA82300XJSL.....	57	CCA82370XC.....	56		
CCA1150.....	59	CCA2320XGSL.....	57	CCA2410SL.....	59	CCA82300XN.....	56	CCA82370XG.....	56		
CCA1158.....	59	CCA2320XJ.....	56	CCA2420SL.....	59	CCA82300XNSL.....	57	CCA82370XJ.....	56		
CCA1166.....	59	CCA2320XJSL.....	57	CCA2430SL.....	59	CCA82300XR.....	56	CCA82370XN.....	56		
CCA1423SL.....	53	CCA2320XN.....	56	CCA260.....	55	CCA82300XRSL.....	57	CCA82370XR.....	56		
CCA210.....	55	CCA2320XNSL.....	57	CCA260XC.....	54	CCA8230XC.....	54	CCA82380.....	58		
CCA210SL.....	55	CCA2320XR.....	56	CCA260XG.....	54	CCA8230XG.....	54	CCA82380XC.....	56		
CCA210XC.....	54	CCA2320XRSL.....	57	CCA260XJ.....	54	CCA8230XJ.....	54	CCA82380XG.....	56		
CCA210XCSL.....	54	CCA2330.....	57	CCA260XN.....	54	CCA8230XN.....	54	CCA82380XJ.....	56		
CCA210XG.....	54	CCA2330SL.....	58	CCA260XR.....	54	CCA8230XR.....	54	CCA82380XN.....	56		
CCA210XGSL.....	54	CCA2330XC.....	56	CCA260XSL.....	55	CCA8231.....	52	CCA82380XR.....	56		
CCA210XJ.....	54	CCA2330XCSL.....	57	CCA260XJSL.....	54	CCA82310.....	57	CCA8240.....	55		
CCA210XJSL.....	54	CCA2330XG.....	56	CCA260XGSL.....	54	CCA82310SL.....	58	CCA82400.....	57		
CCA210XN.....	54	CCA2330XGSL.....	57	CCA260XN.....	54	CCA82310XC.....	56	CCA82400SL.....	58		
CCA210XR.....	54	CCA2330XJ.....	56	CCA260XNSL.....	54	CCA82310XC.....	56	CCA82400XC.....	56		
CCA210XRSL.....	54	CCA2330XJSL.....	57	CCA260XNSL.....	54	CCA82310XC.....	56	CCA82400XG.....	56		
CCA211.....	52	CCA2330XN.....	56	CCA260XR.....	54	CCA82310XG.....	56	CCA82400XGSL.....	57		
CCA211SL.....	52	CCA2330XNSL.....	57	CCA260XSL.....	55	CCA82310XGSL.....	57	CCA82400XJ.....	56		
CCA212.....	52	CCA2330XR.....	56	CCA260XSL.....	55	CCA82310XJ.....	56	CCA82400XJSL.....	57		
CCA212SL.....	52	CCA2330XRSL.....	57	CCA260XSL.....	55	CCA82310XJSL.....	57	CCA82400XN.....	56		
CCA220.....	55	CCA2340.....	58	CCA260XSL.....	55	CCA82310XNSL.....	57	CCA82400XNSL.....	57		
CCA220SL.....	55	CCA2340SL.....	58	CCA260XSL.....	55	CCA82310XR.....	56	CCA82400XR.....	56		
CCA220XC.....	54	CCA2340XC.....	56	CCA260XSL.....	55	CCA82310XRSL.....	57	CCA82400XSL.....	57		
CCA220XC.....	54	CCA2340XCSL.....	57	CCA260XSL.....	55	CCA8232.....	52	CCA82400XJ.....	56		
CCA220XG.....	54	CCA2340XG.....	56	CCA260XSL.....	55	CCA82320.....	57	CCA82400XJSL.....	57		
CCA220XGSL.....	54	CCA2340XGSL.....	57	CCA260XSL.....	55	CCA82320SL.....	58	CCA82400XNSL.....	57		
CCA220XJ.....	54	CCA2340XJ.....	56	CCA260XSL.....	55	CCA82320XC.....	56	CCA82400XR.....	56		
CCA220XJSL.....	54	CCA2340XJSL.....	57	CCA260XSL.....	55	CCA82320XC.....	56	CCA82400XSL.....	57		
CCA220XN.....	54	CCA2340XNSL.....	57	CCA260XSL.....	55	CCA82320XG.....	56	CCA82400XJ.....	56		
CCA220XNSL.....	54	CCA2340XR.....	56	CCA260XSL.....	55	CCA82320XGSL.....	57	CCA82400XJSL.....	57		
CCA220XR.....	54	CCA2340XRSL.....	57	CCA260XSL.....	55	CCA82320XJ.....	56	CCA82400XNSL.....	57		
CCA220XRSL.....	54	CCA2350.....	58	CCA260XSL.....	55	CCA82320XJSL.....	57	CCA82400XR.....	56		
CCA221.....	52	CCA2350XC.....	56	CCA260XSL.....	55	CCA82320XN.....	56	CCA82400XSL.....	57		
CCA222.....	52	CCA2350XG.....	56	CCA260XSL.....	55	CCA82320XNSL.....	57	CCA82400XJ.....	56		
CCA230.....	55	CCA2350XJ.....	56	CCA260XSL.....	55	CCA82320XR.....	56	CCA82400XJSL.....	57		
CCA2300.....	57	CCA2350XN.....	56	CCA260XSL.....	55	CCA82320XRSL.....	57	CCA82400XNSL.....	57		
CCA2300SL.....	58	CCA2350XR.....	56	CCA260XSL.....	55	CCA82330.....	57	CCA82400XR.....	56		
CCA2300XC.....	56	CCA2360.....	58	CCA260XSL.....	55	CCA82330SL.....	58	CCA82400XSL.....	57		
CCA2300XC.....	56	CCA2360XC.....	56	CCA260XSL.....	55	CCA82330XC.....	56	CCA82400XJ.....	56		
CCA2300XCSL.....	57	CCA2360XJ.....	56	CCA260XSL.....	55	CCA82330XCSL.....	57	CCA82400XJSL.....	57		
CCA2300XG.....	56	CCA2360XN.....	56	CCA260XSL.....	55	CCA82330XC.....	56	CCA82400XNSL.....	57		
CCA2300XGSL.....	57	CCA2360XR.....	56	CCA260XSL.....	55	CCA82330XG.....	56	CCA82400XR.....	56		
CCA2300XJ.....	56	CCA2370.....	58	CCA260XSL.....	55	CCA82330XGSL.....	57	CCA82400XSL.....	57		
CCA2300XJSL.....	56	CCA2370XC.....	56	CCA260XSL.....	55	CCA82330XJ.....	56	CCA82400XNSL.....	57		
CCA2300XN.....	54	CCA2370XG.....	56	CCA260XSL.....	55	CCA82330XJSL.....	57	CCA82400XR.....	56		
CCA2300XR.....	54	CCA2370XJ.....	56	CCA260XSL.....	55	CCA82330XNSL.....	57	CCA82400XSL.....	57		
CCA2300XRSL.....	57	CCA2370XN.....	56	CCA260XSL.....	55	CCA82330XR.....	56	CCA82400XJ.....	56		
CCA230XC.....	54	CCA2370XR.....	56	CCA260XSL.....	55	CCA82330XRSL.....	57	CCA82400XJSL.....	57		
CCA230XG.....	54	CCA2380.....	58	CCA260XSL.....	55	CCA82340SL.....	58	CCA82400XNSL.....	57		
CCA230XJ.....	54	CCA2380XC.....	56	CCA260XSL.....	55	CCA82340XC.....	56	CCA82400XR.....	56		
CCA230XN.....	54	CCA2380XG.....	56	CCA260XSL.....	55	CCA82340XCSL.....	57	CCA82400XSL.....	57		
CCA230XR.....	54	CCA2380XJ.....	56	CCA260XSL.....	55	CCA82340XG.....	56	CCA82400XJ.....	56		
CCA231.....	52	CCA2380XN.....	56	CCA260XSL.....	55	CCA82340XGSL.....	57	CCA82400XJSL.....	57		
CCA2310.....	57	CCA2380XR.....	56	CCA260XSL.....	55	CCA82340XJ.....	56	CCA82400XNSL.....	57		
CCA2310SL.....	58	CCA240.....	55	CCA260XSL.....	55	CCA82340XJSL.....	57	CCA82400XR.....	56		
CCA2310XC.....	56	CCA2400.....	57	CCA260XSL.....	55	CCA82340XNSL.....	57	CCA82400XSL.....	57		
CCA2310XC.....	56	CCA2400SL.....	58	CCA260XSL.....	55	CCA82340XR.....	56	CCA82400XJ.....	56		
CCA2310XC.....	56	CCA2400XC.....	56	CCA260XSL.....	55	CCA82340XSL.....	58	CCA82400XNSL.....	57		
CCA2310XG.....	56	CCA2400XCSL.....	57	CCA260XSL.....	55	CCA82340XG.....	56	CCA82400XR.....	56		
CCA2310XGSL.....	57	CCA2400XG.....	56	CCA260XSL.....	55	CCA82340XGSL.....	57	CCA82400XSL.....	57		
CCA2310XJ.....	56	CCA2400XGSL.....	57	CCA260XSL.....	55	CCA82340XJ.....	56	CCA82400XNSL.....	57		
		CCA2400XR.....	54	CCA260XSL.....	55	CCA82340XJSL.....	57	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XNSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XR.....	56	CCA82400XJ.....	56		
				CCA260XSL.....	55	CCA82340XSL.....	58	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XG.....	56	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XGSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XJ.....	56	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XJSL.....	57	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XNSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XR.....	56	CCA82400XJ.....	56		
				CCA260XSL.....	55	CCA82340XSL.....	58	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XG.....	56	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XGSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XJ.....	56	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XJSL.....	57	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XNSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XR.....	56	CCA82400XJ.....	56		
				CCA260XSL.....	55	CCA82340XSL.....	58	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XG.....	56	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XGSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XJ.....	56	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XJSL.....	57	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XNSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XR.....	56	CCA82400XJ.....	56		
				CCA260XSL.....	55	CCA82340XSL.....	58	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XG.....	56	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XGSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XJ.....	56	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XJSL.....	57	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XNSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XR.....	56	CCA82400XJ.....	56		
				CCA260XSL.....	55	CCA82340XSL.....	58	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XG.....	56	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XGSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XJ.....	56	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XJSL.....	57	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XNSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XR.....	56	CCA82400XJ.....	56		
				CCA260XSL.....	55	CCA82340XSL.....	58	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XG.....	56	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XGSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XJ.....	56	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XJSL.....	57	CCA82400XR.....	56		
				CCA260XSL.....	55	CCA82340XNSL.....	57	CCA82400XSL.....	57		
				CCA260XSL.....	55	CCA82340XR.....	56	CCA82400XJ.....	56		
				CCA260XSL.....	55	CCA82340XSL.....	58	CCA82400XNSL.....	57		
				CCA260XSL.....	55	CCA82340XG.....	56	CCA82400XR.....	56		



CCM3400XNSL.....	65	CCM9925.....	64	CCR1838.....	80	CCR8007SL.....	79	CCR820030A.....	82	CCR9812SL.....	74
CCM3400XNSL.....	68	CCM9925SL.....	64	CCR1839.....	80	CCR8008SL.....	78	CCR820030AXC.....	82	CCR9819.....	74
CCM3400XRSL.....	68	CCM9926.....	64	CCR1841.....	80	CCR8009SL.....	75	CCR820030AXJ.....	82	CCR9821.....	74
CCM3403SL.....	67	DLHRT.....	69	CCR1851.....	80	CCR8010BSL.....	77	CCR820030AXN.....	82	CCR9822.....	74
CCM3409SL.....	65	HW30T.....	64	CCR1851SL.....	80	CCR8040.....	83	CCR820030AXR.....	82	CCR9918.....	75
CCM3410BSL.....	66	HWRT.....	64	CCR200.....	83	CCR804020.....	82	CCR820030XC.....	82	CCR9919.....	75
CCM3412SL.....	68	LC30T.....	68	CCR20020.....	82	CCR804020XC.....	81	CCR820030XJ.....	82	CCR9921.....	75
CCM3500SL.....	69	LCET.....	68	CCR20020XC.....	81	CCR804020XJ.....	81	CCR820030XN.....	82	CCR9925.....	75
CCM3502SL.....	68	LCHRT.....	68	CCR20020XJ.....	81	CCR804020XN.....	81	CCR820030XR.....	82	CCR9925SL.....	75
CCM3503SL.....	67	LCRT.....	68	CCR20020XN.....	81	CCR804020XR.....	81	CCR820032.....	81	DLHRT.....	82
CCM3509SL.....	65	LF30T.....	67	CCR20020XR.....	81	CCR804022.....	80	CCR820032A.....	81	HW30T.....	75
CCM3510BSL.....	66	LFET.....	67	CCR20022.....	80	CCR804023.....	79	CCR820037.....	76	HWRT.....	75
CCM400.....	69	LFHRT.....	67	CCR20023.....	79	CCR804024B.....	77	CCR820037A.....	76	LC30T.....	81
CCM403.....	67	LFRT.....	67	CCR20024B.....	77	CCR804026.....	79	CCR8200A.....	83	LCET.....	81
CCM409.....	64	VG30T.....	64	CCR20026.....	79	CCR804027.....	76	CCR8205.....	83	LCHRT.....	81
CCM500.....	69	VGRT.....	64	CCR20027.....	76	CCR804028.....	78	CCR820520.....	82	LCRT.....	81
CCM503.....	67	ZHHRT.....	67	CCR20028.....	78	CCR804029.....	75	CCR820520XC.....	81	LF30T.....	79
CCM509.....	64	ZHRT.....	67	CCR20029.....	75	CCR804030.....	82	CCR820520XJ.....	81	LFET.....	79
CCM60.....	69			CCR20037.....	76	CCR804030A.....	82	CCR820520XN.....	81	LFHRT.....	79
CCM600.....	69			CCR20037A.....	76	CCR804030AXC.....	82	CCR820520XR.....	81	LFRT.....	79
CCM603.....	67			CCR200A.....	83	CCR804030AXJ.....	82	CCR820522.....	80	PHRT.....	78
CCM609.....	64			CCR205.....	83	CCR804030AXN.....	82	CCR820523.....	79	VG30T.....	74
CCM610B.....	65			CCR20520.....	82	CCR804030AXR.....	82	CCR820524B.....	77	VGRT.....	74
CCM612.....	68			CCR20520XC.....	81	CCR804030XC.....	81	CCR820526.....	79	ZHHRT.....	80
CCM700.....	69			CCR20520XJ.....	81	CCR804030XJ.....	81	CCR820527.....	76	ZHRT.....	80
CCM701.....	69			CCR20520XN.....	81	CCR804030XN.....	81	CCR820528.....	78		
CCM702.....	68			CCR20520XR.....	81	CCR804030XR.....	81	CCR820529.....	75		
CCM703.....	67			CCR20522.....	80	CCR804032.....	81	CCR820530.....	82		
CCM709.....	64			CCR20523.....	79	CCR804032A.....	81	CCR820530A.....	82		
CCM710B.....	65			CCR20524B.....	77	CCR804037.....	76	CCR820530AXC.....	82		
CCM800.....	69			CCR20526.....	79	CCR804037A.....	76	CCR820530AXJ.....	82		
CCM8000SL.....	69			CCR20527.....	76	CCR8040R.....	83	CCR820530AXN.....	82		
CCM8000XCSL.....	68			CCR20528.....	78	CCR8100.....	83	CCR820530AXR.....	82		
CCM8000XGSL.....	68			CCR20529.....	75	CCR8100A.....	83	CCR820530XC.....	82		
CCM8000XHSL.....	66			CCR20537.....	76	CCR8100R.....	83	CCR820530XJ.....	82		
CCM8000XJSL.....	68			CCR20537A.....	76	CCR8102SL.....	81	CCR820530XN.....	82		
CCM8000XNSL.....	65			CCR205A.....	83	CCR81414.....	77	CCR820530XR.....	82		
CCM8000XNSL.....	68			CCR30020.....	82	CCR81415.....	77	CCR820532.....	80		
CCM8000XRSL.....	68			CCR30020XC.....	81	CCR81417.....	77	CCR820532A.....	81		
CCM8001SL.....	67			CCR30020XJ.....	81	CCR81423SL.....	77	CCR820537.....	76		
CCM8003SL.....	65			CCR30020XN.....	81	CCR81511.....	78	CCR820537A.....	76		
CCM8004BSL.....	66			CCR30020XR.....	81	CCR81511A.....	78	CCR8205A.....	83		
CCM801.....	69			CCR30023.....	79	CCR81512.....	78	CCR8220.....	83		
CCM803.....	67			CCR30024B.....	77	CCR81512A.....	78	CCR8220R.....	83		
CCM805027.....	65			CCR30026.....	79	CCR81514.....	78	CCR8222.....	83		
CCM809.....	65			CCR30027.....	76	CCR81514A.....	78	CCR822214.....	77		
CCM8102SL.....	68			CCR30028.....	78	CCR81515.....	78	CCR822215.....	78		
CCM810B.....	65			CCR30029.....	75	CCR81516.....	78	CCR822218.....	75		
CCM81418.....	66			CCR3400SL.....	82	CCR81518.....	78	CCR822219.....	74		
CCM81423SL.....	66			CCR3400XCSL.....	82	CCR81838.....	80	CCR822220.....	82		
CCM81519.....	66			CCR3400XGSL.....	82	CCR81839.....	80	CCR822220XC.....	81		
CCM81843.....	67			CCR3400XHSL.....	78	CCR81841.....	80	CCR822220XJ.....	81		
CCM81851SL.....	67			CCR3400XJSL.....	82	CCR81845.....	80	CCR822220XN.....	81		
CCM822.....	68			CCR3400XNSL.....	76	CCR81845A.....	80	CCR822220XR.....	81		
CCM890.....	69			CCR3400XRSL.....	82	CCR81846.....	80	CCR822222.....	80		
CCM891.....	69			CCR3406SL.....	79	CCR81846A.....	80	CCR822223.....	79		
CCM891XC.....	68			CCR3407SL.....	79	CCR81847.....	80	CCR822224B.....	77		
CCM891XJ.....	68			CCR3408SL.....	78	CCR81847A.....	80	CCR822226.....	79		
CCM891XN.....	68			CCR3409SL.....	75	CCR81851SL.....	80	CCR822227.....	76		
CCM891XR.....	68			CCR3410BSL.....	77	CCR8200.....	83	CCR822228.....	78		
CCM892.....	67			CCR3412SL.....	81	CCR820020.....	82	CCR822229.....	75		
CCM894.....	64			CCR8000SL.....	82	CCR820020XC.....	81	CCR822238.....	80		
CCM895B.....	65			CCR8000XCSL.....	82	CCR820020XJ.....	81	CCR8225.....	83		
CCM898.....	68			CCR8000XGSL.....	82	CCR820020XN.....	81	CCR8225R.....	83		
CCM89812SL.....	64			CCR8000XHSL.....	78	CCR820020XR.....	81	CCR89812SL.....	74		
CCM89818.....	64			CCR8000XJSL.....	82	CCR820022.....	80	CCR89819.....	74		
CCM89922.....	64			CCR8000XNSL.....	76	CCR820023.....	79	CCR89821.....	74		
CCM89925SL.....	64			CCR8000XRSL.....	82	CCR820024B.....	77	CCR89822.....	74		
CCM9811.....	64			CCR8005.....	83	CCR820026.....	79	CCR89918.....	75		
CCM9812.....	64			CCR8005A.....	83	CCR820027.....	76	CCR89919.....	75		
CCM9812SL.....	64			CCR8006SL.....	79	CCR820028.....	78	CCR89921.....	75		
CCM9816.....	64					CCR820029.....	75	CCR89925SL.....	75		
CCM9923.....	64					CCR820030.....	82	CCR9812.....	74		

## Rustic Collection..

19020T.....	82
19200T.....	82
19220T.....	82
AB30T.....	77
ABRT.....	77
ARHRT.....	75
BEBHRT.....	77
BEET-B.....	77
BERT-B.....	77
CBHRT.....	79
CC040T.....	78
CC060T.....	75
CC090T.....	79
CC400T.....	78
CC420T.....	78
CC600T.....	75
CC620T.....	75
CC900T.....	79
CC920T.....	79
CCR040.....	83
CCR04020.....	82
CCR04020XC.....	81
CCR04020XJ.....	81
CCR04020XN.....	81
CCR04020XR.....	81
CCR04022.....	80
CCR04023.....	79
CCR04024B.....	77
CCR04026.....	79
CCR04027.....	76
CCR04028.....	78
CCR04029.....	75
CCR04037.....	76
CCR04037A.....	76
CCR040R.....	83
CCR100.....	83
CCR10022.....	80
CCR100A.....	83
CCR100R.....	83
CCR1414.....	77
CCR1415.....	77
CCR1417.....	77
CCR1423.....	77
CCR1423SL.....	77
CCR1511.....	78
CCR1511A.....	78
CCR1512.....	78
CCR1512A.....	78
CCR1514.....	78
CCR1514A.....	78
CCR1515.....	78
CCR1516.....	78
CCR1518.....	78
CCR1528.....	78

## Oak Collection..

19020T.....	92
19020T.....	93
19200T.....	92
19200T.....	93
19220T.....	92
19220T.....	93
AB30T.....	90
ABRT.....	90
ARHRT.....	89
BEBHRT.....	89
BEET-B.....	89
BERT-B.....	89
CBHRT.....	91
CC040T.....	90
CC060T.....	89
CC090T.....	91
CC10.....	93
CC100.....	93
CC10022.....	91
CC1010SL.....	93
CC1016SL.....	91
CC1017SL.....	90
CC1019SL.....	89
CC102.....	92
CC1020BSL.....	89
CC106.....	91
CC107.....	90
CC109.....	88
CC11.....	93
CC110B.....	89
CC111B.....	89
CC112B.....	89
CC113B.....	89
CC114B.....	89
CC1418.....	90
CC1423.....	90
CC1423SL.....	90
CC1424.....	90
CC16.....	91
CC17.....	90
CC19.....	88
CC2020SL.....	93
CC2020XCSL.....	92
CC2020XGSL.....	92
CC2020XJSL.....	92
CC2020XNSL.....	92
CC2020XRSL.....	92

CC2025SL	92	CC899	88	CCV06020	109	CCV20529	99	CCV806012	108	CCV820530A	109
CC2025XCSL	92	CC89922	88	CCV06022	106	CCV20537	100	CCV806012XC	106	CCV820530AXC	107
CC2025XGSL	92	CC89924	88	CCV06023	103	CCV20537A	100	CCV806012XJ	106	CCV820530AXJ	107
CC2025XJSL	92	CC89925SL	88	CCV06024B	101	CCV205A	109	CCV806012XN	106	CCV820530AXN	107
CC2025XNSL	92	CC90	93	CCV06026	104	CCV220	109	CCV806012XR	106	CCV820530AXR	107
CC2025XRSL	92	CC900B	89	CCV06028	103	CCV22020	108	CCV806020	109	CCV820530XC	107
CC2040SL	90	CC900T	91	CCV06029	99	CCV22020XC	107	CCV806020XC	107	CCV820530XJ	107
CC2044SL	91	CC901B	89	CCV0609	108	CCV22020XJ	107	CCV806020XJ	107	CCV820530XN	107
CC2060SL	88	CC91	93	CCV10015	108	CCV22020XN	107	CCV806020XN	107	CCV820530XR	107
CC2080BSL	89	CC92	92	CCV10015XC	106	CCV22020XR	107	CCV806020XR	107	CCV820532	106
CC2120SL	93	CC920T	91	CCV10015XJ	106	CCV22022	106	CCV806022	106	CCV820532A	106
CC2122SL	92	CC922	91	CCV10015XN	106	CCV22023	103	CCV806023	103	CCV820537	100
CC2140SL	90	CC96	91	CCV10015XR	106	CCV22024B	100	CCV806024B	101	CCV820537A	100
CC2144SL	91	CC97	90	CCV10020	108	CCV22026	104	CCV806026	104	CCV8205A	109
CC2160SL	89	CC9811	88	CCV10020XC	107	CCV22027	100	CCV806027	100	CCV8220	109
CC2270SL	93	CC9812	88	CCV10020XJ	107	CCV22028	102	CCV806028	103	CCV822012	108
CC2272SL	92	CC9812SL	88	CCV10020XN	107	CCV22029	99	CCV806029	99	CCV822012XC	106
CC2276SL	91	CC9818	88	CCV10020XR	107	CCV3412SL	106	CCV8100SL	109	CCV822012XJ	106
CC2277SL	90	CC99	88	CCV10022	106	CCV400	109	CCV8100XCSL	107	CCV822012XN	106
CC2279SL	89	CC9922	88	CCV10023	103	CCV4100	101	CCV8100XGSL	107	CCV822012XR	106
CC3412SL	92	CC9925	88	CCV10024B	100	CCV4100SL	101	CCV8100XHSL	102	CCV822020	108
CC3502SL	92	CC9925SL	88	CCV10026	104	CCV4200	101	CCV8100XJSL	107	CCV822020XC	107
CC40	93	CC9926	88	CCV10027	100	CCV4300	101	CCV8100XNSL	100	CCV822020XJ	107
CC400T	90	DLHRT	93	CCV10028	102	CCV455	109	CCV8100XNSL	107	CCV822020XN	107
CC420T	90	HW30T	88	CCV10029	99	CCV45520	108	CCV8100XRSL	107	CCV822020XR	107
CC44	91	HWRT	88	CCV100SL	109	CCV45520XC	107	CCV8102SL	106	CCV822022	106
CC45	88	LC30T	92	CCV100XCSL	107	CCV45520XJ	107	CCV8103SL	103	CCV822023	103
CC47	90	LCET	92	CCV100XGSL	107	CCV45520XN	107	CCV8104BSL	101	CCV822024B	100
CC48	93	LCHRT	92	CCV100XHSL	102	CCV45520XR	107	CCV8106SL	104	CCV822026	104
CC49	92	LCRT	92	CCV100XJSL	107	CCV45522	106	CCV8108SL	103	CCV822027	100
CC60	93	PRHRT	90	CCV100XNSL	100	CCV45523	103	CCV8109SL	99	CCV822028	102
CC600T	89	VG30T	88	CCV100XNSL	107	CCV45524B	100	CCV8111SL	99	CCV822029	99
CC61	93	VGRT	88	CCV100XRSL	107	CCV45526	104	CCV8112SL	98	CCV831	109
CC612	91	<b>Canvas Collection.</b>				CCV45527	100	CCV81414	101	CCV860	109
CC620T	89	19020T	109	CCV104BSL	101	CCV45528	102	CCV81415	101	CCV8950SL	108
CC70	89	19200T	109	CCV106SL	104	CCV45529	99	CCV81417	101	CCV8950XCSL	107
CC76	91	19210T	109	CCV108SL	103	CCV45537	100	CCV81418	101	CCV8950XGSL	107
CC77	90	19220T	109	CCV109SL	99	CCV45537A	100	CCV81420	101	CCV8950XJSL	107
CC78	91	AB30T	101	CCV1414	101	CCV455A	109	CCV81423SL	101	CCV8950XNSL	107
CC79	88	ABRT	101	CCV1415	101	CCV803012	108	CCV81512	102	CCV8950XRSL	107
CC8000SL	93	ARHRT	99	CCV1416	101	CCV803012XC	106	CCV81512A	102	CCV89815	98
CC8000XCSL	92	BEBHRT	101	CCV1418	101	CCV803012XJ	106	CCV81515	102	CCV89818	98
CC8000XGSL	92	BEET-B	101	CCV1423	101	CCV803012XN	106	CCV81516	102	CCV89819	98
CC8000XJSL	92	BERT-B	101	CCV1423SL	101	CCV803012XR	106	CCV81518	102	CCV89821	98
CC8000XNSL	92	CBHRT	104	CCV1424	101	CCV803020	109	CCV81519	102	CCV89822	98
CC8000XRSL	92	CC040T	103	CCV1512	102	CCV803020XC	107	CCV81520	102	CCV89918	98
CC8006SL	91	CC060T	99	CCV1512A	102	CCV803020XJ	107	CCV81838	104	CCV89919	98
CC8007SL	90	CC090T	104	CCV1513	102	CCV803020XN	107	CCV81839	104	CCV89921	98
CC8009SL	88	CC400T	103	CCV1513A	102	CCV803020XR	107	CCV81840	105	CCV89922	98
CC8010BSL	89	CC420T	103	CCV1515	102	CCV803022	106	CCV81841	104	CCV89924	99
CC810	93	CC600T	99	CCV1516	102	CCV803023	103	CCV81843	104	CCV9010SL	109
CC8102SL	92	CC620T	99	CCV1517	102	CCV803024B	101	CCV81846	105	CCV9011SL	99
CC811	93	CC900T	104	CCV1519	102	CCV803026	104	CCV81846A	105	CCV9012SL	98
CC81418	90	CC920T	104	CCV1528	102	CCV803027	100	CCV81851SL	105	CCV9020SL	108
CC81420	90	CCV050	109	CCV1838	104	CCV803028	103	CCV8205	109	CCV910	109
CC81423SL	90	CCV05012	108	CCV1839	104	CCV803029	99	CCV820512	108	CCV910XC	107
CC822	91	CCV05012XC	106	CCV1840	104	CCV805015	108	CCV820512XC	106	CCV910XCSL	107
CC830	93	CCV05012XJ	106	CCV1843	104	CCV805015XC	106	CCV820512XJ	106	CCV910XG	107
CC831	93	CCV05012XN	106	CCV1851	104	CCV805015XJ	106	CCV820512XN	106	CCV910XGSL	107
CC832	92	CCV05012XR	106	CCV1851SL	105	CCV805015XN	106	CCV820512XR	106	CCV910XJ	107
CC833	91	CCV05020	108	CCV200	109	CCV805015XR	106	CCV820520	108	CCV910XJSL	107
CC836	91	CCV05020XC	107	CCV205	109	CCV805020	108	CCV820520XC	107	CCV910XN	107
CC837	90	CCV05020XJ	107	CCV20520	108	CCV805020XC	107	CCV820520XJ	107	CCV910XNSL	107
CC839	88	CCV05020XN	107	CCV20520XC	107	CCV805020XJ	107	CCV820520XN	107	CCV910XR	107
CC860	93	CCV05020XR	107	CCV20520XJ	107	CCV805020XN	107	CCV820520XR	107	CCV910XRSL	107
CC890	93	CCV05022	106	CCV20520XN	107	CCV805020XR	107	CCV820522	106	CCV911	99
CC892	92	CCV05023	103	CCV20520XR	107	CCV805022	106	CCV820523	103	CCV911SL	99
CC896	91	CCV05024B	100	CCV20522	106	CCV805023	103	CCV820524B	100	CCV912	98
CC897	90	CCV05026	104	CCV20523	103	CCV805024B	100	CCV820526	104	CCV912SL	98
CC898	91	CCV05027	100	CCV20524B	100	CCV805026	104	CCV820527	100	CCV920	108
CC89812SL	88	CCV05028	102	CCV20526	104	CCV805027	100	CCV820528	102	CCV920XC	107
CC89815	88	CCV05029	99	CCV20527	100	CCV805028	102	CCV820529	99	CCV920XCSL	107
CC89818	88	CCV060	109	CCV20528	102	CCV805029	99	CCV820530	109	CCV920XG	107

CCV920XGSL.....	107	<b>Fiber-Classic.</b>	FCM1283XN.....	172	FCM18XE.....	169	FCM6021XC.....	172	FCM608XE.....	169
CCV920XJ.....	107	<b>Mahogany</b>	FCM1283XR.....	172	FCM18XG.....	169	FCM6021XE.....	172	FCM608XG.....	169
CCV920XJSL.....	107	<b>Collection.</b>	FCM1284.....	185	FCM18XJ.....	169	FCM6021XG.....	172	FCM608XJ.....	169
CCV920XN.....	107	FCM10.....	FCM1284XC.....	169	FCM18XN.....	169	FCM6021XJ.....	172	FCM608XN.....	169
CCV920XNSL.....	107	FCM100.....	FCM1284XE.....	169	FCM18XR.....	169	FCM6021XN.....	172	FCM608XR.....	169
CCV920XR.....	107	FCM1000.....	FCM1284XG.....	169	FCM198.....	187	FCM6021XR.....	172	FCM609.....	135
CCV920XRSL.....	107	FCM1006.....	FCM1284XJ.....	169	FCM205.....	202	FCM6022.....	186	FCM6093.....	140
CCV921.....	99	FCM101.....	FCM1284XN.....	169	FCM2101SL.....	186	FCM6022XC.....	169	FCM6094.....	144
CCV922.....	98	FCM101SL.....	FCM1284XR.....	169	FCM2106.....	185	FCM6022XE.....	169	FCM6095.....	150
CCV930.....	108	FCM1027.....	FCM1285.....	185	FCM2107.....	185	FCM6022XG.....	169	FCM6097.....	186
CCV930XC.....	107	FCM1029.....	FCM1285XC.....	169	FCM2108.....	185	FCM6022XJ.....	169	FCM61.....	198
CCV930XG.....	107	FCM104.....	FCM1285XE.....	169	FCM220.....	202	FCM6022XN.....	169	FCM6107.....	135
CCV930XJ.....	107	FCM104XC.....	FCM1285XG.....	169	FCM241.....	129	FCM6022XR.....	169	FCM6108.....	135
CCV930XN.....	107	FCM104XE.....	FCM1285XJ.....	169	FCM3000-2C.....	187	FCM6023.....	163	FCM6124SL.....	187
CCV930XR.....	107	FCM104XG.....	FCM1285XN.....	169	FCM3000-3C.....	187	FCM6025.....	129	FCM6124XCSL.....	169
CCV931.....	99	FCM104XJ.....	FCM1285XR.....	169	FCM3000-4C.....	187	FCM6026.....	150	FCM6124XESL.....	169
CCV932.....	98	FCM104XN.....	FCM1286.....	176	FCM3000-6C.....	187	FCM6027.....	126	FCM6124XGSL.....	169
CCV940.....	108	FCM104XR.....	FCM1286SL.....	176	FCM3000F-2C.....	187	FCM6029.....	140	FCM6124XJSL.....	169
CCV940XC.....	107	FCM105.....	FCM1289.....	187	FCM3000F-3C.....	187	FCM6030.....	144	FCM6124XNSL.....	169
CCV940XG.....	107	FCM105SL.....	FCM1289SL.....	188	FCM3000F-4C.....	187	FCM6031.....	132	FCM6124XRSL.....	169
CCV940XJ.....	107	FCM106.....	FCM131.....	129	FCM3000F-6C.....	187	FCM6032.....	123	FCM6125SL.....	187
CCV940XN.....	107	FCM108.....	FCM13101SL.....	163	FCM31.....	202	FCM6035.....	176	FCM6125XCSL.....	169
CCV940XR.....	107	FCM1089SL.....	FCM131SL.....	129	FCM310.....	123	FCM6036.....	153	FCM6125XESL.....	169
CCV950SL.....	108	FCM109.....	FCM132.....	198	FCM32.....	198	FCM604.....	129	FCM6125XGSL.....	169
CCV950XCSL.....	107	FCM109SL.....	FCM134.....	202	FCM32SL.....	199	FCM6041.....	198	FCM6125XJSL.....	169
CCV950XGSL.....	107	FCM10XC.....	FCM138.....	185	FCM32XC.....	172	FCM6041XC.....	173	FCM6125XNSL.....	169
CCV950XJSL.....	107	FCM10XE.....	FCM138XC.....	169	FCM32XCSSL.....	173	FCM6041XE.....	173	FCM6125XRSL.....	169
CCV950XNSL.....	107	FCM10XG.....	FCM138XE.....	169	FCM32XE.....	172	FCM6041XG.....	173	FCM6126SL.....	187
CCV950XRSL.....	107	FCM10XJ.....	FCM138XG.....	169	FCM32XESL.....	173	FCM6041XJ.....	173	FCM6126XCSL.....	169
CCV960.....	108	FCM10XN.....	FCM138XJ.....	169	FCM32XG.....	172	FCM6041XN.....	173	FCM6126XESL.....	169
CCV960XC.....	107	FCM10XR.....	FCM138XN.....	169	FCM32XGSL.....	173	FCM6041XR.....	173	FCM6126XNSL.....	169
CCV960XG.....	107	FCM11.....	FCM138XR.....	169	FCM32XJ.....	172	FCM6042.....	186	FCM6126XJSL.....	169
CCV960XJ.....	107	FCM110.....	FCM1400SL.....	188	FCM32XJSL.....	173	FCM6042XC.....	169	FCM6126XNSL.....	169
CCV960XN.....	107	FCM113.....	FCM1402.....	187	FCM32XN.....	172	FCM6042XE.....	169	FCM6126XRSL.....	169
CCV960XR.....	107	FCM114.....	FCM1405.....	188	FCM32XNSL.....	173	FCM6042XJ.....	169	FCM61XC.....	173
CCV9811.....	98	FCM114SL.....	FCM1405SL.....	188	FCM32XR.....	172	FCM6042XN.....	169	FCM61XE.....	173
CCV9812.....	98	FCM115.....	FCM1406.....	188	FCM32XRSL.....	173	FCM6042XN.....	169	FCM61XG.....	173
CCV9818.....	98	FCM115SL.....	FCM1408.....	188	FCM3487SL.....	186	FCM6042XR.....	169	FCM61XJ.....	173
CCV9820.....	98	FCM116.....	FCM141.....	176	FCM3487XCSL.....	169	FCM6043.....	163	FCM61XN.....	173
CCV9821.....	98	FCM118.....	FCM142.....	142	FCM3487XESL.....	169	FCM6045.....	129	FCM61XR.....	173
CCV9822.....	98	FCM1200.....	FCM143.....	142	FCM3487XGSL.....	169	FCM6046.....	150	FCM62.....	198
CCV9918.....	98	FCM1200SL.....	FCM143SL.....	143	FCM3487XJSL.....	169	FCM6047.....	126	FCM626.....	153
CCV9919.....	98	FCM1201.....	FCM144.....	142	FCM3487XNSL.....	169	FCM6049.....	140	FCM62SL.....	199
CCV9920.....	98	FCM1201SL.....	FCM1442SL.....	153	FCM3487XRSL.....	169	FCM605.....	187	FCM62XC.....	172
CCV9922.....	98	FCM1202.....	FCM144SL.....	143	FCM369.....	132	FCM6050.....	144	FCM62XCSL.....	173
CCV9925.....	98	FCM1202SL.....	FCM146.....	142	FCM38.....	126	FCM6051.....	132	FCM62XE.....	172
CCV9926.....	98	FCM1203.....	FCM147.....	144	FCM38SL.....	127	FCM6052.....	123	FCM62XESL.....	173
DLHRT.....	109	FCM1208.....	FCM147SL.....	145	FCM45.....	126	FCM6055.....	176	FCM62XG.....	172
HW30T.....	99	FCM1209.....	FCM148.....	153	FCM45SL.....	127	FCM6056.....	153	FCM62XGSL.....	173
HWRT.....	99	FCM12101SL.....	FCM149.....	153	FCM506.....	147	FCM605XC.....	169	FCM62XJ.....	172
LC30T.....	106	FCM12101XCSL.....	FCM149SL.....	153	FCM508.....	147	FCM605XE.....	169	FCM62XJSL.....	173
LCET.....	106	FCM12101XESL.....	FCM150.....	153	FCM5425.....	176	FCM605XG.....	169	FCM62XN.....	172
LCHRT.....	106	FCM12101XGSL.....	FCM151.....	153	FCM5425SL.....	176	FCM605XJ.....	169	FCM62XNSL.....	173
LCRT.....	106	FCM12101XJSL.....	FCM156.....	153	FCM543.....	147	FCM605XN.....	169	FCM62XR.....	172
LF30T.....	103	FCM12101XNSL.....	FCM16.....	126	FCM545SL.....	147	FCM605XR.....	169	FCM62XRSL.....	173
LFET.....	103	FCM12101XRSL.....	FCM160.....	198	FCM571.....	147	FCM606.....	187	FCM63.....	185
LFHRT.....	103	FCM12102SL.....	FCM163.....	145	FCM572SL.....	147	FCM606XC.....	169	FCM65.....	186
LFRT.....	103	FCM12102XCSL.....	FCM164.....	123	FCM574.....	147	FCM606XE.....	169	FCM6500.....	156
PRHRT.....	103	FCM12102XESL.....	FCM1645.....	160	FCM575.....	147	FCM606XG.....	169	FCM6500SL.....	156
VG30T.....	98	FCM12102XGSL.....	FCM1646SL.....	160	FCM577.....	147	FCM606XJ.....	169	FCM6520.....	156
VGRT.....	98	FCM12102XJSL.....	FCM1647.....	160	FCM581.....	147	FCM606XN.....	169	FCM6532.....	156
ZHHRT.....	105	FCM12102XNSL.....	FCM165.....	142	FCM583SL.....	147	FCM606XR.....	169	FCM6550.....	156
ZHRT.....	105	FCM12102XRSL.....	FCM1650.....	160	FCM60.....	202	FCM607.....	187	FCM6560.....	156
		FCM1211.....	FCM1651.....	160	FCM600.....	202	FCM6074.....	142	FCM6565.....	156
		FCM1212.....	FCM1651SL.....	160	FCM601.....	198	FCM6075.....	142	FCM6565SL.....	156
		FCM124.....	FCM1652.....	160	FCM601XC.....	173	FCM607XC.....	169	FCM6568.....	156
		FCM125.....	FCM1654.....	160	FCM601XE.....	173	FCM607XE.....	169	FCM6570.....	156
		FCM126.....	FCM1656.....	160	FCM601XG.....	173	FCM607XG.....	169	FCM6575.....	156
		FCM1283.....	FCM1656SL.....	160	FCM601XJ.....	173	FCM607XJ.....	169	FCM6577.....	156
		FCM1283XC.....	FCM1658.....	160	FCM601XN.....	173	FCM607XN.....	169	FCM6580SL.....	156
		FCM1283XE.....	FCM18.....	185	FCM601XR.....	173	FCM607XR.....	169	FCM6582.....	156
		FCM1283XG.....	FCM18101SL.....	127	FCM602.....	140	FCM608.....	187	FCM65SL.....	186
		FCM1283XJ.....	FCM18XC.....	169	FCM6021.....	198	FCM608XC.....	169	FCM65XC.....	169

FCM65XCSL.....	169	FCM81200XC.....	172	FCM8311SL.....	186	FCM870XJSL.....	173	FCM92XJSL.....	169	2000XRSL.....	168
FCM65XE.....	169	FCM81200XCSL.....	173	FCM8313SL.....	186	FCM870XN.....	172	FCM92XNSL.....	169	2009SL.....	180
FCM65XESL.....	169	FCM81200XE.....	172	FCM8321.....	186	FCM870XNSL.....	173	FCM92XRSL.....	169	2010XC.....	165
FCM65XG.....	169	FCM81200XESL.....	173	FCM8321XC.....	169	FCM870XR.....	172	FCM966.....	138	2010XE.....	165
FCM65XGSL.....	169	FCM81200XG.....	172	FCM8321XE.....	169	FCM870XRSL.....	173	FCM968.....	138	2010XG.....	165
FCM65XJ.....	169	FCM81200XGSL.....	173	FCM8321XG.....	169	FCM871.....	123	<b>Fiber-Classic® Oak Collection™</b> 1000.....203 1283.....199 1284.....189 1285.....189 1286.....176 1289.....192 2000.....184 2009.....180 2010.....179 2050.....179 2100.....184 2150.....179 8000.....184 81000.....203 81200.....199 81208.....189 81225.....176 81828.....189 12101SL.....200 12101XCSL.....174 12101XESL.....174 12101XGSL.....174 12101XJSL.....174 12101XNSL.....174 12101XRSL.....174 12102SL.....190 12102XCSL.....170 12102XESL.....170 12102XGSL.....170 12102XJSL.....170 12102XNSL.....170 12102XRSL.....170 1283XC.....173 1283XE.....173 1283XG.....173 1283XJ.....173 1283XN.....173 1283XR.....173 1284XC.....170 1284XE.....170 1284XG.....170 1284XJ.....170 1284XN.....170 1284XR.....170 1285XC.....169 1285XE.....169 1285XG.....169 1285XJ.....169 1285XN.....169 1285XR.....169 1286SL.....177 13101SL.....164 18101SL.....128 1964P.....176 2000SL.....184 2000XC.....168 2000XCSL.....168 2000XE.....168 2000XESL.....168 2000XG.....168 2000XGSL.....168 2000XJ.....168 2000XJSL.....168 2000XN.....168 2000XNSL.....168 2000XR.....168			2010XJ.....165
FCM65XJSL.....	169	FCM81200XJ.....	172	FCM8321XJ.....	169	FCM871SL.....	123				2010XN.....165
FCM65XN.....	169	FCM81200XJSL.....	173	FCM8321XN.....	169	FCM872.....	129				2010XR.....165
FCM65XNSL.....	169	FCM81200XN.....	172	FCM8321XR.....	169	FCM8721.....	145				2050SL.....179
FCM65XR.....	169	FCM81200XNSL.....	173	FCM8322.....	186	FCM872SL.....	129				2050XC.....165
FCM65XRSL.....	169	FCM81200XR.....	172	FCM8323.....	186	FCM873.....	132				2050XCSL.....165
FCM66.....	163	FCM81200XRSL.....	173	FCM8324.....	186	FCM8735.....	150				2050XE.....165
FCM668.....	126	FCM81208P.....	185	FCM8545SL.....	147	FCM8736.....	135				2050XESL.....165
FCM669.....	163	FCM81208PSL.....	186	FCM8571.....	147	FCM873SL.....	132				2050XG.....165
FCM66SL.....	163	FCM81208SL.....	186	FCM8572SL.....	147	FCM874.....	144				2050XGSL.....165
FCM670.....	198	FCM81225.....	176	FCM8573SL.....	147	FCM8745.....	156				2050XJ.....165
FCM678.....	176	FCM81225SL.....	176	FCM8574.....	147	FCM874SL.....	145				2050XJSL.....165
FCM678SL.....	176	FCM812SL.....	135	FCM8581.....	147	FCM8752.....	186				2050XN.....165
FCM701SL.....	199	FCM81300SL.....	163	FCM8583SL.....	147	FCM881SL.....	199				2050XNSL.....165
FCM704.....	188	FCM813SL.....	153	FCM860.....	202	FCM881XCSL.....	173				2050XR.....165
FCM707.....	140	FCM813SL.....	163	FCM861.....	198	FCM881XESL.....	173				2050XRSL.....165
FCM707SL.....	127	FCM814.....	126	FCM861XC.....	173	FCM881XGSL.....	173				8000-12.....179
FCM708.....	198	FCM8145.....	188	FCM861XE.....	173	FCM881XJSL.....	173				8000-18.....179
FCM7125SL.....	186	FCM8145SL.....	188	FCM861XG.....	173	FCM881XNSL.....	173				8000-9.....180
FCM721.....	145	FCM8149.....	153	FCM861XJ.....	173	FCM881XRSL.....	173				8000XC.....168
FCM735.....	150	FCM814SL.....	132	FCM861XN.....	173	FCM882SL.....	123				8000XE.....168
FCM736.....	135	FCM815SL.....	140	FCM861XR.....	173	FCM883SL.....	129				8000XG.....168
FCM745.....	156	FCM816.....	123	FCM862.....	198	FCM884SL.....	132				8000XJ.....168
FCM752.....	186	FCM81645.....	160	FCM862SL.....	199	FCM885SL.....	145				8000XN.....168
FCM755.....	202	FCM81646SL.....	160	FCM862XC.....	172	FCM886.....	135				8000XR.....168
FCM758.....	138	FCM81651.....	160	FCM862XCSL.....	173	FCM886SL.....	135				81200P.....199
FCM760.....	123	FCM81651SL.....	160	FCM862XE.....	172	FCM887SL.....	135				81200PSL.....200
FCM761.....	138	FCM81652.....	160	FCM862XESL.....	173	FCM888.....	140				81200PXC.....173
FCM761SL.....	138	FCM81652SL.....	160	FCM862XG.....	172	FCM888SL.....	140				81200PXC SL.....174
FCM763.....	163	FCM81654.....	160	FCM862XGSL.....	173	FCM889SL.....	140				81200PXE.....173
FCM764.....	138	FCM81654SL.....	160	FCM862XJ.....	172	FCM890.....	150				81200PXESL.....174
FCM764SL.....	138	FCM816SL.....	129	FCM862XJSL.....	173	FCM890SL.....	150				81200PXG.....173
FCM765.....	123	FCM817.....	132	FCM862XN.....	172	FCM891.....	150				81200PXGSL.....174
FCM765SL.....	123	FCM817SL.....	143	FCM862XNSL.....	173	FCM891SL.....	150				81200PXJ.....173
FCM784.....	163	FCM81800SL.....	127	FCM862XR.....	172	FCM892SL.....	150				81200PXJSL.....174
FCM785.....	138	FCM81828.....	185	FCM862XRSL.....	173	FCM893SL.....	140				81200PXN.....173
FCM787.....	163	FCM81829.....	185	FCM863.....	123	FCM895.....	163				81200PXNSL.....174
FCM788.....	138	FCM818SL.....	145	FCM863SL.....	123	FCM896.....	138				81200PXR.....173
FCM789.....	153	FCM81900SL.....	187	FCM864.....	129	FCM896SL.....	138				81200PXRSL.....174
FCM80.....	198	FCM81918SL.....	123	FCM864SL.....	129	FCM898.....	126				81200SL.....200
FCM800.....	138	FCM81919SL.....	132	FCM865.....	132	FCM898SL.....	127				81200XC.....173
FCM802.....	127	FCM81921SL.....	145	FCM86500.....	156	FCM899.....	142				81200XC SL.....174
FCM807SL.....	138	FCM81928SL.....	150	FCM86500SL.....	156	FCM899SL.....	143				81200XE.....173
FCM808SL.....	123	FCM81944SL.....	188	FCM86550.....	156	FCM900.....	135				81200XESL.....174
FCM809SL.....	150	FCM81947SL.....	187	FCM86550SL.....	156	FCM901.....	135				81200XG.....173
FCM81000.....	202	FCM81949SL.....	187	FCM86560.....	156	FCM901SL.....	135				81200XGSL.....174
FCM8101SL.....	186	FCM81968SL.....	129	FCM86560SL.....	156	FCM902.....	135				81200XJ.....173
FCM8101XCSL.....	169	FCM81986SL.....	140	FCM86570.....	156	FCM902SL.....	135				81200XJSL.....174
FCM8101XESL.....	169	FCM82.....	185	FCM86580SL.....	156	FCM904.....	135				81200XN.....173
FCM8101XGSL.....	169	FCM820.....	150	FCM865SL.....	132	FCM905.....	140				81200XNSL.....174
FCM8101XJSL.....	169	FCM821.....	144	FCM866.....	144	FCM906.....	140				81200XR.....173
FCM8101XNSL.....	169	FCM822.....	129	FCM866SL.....	145	FCM906SL.....	140				81200XRSL.....174
FCM8101XRSL.....	169	FCM828.....	185	FCM8675SL.....	186	FCM907.....	140				81208P.....189
FCM8103SL.....	143	FCM82XC.....	169	FCM8678.....	176	FCM907SL.....	140				81208PSL.....191
FCM8104SL.....	138	FCM82XE.....	169	FCM8678SL.....	176	FCM909.....	140				81208SL.....191
FCM8105SL.....	127	FCM82XG.....	169	FCM867SL.....	153	FCM910.....	150				81225P.....176
FCM8107SL.....	153	FCM82XJ.....	169	FCM870.....	198	FCM911.....	150				81225PSL.....177
FCM8109SL.....	163	FCM82XN.....	169	FCM8704.....	188	FCM911SL.....	150				81225SL.....177
FCM811.....	186	FCM82XR.....	169	FCM8707.....	140	FCM912.....	150				81300SL.....164
FCM8110SL.....	176	FCM83000-2C.....	187	FCM8708.....	198	FCM912SL.....	150				81800P.....127
FCM8113.....	163	FCM83000-3C.....	187	FCM870SL.....	199	FCM914.....	150				81800PSL.....127
FCM8113SL.....	163	FCM83000-4C.....	187	FCM870XC.....	172	FCM915.....	150				81800SL.....128
FCM8114.....	126	FCM83000-6C.....	187	FCM870XCSL.....	173	FCM916.....	150				81900PSL.....192
FCM8114SL.....	127	FCM83000F-2C.....	187	FCM870XE.....	172	FCM916SL.....	150				81918P.....123
FCM8115.....	176	FCM83000F-3C.....	187	FCM870XESL.....	173	FCM92SL.....	186				81918PSL.....124
FCM8115SL.....	176	FCM83000F-4C.....	187	FCM870XG.....	172	FCM92XCSL.....	169				81918SL.....124
FCM81200.....	198	FCM83000F-6C.....	187	FCM870XGSL.....	173	FCM92XESL.....	169				81919P.....132
FCM81200SL.....	198	FCM8310SL.....	186	FCM870XJ.....	172	FCM92XGSL.....	169				81919PSL.....133



81919SL.....	133	81946PXJ.....	170	FC104SL.....	146	FC138XG.....	169	FC2107.....	189	FC5700XE.....	166
81921P.....	145	81946PXJSL.....	170	FC104XC.....	174	FC138XJ.....	169	FC2108.....	189	FC5700XESL.....	166
81921PSL.....	146	81946PXN.....	170	FC104XE.....	174	FC138XN.....	169	FC23.....	190	FC5700XG.....	166
81921SL.....	146	81946PXNSL.....	170	FC104XG.....	174	FC138XR.....	169	FC241.....	130	FC5700XGSL.....	166
81928P.....	150	81946PXR.....	170	FC104XJ.....	174	FC1400.....	192	FC3000-2C.....	191	FC5700XJ.....	166
81928PSL.....	151	81946PXRSL.....	170	FC104XN.....	174	FC1400SL.....	192	FC3000-3C.....	191	FC5700XJSL.....	166
81928SL.....	151	81947P.....	191	FC104XR.....	174	FC1402.....	192	FC3000-4C.....	191	FC5700XN.....	166
81929P.....	199	81947PSL.....	192	FC105.....	145	FC1404.....	192	FC3000-6C.....	191	FC5700XNSL.....	166
81929PSL.....	200	81948P.....	191	FC105SL.....	146	FC1408.....	192	FC31.....	202	FC5700XR.....	166
81929PXC.....	173	81949P.....	191	FC108.....	123	FC1408SL.....	192	FC310.....	123	FC5700XRSL.....	166
81929PXC SL.....	174	81949PSL.....	192	FC1089.....	189	FC1409.....	180	FC32.....	199	FC571.....	148
81929PXE.....	173	81950P.....	192	FC1089SL.....	191	FC141.....	176	FC32SL.....	200	FC5710.....	180
81929PXESL.....	174	81952P.....	123	FC108SL.....	124	FC1411.....	192	FC32XC.....	173	FC5710SL.....	180
81929PXG.....	173	81952PSL.....	124	FC109.....	123	FC141SL.....	177	FC32XC SL.....	174	FC5710XC.....	166
81929PXGSL.....	174	81953P.....	127	FC109SL.....	124	FC142.....	143	FC32XE.....	173	FC5710XC SL.....	166
81929PXJ.....	173	81953PSL.....	128	FC10XC.....	173	FC142SL.....	143	FC32XESL.....	174	FC5710XE.....	166
81929PXJSL.....	174	81954P.....	130	FC10XE.....	173	FC143.....	143	FC32XG.....	173	FC5710XESL.....	166
81929PXN.....	173	81954PSL.....	130	FC10XG.....	173	FC143SL.....	143	FC32XGSL.....	174	FC5710XG.....	166
81929PXNSL.....	174	81955P.....	132	FC10XJ.....	173	FC144.....	143	FC32XJ.....	173	FC5710XGSL.....	166
81929PXR.....	173	81955PSL.....	133	FC10XN.....	173	FC1442SL.....	154	FC32XJSL.....	174	FC5710XJ.....	166
81929PXRSL.....	174	81956P.....	141	FC10XR.....	173	FC144SL.....	143	FC32XN.....	173	FC5710XJSL.....	166
81931P.....	163	81956PSL.....	141	FC11.....	163	FC145.....	143	FC32XNSL.....	174	FC5710XN.....	166
81932P.....	138	81957P.....	135	FC113.....	132	FC146.....	143	FC32XR.....	173	FC5710XNSL.....	166
81932PSL.....	139	81957PSL.....	136	FC113SL.....	133	FC147.....	145	FC32XRSL.....	174	FC5710XR.....	166
81933P.....	123	81958P.....	143	FC114.....	132	FC147SL.....	146	FC3487SL.....	191	FC5710XRSL.....	166
81933PSL.....	124	81958PSL.....	143	FC114SL.....	133	FC148.....	153	FC3487XC SL.....	170	FC5720.....	180
81935P.....	127	81959P.....	145	FC115.....	132	FC148SL.....	154	FC3487XESL.....	170	FC5720SL.....	180
81935PSL.....	128	81959PSL.....	146	FC115SL.....	133	FC149.....	153	FC3487XGSL.....	170	FC5720XC.....	166
81936P.....	130	81960P.....	150	FC116.....	177	FC149SL.....	154	FC3487XJSL.....	170	FC5720XC SL.....	166
81936PSL.....	130	81960PSL.....	151	FC118.....	132	FC150.....	154	FC3487XNSL.....	170	FC5720XE.....	166
81937P.....	132	81961P.....	153	FC11SL.....	164	FC151.....	154	FC3487XRSL.....	170	FC5720XESL.....	166
81937PSL.....	133	81961PSL.....	154	FC1200.....	189	FC152C.....	153	FC369.....	132	FC5720XG.....	166
81938P.....	141	81963P.....	163	FC1200SL.....	190	FC156.....	153	FC38.....	127	FC5720XGSL.....	166
81938PSL.....	141	81963PSL.....	164	FC1201.....	188	FC16.....	127	FC38SL.....	128	FC5720XJ.....	166
81939P.....	135	81964P.....	176	FC1201SL.....	190	FC160.....	199	FC43.....	127	FC5720XJSL.....	166
81939PSL.....	136	81964PSL.....	177	FC1202.....	188	FC163.....	145	FC43SL.....	128	FC5720XN.....	166
81940P.....	143	81967P.....	138	FC1202SL.....	190	FC164.....	124	FC44.....	163	FC5720XNSL.....	166
81940PSL.....	143	81967PSL.....	139	FC1203.....	188	FC1645.....	161	FC44SL.....	164	FC5720XR.....	166
81941P.....	145	81968P.....	130	FC1204.....	179	FC1646.....	160	FC45.....	127	FC5720XRSL.....	166
81941PSL.....	146	81968PSL.....	130	FC1204SL.....	179	FC1646SL.....	161	FC46SL.....	127	FC572SL.....	148
81942P.....	150	81968SL.....	130	FC1205.....	179	FC1647.....	160	FC47SL.....	200	FC573SL.....	148
81942PSL.....	151	81970P.....	163	FC1205SL.....	179	FC165.....	143	FC47XC SL.....	174	FC574.....	148
81943P.....	199	81971P.....	199	FC1206.....	179	FC1651.....	160	FC47XESL.....	174	FC581.....	148
81943PSL.....	200	81971PXC.....	174	FC1206SL.....	179	FC1651SL.....	161	FC47XGSL.....	174	FC583SL.....	148
81943PXC.....	173	81971PXE.....	174	FC1207.....	179	FC1652.....	160	FC47XJSL.....	174	FC585.....	148
81943PXC SL.....	174	81971PXG.....	174	FC1207XC.....	165	FC1652SL.....	161	FC47XNSL.....	174	FC60.....	203
81943PXE.....	173	81971PXJ.....	174	FC1207XE.....	165	FC1654.....	160	FC47XRSL.....	174	FC6093.....	140
81943PXESL.....	174	81971PXN.....	174	FC1207XG.....	165	FC1655.....	161	FC48.....	199	FC6094.....	145
81943PXG.....	173	81971PXR.....	174	FC1207XJ.....	165	FC1656SL.....	161	FC48SL.....	200	FC6095.....	150
81943PXGSL.....	174	81973P.....	163	FC1207XN.....	165	FC1661.....	161	FC48XC.....	174	FC61.....	200
81943PXJ.....	173	81974P.....	138	FC1207XR.....	165	FC18.....	189	FC48XC SL.....	174	FC61XC.....	174
81943PXJSL.....	174	81975P.....	124	FC1208.....	189	FC18SL.....	190	FC48XE.....	174	FC61XE.....	174
81943PXN.....	173	81977P.....	127	FC1208SL.....	190	FC18XC.....	170	FC48XESL.....	174	FC61XG.....	174
81943PXNSL.....	174	81978P.....	130	FC1209.....	188	FC18XC SL.....	170	FC48XG.....	174	FC61XJ.....	174
81943PXR.....	173	81980P.....	132	FC1209SL.....	190	FC18XE.....	170	FC48XGSL.....	174	FC61XN.....	174
81943PXRSL.....	174	81981P.....	141	FC1211.....	188	FC18XESL.....	170	FC48XJ.....	174	FC61XR.....	174
81944P.....	192	81982P.....	135	FC1211SL.....	190	FC18XG.....	170	FC48XJSL.....	174	FC62.....	199
81944PSL.....	192	81983P.....	143	FC1212.....	188	FC18XGSL.....	170	FC48XN.....	174	FC626.....	153
81945P.....	189	81984P.....	145	FC124.....	127	FC18XJ.....	170	FC48XNSL.....	174	FC62XC.....	173
81945PXC.....	170	81985P.....	150	FC125.....	145	FC18XJSL.....	170	FC48XR.....	174	FC62XE.....	173
81945PXE.....	170	81986PSL.....	141	FC126.....	130	FC18XN.....	170	FC48XRSL.....	174	FC62XG.....	173
81945PXG.....	170	81986SL.....	141	FC127.....	145	FC18XNSL.....	170	FC506.....	148	FC62XJ.....	173
81945PXJ.....	170	F6580.....	157	FC128.....	130	FC18XR.....	170	FC507.....	148	FC62XN.....	173
81945PXN.....	170	FC06575.....	157	FC1289SL.....	192	FC18XRSL.....	170	FC529.....	148	FC62XR.....	173
81945PXR.....	170	FC10.....	199	FC129.....	124	FC198.....	192	FC5425.....	176	FC63.....	190
81946P.....	189	FC100.....	130	FC130.....	132	FC198SL.....	192	FC5425SL.....	177	FC63SL.....	191
81946PSL.....	191	FC1006.....	135	FC131.....	130	FC20042.....	153	FC543.....	148	FC63XC SL.....	170
81946PXC.....	170	FC100SL.....	130	FC131SL.....	130	FC21.....	127	FC545SL.....	148	FC63XESL.....	170
81946PXC SL.....	170	FC101.....	130	FC132.....	199	FC2101.....	189	FC549.....	148	FC63XGSL.....	170
81946PXE.....	170	FC101SL.....	130	FC134.....	203	FC2101.....	189	FC5700.....	180	FC63XJSL.....	170
81946PXESL.....	170	FC1027.....	138	FC138.....	188	FC2101SL.....	191	FC5700SL.....	180	FC63XNSL.....	170
81946PXG.....	170	FC1029.....	143	FC138XC.....	169	FC2102.....	189	FC5700XC.....	166	FC63XRSL.....	170
81946PXGSL.....	170	FC104.....	145	FC138XE.....	169	FC2106.....	189	FC5700XC SL.....	166	FC65.....	190

FC6500.....	157	FC788.....	138	FC81653.....	161	FC8579.....	148	FC906.....	141	FC06185XCSL.....	170
FC6500SL.....	157	FC789.....	199	FC81654.....	160	FC8581.....	148	FC906SL.....	141	FC06185XESL.....	170
FC6532.....	157	FC791.....	164	FC81654SL.....	161	FC8583SL.....	148	FC907.....	141	FC06185XGSL.....	170
FC6534.....	157	FC792.....	138	FC816SL.....	130	FC860.....	203	FC907SL.....	141	FC06185XJSL.....	170
FC6550.....	157	FC794.....	124	FC817.....	132	FC861.....	200	FC908.....	141	FC06185XNSL.....	170
FC6550SL.....	157	FC795.....	143	FC817SL.....	143	FC861XC.....	174	FC909.....	141	FC06185XRSL.....	170
FC6560.....	157	FC796.....	145	FC818SL.....	146	FC861XE.....	174	FC910.....	150	FC06186SL.....	192
FC6565SL.....	158	FC797.....	151	FC82.....	189	FC861XG.....	174	FC910SL.....	151	FC06186XCSL.....	170
FC6570.....	157	FC798.....	154	FC820.....	150	FC861XJ.....	174	FC911.....	150	FC06186XESL.....	170
FC6572.....	157	FC800.....	139	FC821.....	145	FC861XN.....	174	FC911SL.....	151	FC06186XGSL.....	170
FC6576.....	157	FC801.....	124	FC822.....	130	FC861XR.....	174	FC912.....	150	FC06186XJSL.....	170
FC6577.....	157	FC802.....	127	FC828.....	189	FC862.....	202	FC912SL.....	151	FC06186XNSL.....	170
FC6580SL.....	158	FC803.....	199	FC82XC.....	170	FC862203.....	190	FC913.....	151	FC06186XRSL.....	170
FC6582.....	157	FC806.....	164	FC82XE.....	170	FC862203XC.....	170	FC914.....	151	FC06188SL.....	192
FC65XC.....	170	FC807.....	190	FC82XG.....	170	FC862203XE.....	170	FC915.....	151	FC06188XCSL.....	170
FC65XE.....	170	FC807SL.....	139	FC82XJ.....	170	FC862203XG.....	170	FC916.....	151	FC06188XESL.....	170
FC65XG.....	170	FC807XC.....	170	FC82XN.....	170	FC862203XJ.....	170	FC916SL.....	151	FC06188XGSL.....	170
FC65XJ.....	170	FC807XE.....	170	FC82XR.....	170	FC862203XN.....	170	FC917.....	151	FC06188XJSL.....	170
FC65XN.....	170	FC807XG.....	170	FC8310.....	189	FC862203XR.....	170	FC92.....	189	FC06188XNSL.....	170
FC65XR.....	170	FC807XJ.....	170	FC8310SL.....	191	FC86220XC.....	174	FC925.....	177	FC06188XRSL.....	170
FC66.....	163	FC807XN.....	170	FC8311.....	189	FC86220XE.....	174	FC92SL.....	191	FC06189SL.....	192
FC668.....	127	FC807XR.....	170	FC8311SL.....	191	FC86220XG.....	174	FC92XC.....	170	FC06189XCSL.....	170
FC669.....	163	FC808.....	202	FC8313.....	189	FC86220XJ.....	174	FC92XCSL.....	170	FC06189XESL.....	170
FC670.....	199	FC808SL.....	124	FC8313.....	189	FC86220XN.....	174	FC92XE.....	170	FC06189XGSL.....	170
FC678.....	176	FC809.....	202	FC8313SL.....	191	FC86220XR.....	174	FC92XESL.....	170	FC06189XJSL.....	170
FC678SL.....	177	FC80920.....	199	FC8316.....	189	FC86241.....	127	FC92XG.....	170	FC06189XNSL.....	170
FC701SL.....	200	FC809203.....	190	FC8318.....	190	FC86242.....	154	FC92XGSL.....	170	FC06189XRSL.....	170
FC704.....	192	FC809203XC.....	170	FC8319.....	190	FC86243.....	124	FC92XJ.....	170	FC06190SL.....	192
FC707.....	141	FC809203XE.....	170	FC832.....	190	FC86245.....	164	FC92XJSL.....	170	FC06190XCSL.....	170
FC707SL.....	128	FC809203XG.....	170	FC8320.....	190	FC86247.....	151	FC92XN.....	170	FC06190XESL.....	170
FC708.....	199	FC809203XJ.....	170	FC8321.....	190	FC86249.....	146	FC92XNSL.....	170	FC06190XGSL.....	170
FC709.....	154	FC809203XN.....	170	FC8321XC.....	170	FC86252.....	130	FC92XR.....	170	FC06190XJSL.....	170
FC710.....	199	FC809203XR.....	170	FC8321XE.....	170	FC86253.....	133	FC92XRSL.....	170	FC06190XNSL.....	170
FC7125SL.....	191	FC80920XC.....	174	FC8321XG.....	170	FC86254.....	141	FC02000-2C.....	179	FC06190XRSL.....	170
FC713.....	145	FC80920XE.....	174	FC8321XJ.....	170	FC86255.....	136	FC02000-3C.....	179	FC082000-2C.....	179
FC714.....	124	FC80920XG.....	174	FC8321XN.....	170	FC86256.....	139	FC02000-4C.....	179	FC082000-3C.....	179
FC721.....	146	FC80920XJ.....	174	FC8321XR.....	170	FC86257.....	143	FC02000-6C.....	179	FC082000-4C.....	179
FC735.....	151	FC80920XN.....	174	FC8322.....	190	FC86500.....	157	FC02000XC-2C.....	165	FC082000-6C.....	179
FC736.....	136	FC80920XR.....	174	FC8323.....	190	FC86500SL.....	157	FC02000XC-3C.....	165	FC082000XC-2C.....	165
FC745.....	157	FC80941.....	127	FC8324.....	190	FC86533.....	157	FC02000XC-4C.....	166	FC082000XC-3C.....	165
FC752.....	190	FC80942.....	154	FC832XC.....	170	FC86536.....	157	FC02000XC-6C.....	166	FC082000XC-4C.....	166
FC755.....	203	FC80943.....	124	FC832XE.....	170	FC86550.....	157	FC02000XE-2C.....	165	FC082000XC-6C.....	166
FC758.....	138	FC80945.....	164	FC832XG.....	170	FC86550SL.....	157	FC02000XE-3C.....	165	FC082000XE-2C.....	165
FC758SL.....	139	FC80947.....	151	FC832XJ.....	170	FC86560.....	157	FC02000XE-4C.....	166	FC082000XE-3C.....	165
FC761.....	138	FC80949.....	146	FC832XN.....	170	FC86560SL.....	158	FC02000XE-6C.....	166	FC082000XE-4C.....	166
FC761SL.....	139	FC80952.....	130	FC832XR.....	170	FC86570.....	157	FC02000XG-2C.....	165	FC082000XE-6C.....	166
FC763.....	163	FC80953.....	132	FC8529.....	148	FC86580.....	157	FC02000XG-3C.....	165	FC082000XG-2C.....	165
FC764.....	138	FC80954.....	141	FC8545SL.....	148	FC86580SL.....	158	FC02000XG-4C.....	166	FC082000XG-3C.....	165
FC764SL.....	139	FC80955.....	136	FC85700.....	180	FC8675SL.....	191	FC02000XG-6C.....	166	FC082000XG-4C.....	166
FC765.....	123	FC80956.....	139	FC85700XC.....	166	FC8678.....	176	FC02000XJ-2C.....	165	FC082000XG-6C.....	166
FC765SL.....	124	FC80957.....	143	FC85700XE.....	166	FC8678SL.....	177	FC02000XJ-3C.....	165	FC082000XJ-2C.....	165
FC766.....	199	FC809SL.....	151	FC85700XG.....	166	FC8704.....	192	FC02000XJ-4C.....	166	FC082000XJ-3C.....	165
FC766XC.....	173	FC8113SL.....	164	FC85700XJ.....	166	FC8707.....	141	FC02000XJ-6C.....	166	FC082000XJ-4C.....	166
FC766XE.....	173	FC812SL.....	136	FC85700XN.....	166	FC8708.....	199	FC02000XN-2C.....	165	FC082000XJ-6C.....	166
FC766XG.....	173	FC813.....	163	FC85700XR.....	166	FC8721.....	146	FC02000XN-3C.....	165	FC082000XN-2C.....	165
FC766XJ.....	173	FC813SL.....	154	FC8571.....	148	FC8735.....	151	FC02000XN-4C.....	166	FC082000XN-3C.....	165
FC766XN.....	173	FC814.....	127	FC85710.....	180	FC8736.....	136	FC02000XN-6C.....	166	FC082000XN-4C.....	166
FC766XR.....	173	FC8141.....	192	FC85710XC.....	166	FC8745.....	157	FC02000XR-2C.....	165	FC082000XN-6C.....	166
FC768.....	163	FC8144.....	192	FC85710XE.....	166	FC8752.....	190	FC02000XR-3C.....	165	FC082000XR-2C.....	165
FC769.....	138	FC8145.....	192	FC85710XG.....	166	FC8867SL.....	154	FC02000XR-4C.....	166	FC082000XR-3C.....	165
FC770.....	123	FC8145SL.....	192	FC85710XJ.....	166	FC89701.....	153	FC02000XR-6C.....	166	FC082000XR-4C.....	166
FC772.....	127	FC8149.....	153	FC85710XN.....	166	FC8971.....	177	FC03000F-2C.....	191	FC082000XR-6C.....	166
FC773.....	130	FC814SL.....	133	FC85710XR.....	166	FC8972.....	177	FC03000F-3C.....	191	FC083000F-2C.....	191
FC775.....	132	FC815SL.....	141	FC85720.....	180	FC900.....	135	FC03000F-4C.....	191	FC083000F-3C.....	191
FC776.....	141	FC816.....	123	FC85720XC.....	166	FC900SL.....	136	FC03000F-6C.....	191	FC083000F-4C.....	191
FC777.....	135	FC81645.....	161	FC85720XE.....	166	FC901.....	135	FC06184SL.....	192	FC083000F-6C.....	191
FC778.....	143	FC81646.....	160	FC85720XG.....	166	FC901SL.....	136	FC06184XCSL.....	170	FC083000P-2C.....	191
FC779.....	145	FC81646SL.....	161	FC85720XJ.....	166	FC902.....	135	FC06184XESL.....	170	FC083000P-3C.....	191
FC780.....	150	FC81649.....	161	FC85720XN.....	166	FC902SL.....	136	FC06184XGSL.....	170	FC083000P-4C.....	191
FC782.....	138	FC81651.....	160	FC85720XR.....	166	FC903.....	135	FC06184XJSL.....	170	FC083000P-6C.....	191
FC784.....	163	FC81651SL.....	161	FC8572SL.....	148	FC904.....	136	FC06184XNSL.....	170		
FC785.....	138	FC81652.....	160	FC8573SL.....	148	FC905.....	140	FC06184XRSL.....	170		
FC787.....	163	FC81652SL.....	161	FC8574.....	148	FC905SL.....	141	FC06185SL.....	192		

Smooth-Star®

19020T..... 198  
19020T..... 201

19055T.....	131	S118XE.....	174	S141STC.....	202	S2000XGSL.....	168	S210XNSL.....	175	S3000F-3C.....	196
19080T.....	129	S118XG.....	174	S141XC.....	171	S2000XGSL-2C.....	167	S210XRSL.....	175	S3000F-4C.....	196
19200T.....	198	S118XJ.....	174	S141XE.....	171	S2000XGSL-4C.....	167	S211.....	131	S3000F-6C.....	196
19200T.....	201	S118XN.....	174	S141XG.....	171	S2000XJ.....	168	S213.....	141	S308SL.....	195
19210T.....	201	S118XR.....	174	S141XJ.....	171	S2000XJ-2C.....	166	S214.....	146	S308XCSSL.....	171
19220T.....	198	S12.....	131	S141XN.....	171	S2000XJ-3C.....	166	S2150.....	181	S308XESL.....	171
19220T.....	201	S120.....	203	S141XR.....	171	S2000XJ-4C.....	167	S220.....	203	S308XGSL.....	171
19520T.....	131	S1200.....	193	S1442SL.....	155	S2000XJ-6C.....	167	S2200.....	184	S308XJSL.....	171
19720T.....	147	S1200SL.....	195	S150.....	200	S2000XJSL.....	168	S2250.....	181	S308XNSL.....	171
19730T.....	147	S1201.....	193	S150SL.....	201	S2000XJSL-2C.....	167	S236.....	195	S308XRSL.....	171
19740T.....	142	S1201SL.....	195	S151.....	195	S2000XJSL-4C.....	167	S237.....	195	S30XC.....	175
19750T.....	142	S1202.....	193	S151SL.....	196	S2000XN.....	168	S241.....	130	S30XE.....	175
19800T.....	129	S1202SL.....	195	S154.....	141	S2000XN-2C.....	166	S243.....	178	S30XG.....	175
19810T.....	129	S1203.....	193	S154SL.....	142	S2000XN-3C.....	166	S250.....	164	S30XJ.....	175
19820T.....	129	S1204.....	181	S155.....	146	S2000XN-4C.....	167	S250SL.....	165	S30XN.....	175
85901SL.....	144	S1204SL.....	181	S155SL.....	147	S2000XN-6C.....	167	S255.....	195	S30XR.....	175
85919SL.....	144	S1205.....	181	S156.....	154	S2000XNSL.....	168	S256.....	201	S31.....	203
AVRT.....	140	S1205SL.....	181	S160.....	154	S2000XNSL-2C.....	167	S260.....	165	S310.....	124
AXRT.....	162	S1206.....	181	S160SL.....	155	S2000XNSL-4C.....	167	S2610.....	201	S32.....	195
BLHRT.....	129	S1206SL.....	181	S161.....	154	S2000XR.....	168	S2610XC.....	175	S32XC.....	171
BSHRT.....	125	S1207.....	181	S161SL.....	155	S2000XR-2C.....	166	S2610XE.....	175	S32XE.....	171
BSRT.....	125	S1207XC.....	166	S162.....	154	S2000XR-3C.....	166	S2610XG.....	175	S32XG.....	171
CNHRT.....	152	S1207XE.....	166	S163.....	155	S2000XR-4C.....	167	S2610XJ.....	175	S32XJ.....	171
CNRT.....	152	S1207XG.....	166	S1645.....	162	S2000XR-6C.....	167	S2610XN.....	175	S32XN.....	171
DLHRT.....	201	S1207XJ.....	166	S1646.....	161	S2000XRSL.....	168	S2610XR.....	175	S32XR.....	171
FWRT.....	137	S1207XN.....	166	S1646SL.....	162	S2000XRSL-2C.....	167	S262.....	194	S34.....	164
KNRT.....	155	S1207XR.....	166	S1647.....	161	S2000XRSL-4C.....	167	S2620.....	161	S3487SL.....	196
PBRT.....	159	S1208.....	193	S1650.....	162	S20042.....	154	S262XC.....	171	S3487XCSSL.....	171
RSRT.....	149	S1208SL.....	195	S1651.....	161	S2009.....	183	S262XE.....	171	S3487XESL.....	171
S10.....	201	S1209.....	193	S1651SL.....	162	S2009SL.....	183	S262XG.....	171	S3487XGSL.....	171
S100.....	203	S1209SL.....	195	S1652.....	161	S2010.....	181	S262XJ.....	171	S3487XJSL.....	171
S1000.....	152	S1211.....	193	S1652SL.....	162	S2010SL.....	181	S262XN.....	171	S3487XNSL.....	171
S1001.....	155	S1211SL.....	195	S1653.....	161	S2010XC.....	166	S262XR.....	171	S3487XRSL.....	171
S1006.....	136	S1212.....	193	S1654.....	161	S2010XCSSL.....	166	S2630.....	136	S35.....	131
S100SL.....	201	S128.....	193	S1655.....	162	S2010XE.....	166	S263SL.....	196	S369.....	134
S100XCSSL.....	175	S128XC.....	171	S1656.....	161	S2010XESL.....	166	S263XCSSL.....	171	S37.....	152
S100XESL.....	175	S128XE.....	171	S1656SL.....	162	S2010XG.....	166	S263XESL.....	171	S38.....	128
S100XGSL.....	175	S128XG.....	171	S1658.....	161	S2010XGSL.....	166	S263XGSL.....	171	S400.....	152
S100XJSL.....	175	S128XJ.....	171	S1661.....	162	S2010XJ.....	166	S263XJSL.....	171	S4070SL.....	152
S100XNSL.....	175	S128XN.....	171	S17.....	152	S2010XJSL.....	166	S263XNSL.....	171	S41.....	142
S100XRSL.....	175	S128XR.....	171	S198.....	197	S2010XN.....	166	S263XRSL.....	171	S416SL.....	152
S1027.....	139	S130.....	177	S198SL.....	198	S2010XNSL.....	166	S2640.....	158	S42.....	146
S1029.....	143	S130SL.....	178	S20.....	142	S2010XR.....	166	S2650.....	131	S426.....	151
S103.....	164	S131.....	178	S200.....	203	S2010XRSL.....	166	S2660.....	142	S43.....	154
S104.....	200	S132.....	177	S2000.....	184	S205.....	203	S2670.....	149	S430.....	152
S104XC.....	175	S132SL.....	178	S2000-2C.....	182	S2050.....	181	S289.....	200	S430SL.....	152
S104XE.....	175	S137.....	178	S2000-3C.....	182	S206.....	200	S289E.....	164	S450.....	152
S104XG.....	175	S138.....	164	S2000-4C.....	182	S206E.....	164	S289ESL.....	165	S450SL.....	152
S104XJ.....	175	S138SL.....	165	S2000-6C.....	182	S206XC.....	174	S289XC.....	175	S454.....	152
S104XN.....	175	S139.....	130	S2000SL.....	184	S206XE.....	174	S289XE.....	175	S4570SL.....	125
S104XR.....	175	S139SL.....	131	S2000SL-2C.....	183	S206XG.....	174	S289XG.....	175	S4800.....	203
S105.....	201	S140.....	200	S2000SL-4C.....	183	S206XJ.....	174	S289XJ.....	175	S4810.....	184
S108.....	193	S1400.....	197	S2000XC.....	168	S206XN.....	174	S289XN.....	175	S4810SL.....	184
S1089.....	193	S1400SL.....	198	S2000XC-2C.....	166	S206XR.....	174	S289XR.....	175	S4810XC.....	168
S1089SL.....	195	S1401.....	183	S2000XC-3C.....	166	S2070SL.....	165	S291.....	142	S4810XCSSL.....	168
S108XC.....	171	S1402.....	197	S2000XC-4C.....	167	S210.....	203	S291SL.....	142	S4810XE.....	168
S108XE.....	171	S1404.....	197	S2000XC-6C.....	167	S2100.....	184	S292.....	146	S4810XESL.....	168
S108XG.....	171	S1405.....	197	S2000XCSSL.....	168	S2101.....	193	S292SL.....	147	S4810XG.....	168
S108XJ.....	171	S1405SL.....	198	S2000XCSSL-2C.....	167	S2101SL.....	195	S294.....	131	S4810XGSL.....	168
S108XN.....	171	S1406.....	197	S2000XCSSL-4C.....	167	S2102.....	193	S294SL.....	131	S4810XJ.....	168
S108XR.....	171	S1407.....	197	S2000XE.....	168	S2103.....	181	S296.....	201	S4810XJSL.....	168
S11.....	203	S1408.....	197	S2000XE-2C.....	166	S2103SL.....	181	S296XC.....	175	S4810XN.....	168
S1100.....	203	S1409.....	183	S2000XE-3C.....	166	S2104.....	181	S296XE.....	175	S4810XNSL.....	168
S115.....	195	S140STC.....	202	S2000XE-4C.....	167	S2104SL.....	181	S296XG.....	175	S4810XR.....	168
S1170SL.....	195	S140XC.....	174	S2000XE-6C.....	167	S2105.....	181	S296XJ.....	175	S4810XRSL.....	168
S1170XCSSL.....	171	S140XE.....	174	S2000XESL.....	168	S2106.....	193	S296XN.....	175	S4812.....	182
S1170XESL.....	171	S140XG.....	174	S2000XESL-2C.....	167	S2107.....	193	S296XR.....	175	S4812SL.....	183
S1170XGSL.....	171	S140XJ.....	174	S2000XESL-4C.....	167	S2108.....	193	S30.....	200	S4812XC.....	167
S1170XJSL.....	171	S140XN.....	174	S2000XG.....	168	S210SL.....	201	S3000-2C.....	196	S4812XCSSL.....	167
S1170XNSL.....	171	S140XR.....	174	S2000XG-2C.....	166	S210XCSSL.....	175	S3000-3C.....	196	S4812XE.....	167
S1170XRSL.....	171	S141.....	193	S2000XG-3C.....	166	S210XESL.....	175	S3000-4C.....	196	S4812XESL.....	167
S118.....	200	S1411.....	197	S2000XG-4C.....	167	S210XGSL.....	175	S3000-6C.....	196	S4812XG.....	167
S118XC.....	174	S141SL.....	183	S2000XG-6C.....	167	S210XJSL.....	175	S3000F-2C.....	196	S4812XGSL.....	167

S4812XJ.....	167	S5720XJ.....	167	S6036.....	154	S6073.....	144	S6125XNSL.....	172	S8000SL.....	184
S4812XJSL.....	167	S5720XJSL.....	168	S604.....	131	S6073SL.....	144	S6125XRSL.....	172	S8000XC.....	168
S4812XN.....	167	S5720XN.....	167	S6041.....	200	S6074.....	144	S6126SL.....	197	S8000XCSSL.....	168
S4812XNSL.....	167	S5720XNSL.....	168	S6041XC.....	175	S6075.....	144	S6126XCSSL.....	172	S8000XE.....	168
S4812XR.....	167	S5720XR.....	167	S6041XE.....	175	S6076.....	144	S6126XESL.....	172	S8000XESL.....	168
S4812XRSL.....	167	S5720XRSL.....	168	S6041XG.....	175	S6077.....	144	S6126XGSL.....	172	S8000XG.....	168
S4813.....	182	S572SL.....	149	S6041XJ.....	175	S6078.....	144	S6126XJSL.....	172	S8000XGSL.....	168
S4813XC.....	167	S5730.....	183	S6041XN.....	175	S6079.....	144	S6126XNSL.....	172	S8000XJ.....	168
S4813XE.....	167	S573SL.....	149	S6041XR.....	175	S607SL.....	197	S6126XRSL.....	172	S8000XJSL.....	168
S4813XG.....	167	S574.....	148	S6042.....	194	S607XC.....	172	S6127SL.....	140	S8000XN.....	168
S4813XJ.....	167	S575.....	149	S6042XC.....	171	S607XCSSL.....	172	S6128SL.....	178	S8000XNSL.....	168
S4813XN.....	167	S577.....	149	S6042XE.....	171	S607XE.....	172	S6130SL.....	129	S8000XR.....	168
S4813XR.....	167	S579.....	149	S6042XG.....	171	S607XESL.....	172	S6131SL.....	137	S8000XRSL.....	168
S4814.....	183	S581.....	149	S6042XJ.....	171	S607XG.....	172	S6132SL.....	155	S807.....	195
S4814XC.....	167	S583SL.....	149	S6042XN.....	171	S607XGSL.....	172	S6134SL.....	134	S807XC.....	171
S4814XE.....	167	S585.....	149	S6042XR.....	171	S607XJ.....	172	S6135SL.....	144	S807XE.....	171
S4814XG.....	167	S5870SL.....	147	S6043.....	164	S607XJSL.....	172	S626.....	154	S807XG.....	171
S4814XJ.....	167	S600.....	203	S6045.....	131	S607XN.....	172	S63.....	194	S807XJ.....	171
S4814XN.....	167	S6000.....	124	S6046.....	152	S607XNSL.....	172	S6500.....	158	S807XN.....	171
S4814XR.....	167	S6000SL.....	125	S6047.....	128	S607XR.....	172	S6500SL.....	159	S807XR.....	171
S4816.....	183	S6002.....	124	S6049.....	141	S607XRSL.....	172	S6520.....	158	S808.....	193
S4816XC.....	167	S6002SL.....	125	S604SL.....	131	S608.....	197	S6532.....	158	S808SL.....	195
S4816XE.....	167	S6006.....	134	S605.....	196	S6080.....	200	S6534.....	159	S80XC.....	174
S4816XG.....	167	S6006SL.....	134	S6050.....	146	S6081.....	164	S6536.....	158	S80XE.....	174
S4816XJ.....	167	S6008.....	134	S6051.....	134	S6082.....	146	S6550.....	158	S80XG.....	174
S4816XN.....	167	S6008SL.....	134	S6052.....	125	S6084.....	152	S6550SL.....	159	S80XJ.....	174
S4816XR.....	167	S6009.....	134	S6054.....	178	S6085.....	125	S6560.....	158	S80XN.....	174
S506.....	149	S6009SL.....	134	S6055.....	178	S608XC.....	172	S6565.....	158	S80XR.....	174
S507.....	149	S601.....	201	S6056.....	154	S608XE.....	172	S6565SL.....	159	S810.....	203
S508.....	149	S6010.....	134	S605SL.....	197	S608XG.....	172	S6568.....	158	S81000.....	203
S529.....	149	S6011.....	134	S605XC.....	172	S608XJ.....	172	S6570.....	159	S81086SL.....	201
S5425.....	177	S6012.....	134	S605XCSL.....	172	S608XN.....	172	S6572.....	158	S81086XCSSL.....	175
S5425SL.....	178	S6013.....	125	S605XE.....	172	S608XR.....	172	S6575.....	158	S81086XESL.....	175
S543.....	148	S6014.....	134	S605XESL.....	172	S609.....	136	S6576.....	158	S81086XGSL.....	175
S545SL.....	149	S601SL.....	201	S605XG.....	172	S6090.....	151	S6577.....	158	S81086XJSL.....	175
S549.....	149	S601XC.....	175	S605XGSL.....	172	S6091.....	146	S6580.....	158	S81086XNSL.....	175
S5700.....	183	S601XCSSL.....	175	S605XJ.....	172	S6091SL.....	147	S6580SL.....	159	S81086XRSL.....	175
S5700SL.....	183	S601XE.....	175	S605XJSL.....	172	S6092.....	141	S6582.....	158	S811.....	194
S5700XC.....	167	S601XESL.....	175	S605XN.....	172	S6092SL.....	142	S668.....	128	S81100.....	203
S5700XCSSL.....	168	S601XG.....	175	S605XNSL.....	172	S6093.....	141	S669.....	164	S8113SL.....	165
S5700XE.....	167	S601XGSL.....	175	S605XR.....	172	S6094.....	146	S682.....	177	S81186SL.....	195
S5700XESL.....	168	S601XJ.....	175	S605XRSL.....	172	S6095.....	151	S704.....	197	S812.....	164
S5700XG.....	167	S601XJSL.....	175	S606.....	196	S6097.....	194	S707.....	142	S81208.....	193
S5700XGSL.....	168	S601XN.....	175	S6061.....	177	S6100.....	136	S708.....	201	S81208.....	203
S5700XJ.....	167	S601XNSL.....	175	S6062.....	197	S6100SL.....	137	S709.....	154	S81225.....	177
S5700XJSL.....	168	S601XR.....	175	S6062SL.....	198	S6101.....	136	S7125SL.....	196	S813.....	164
S5700XN.....	167	S601XRSL.....	175	S6063.....	193	S6101SL.....	137	S721.....	147	S81300SL.....	165
S5700XNSL.....	168	S602.....	142	S6063STC.....	202	S6102.....	136	S735.....	152	S8132.....	177
S5700XR.....	167	S6021.....	200	S6063XC.....	171	S6102SL.....	137	S736.....	137	S8132SL.....	178
S5700XRSL.....	168	S6021XC.....	174	S6063XE.....	171	S6103.....	136	S745.....	159	S814.....	128
S571.....	148	S6021XE.....	174	S6063XG.....	171	S6104.....	136	S751SL.....	201	S8140.....	200
S5710.....	183	S6021XG.....	174	S6063XJ.....	171	S6105.....	136	S751XCSSL.....	175	S81401.....	183
S5710SL.....	184	S6021XJ.....	174	S6063XN.....	171	S6106.....	136	S751XESL.....	175	S8140STC.....	202
S5710XC.....	167	S6021XN.....	174	S6063XR.....	171	S6107.....	136	S751XGSL.....	175	S8140XC.....	174
S5710XCSSL.....	168	S6021XR.....	174	S606SL.....	197	S6108.....	136	S751XJSL.....	175	S8140XE.....	174
S5710XE.....	167	S6022.....	194	S606XC.....	172	S6111.....	125	S751XNSL.....	175	S8140XG.....	174
S5710XESL.....	168	S6022XC.....	171	S606XCSSL.....	172	S6113.....	128	S751XRSL.....	175	S8140XJ.....	174
S5710XG.....	167	S6022XE.....	171	S606XE.....	172	S6117.....	146	S752.....	195	S8140XN.....	174
S5710XGSL.....	168	S6022XG.....	171	S606XESL.....	172	S6119.....	155	S755.....	203	S8140XR.....	174
S5710XJ.....	167	S6022XJ.....	171	S606XG.....	172	S6121.....	139	S757SL.....	152	S8141.....	197
S5710XJSL.....	168	S6022XN.....	171	S606XGSL.....	172	S6123.....	128	S758SL.....	129	S8144.....	197
S5710XN.....	167	S6022XR.....	171	S606XJ.....	172	S6124SL.....	197	S761SL.....	201	S8145.....	197
S5710XNSL.....	168	S6023.....	164	S606XJSL.....	172	S6124XCSSL.....	172	S767SL.....	152	S8145SL.....	198
S5710XR.....	167	S6025.....	131	S606XN.....	172	S6124XESL.....	172	S768SL.....	129	S8149.....	154
S5710XRSL.....	168	S6026.....	151	S606XNSL.....	172	S6124XGSL.....	172	S770.....	200	S814SL.....	128
S5720.....	183	S6027.....	128	S606XR.....	172	S6124XJSL.....	172	S771.....	125	S815.....	128
S5720SL.....	184	S6029.....	141	S606XRSL.....	172	S6124XNSL.....	172	S773.....	152	S816.....	124
S5720XC.....	167	S602SL.....	142	S607.....	196	S6124XRSL.....	172	S774.....	146	S81645.....	162
S5720XCSSL.....	168	S6030.....	146	S6070.....	143	S6125SL.....	197	S80.....	200	S81646.....	161
S5720XE.....	167	S6031.....	134	S6070SL.....	144	S6125XCSSL.....	172	S8000.....	184	S81646SL.....	162
S5720XESL.....	168	S6032.....	124	S6071.....	143	S6125XESL.....	172	S8000-12.....	181	S81649.....	162
S5720XG.....	167	S6034.....	178	S6071SL.....	144	S6125XGSL.....	172	S8000-18.....	181	S81650.....	162
S5720XGSL.....	168	S6035.....	178	S6072.....	144	S6125XJSL.....	172	S8000-9.....	183	S81651.....	161



S81651SL.....	162	S821.....	146	S82620.....	161	S832.....	195	S84886SL.....	181	S85896SL.....	147
S81652.....	161	S82103.....	181	S82630.....	136	S8320.....	195	S84886XCSL.....	166	S85897.....	136
S81652SL.....	162	S82104.....	181	S82640.....	158	S8321.....	194	S84886XESL.....	166	S85898.....	136
S81653.....	161	S82105.....	181	S82650.....	131	S8321XC.....	171	S84886XGSL.....	166	S85898SL.....	137
S81654.....	161	S82105XC.....	166	S82660.....	142	S8321XE.....	171	S84886XJSL.....	166	S85900.....	139
S81654SL.....	162	S82105XE.....	166	S82670.....	149	S8321XG.....	171	S84886XNSL.....	166	S85900SL.....	140
S817.....	134	S82105XG.....	166	S828.....	193	S8321XJ.....	171	S84886XRSL.....	166	S85901.....	144
S818.....	200	S82105XJ.....	166	S829.....	177	S8321XN.....	171	S8508.....	149	S85902.....	151
S81828.....	193	S82105XN.....	166	S829SL.....	178	S8321XR.....	171	S8529.....	149	S85902SL.....	152
S818XC.....	174	S82105XR.....	166	S82SL.....	195	S8322.....	194	S8545SL.....	149	S85905.....	125
S818XE.....	174	S82106.....	181	S82XC.....	171	S8323.....	194	S85700.....	183	S85906.....	139
S818XG.....	174	S82106XC.....	166	S82XCSL.....	171	S8324.....	194	S85700SL.....	183	S85907.....	128
S818XJ.....	174	S82106XE.....	166	S82XE.....	171	S832XC.....	171	S85700XC.....	167	S85908.....	142
S818XN.....	174	S82106XG.....	166	S82XESL.....	171	S832XE.....	171	S85700XCSL.....	168	S85909.....	146
S818XR.....	174	S82106XJ.....	166	S82XG.....	171	S832XJ.....	171	S85700XE.....	167	S85910SL.....	201
S81929P.....	200	S82106XN.....	166	S82XGSL.....	171	S832XN.....	171	S85700XESL.....	168	S85910XCSL.....	175
S81931P.....	164	S82106XR.....	166	S82XJ.....	171	S832XR.....	171	S85700XG.....	167	S85910XESL.....	175
S81932P.....	139	S82107.....	181	S82XJSL.....	171	S833.....	131	S85700XGSL.....	168	S85910XGSL.....	175
S81933P.....	124	S82107XC.....	166	S82XN.....	171	S833.....	131	S85700XJ.....	167	S85910XJSL.....	175
S81935P.....	128	S82107XE.....	166	S82XNSL.....	171	S834.....	164	S85700XJSL.....	168	S85910XNSL.....	175
S81936P.....	131	S82107XG.....	166	S82XR.....	171	S837.....	152	S85700XN.....	167	S85910XRSL.....	175
S81937P.....	134	S82107XJ.....	166	S82XRSL.....	171	S84.....	164	S85700XNSL.....	168	S85911SL.....	140
S81938P.....	141	S82107XN.....	166	S830.....	200	S84586SL.....	129	S85700XR.....	167	S85912SL.....	125
S81939P.....	136	S82107XR.....	166	S83000-2C.....	196	S84800.....	203	S85700XRSL.....	168	S85914SL.....	129
S81940P.....	144	S82112.....	182	S83000-3C.....	196	S84810.....	184	S8571.....	148	S85915SL.....	131
S81941P.....	146	S82112XC.....	167	S83000-4C.....	196	S84810SL.....	184	S85710.....	183	S85916SL.....	134
S81942P.....	151	S82112XE.....	167	S83000-6C.....	196	S84810XC.....	168	S85710SL.....	184	S85917SL.....	142
S81959PXC.....	174	S82112XG.....	167	S83000F-2C.....	196	S84810XCSL.....	168	S85710XC.....	167	S85918SL.....	137
S81959PXE.....	174	S82112XJ.....	167	S83000F-3C.....	196	S84810XE.....	168	S85710XCSL.....	168	S85920SL.....	152
S81959PXG.....	174	S82112XN.....	167	S83000F-4C.....	196	S84810XESL.....	168	S85710XE.....	167	S85922SL.....	147
S81959PXJ.....	174	S82112XR.....	167	S83000F-6C.....	196	S84810XG.....	168	S85710XESL.....	168	S85924SL.....	197
S81959PXN.....	174	S82113.....	182	S830XC.....	175	S84810XGSL.....	168	S85710XG.....	167	S85925SL.....	197
S81959PXR.....	174	S82113XC.....	167	S830XE.....	175	S84810XJ.....	168	S85710XGSL.....	168	S85926SL.....	197
S81983.....	144	S82113XE.....	167	S830XG.....	175	S84810XJSL.....	168	S85710XJ.....	167	S85927SL.....	125
S82.....	193	S82113XG.....	167	S830XJ.....	175	S84810XN.....	168	S85710XJSL.....	168	S85928SL.....	178
S820.....	151	S82113XJ.....	167	S830XN.....	175	S84810XNSL.....	168	S85710XN.....	167	S85930SL.....	152
S8200.....	203	S82113XN.....	167	S830XR.....	175	S84810XR.....	168	S85710XNSL.....	168	S85931SL.....	134
S82000-2C.....	182	S82113XR.....	167	S8310.....	194	S84810XRSL.....	168	S85710XR.....	167	S85932SL.....	142
S82000-3C.....	182	S82114.....	182	S8310SL.....	195	S84812.....	182	S85710XRSL.....	168	S85934SL.....	147
S82000-4C.....	182	S82114XC.....	167	S8311.....	193	S84812SL.....	183	S85720.....	183	S8600.....	203
S82000-6C.....	182	S82114XE.....	167	S8311SL.....	195	S84812XC.....	167	S85720SL.....	184	S8600XC.....	175
S82000XC-2C.....	166	S82114XG.....	167	S83120.....	201	S84812XCSL.....	167	S85720XC.....	167	S8600XE.....	175
S82000XC-3C.....	166	S82114XJ.....	167	S831203.....	195	S84812XE.....	167	S85720XCSL.....	168	S8600XG.....	175
S82000XC-4C.....	167	S82114XN.....	167	S831203XC.....	171	S84812XESL.....	167	S85720XE.....	167	S8600XJ.....	175
S82000XC-6C.....	167	S82114XR.....	167	S831203XE.....	171	S84812XG.....	167	S85720XESL.....	168	S8600XN.....	175
S82000XE-2C.....	166	S82116.....	182	S831203XG.....	171	S84812XGSL.....	167	S85720XG.....	167	S8600XR.....	175
S82000XE-3C.....	166	S82116XC.....	167	S831203XJ.....	171	S84812XJ.....	167	S85720XGSL.....	168	S8601.....	201
S82000XE-4C.....	167	S82116XE.....	167	S831203XN.....	171	S84812XJSL.....	167	S85720XJ.....	167	S8601SL.....	201
S82000XE-6C.....	167	S82116XG.....	167	S831203XR.....	171	S84812XN.....	167	S85720XJSL.....	168	S8601XCSL.....	175
S82000XG-2C.....	166	S82116XJ.....	167	S83120XC.....	175	S84812XNSL.....	167	S85720XN.....	167	S8601XESL.....	175
S82000XG-3C.....	166	S82116XN.....	167	S83120XE.....	175	S84812XR.....	167	S85720XNSL.....	168	S8601XGSL.....	175
S82000XG-4C.....	167	S82116XR.....	167	S83120XG.....	175	S84812XRSL.....	167	S85720XR.....	167	S8601XJSL.....	175
S82000XG-6C.....	167	S82200.....	184	S83120XJ.....	175	S84813.....	182	S85720XRSL.....	168	S8601XNSL.....	175
S82000XJ-2C.....	166	S82200XC.....	168	S83120XN.....	175	S84813XC.....	167	S8572SL.....	149	S8601XRSL.....	175
S82000XJ-3C.....	166	S82200XE.....	168	S83120XR.....	175	S84813XE.....	167	S85730.....	183	S8602.....	142
S82000XJ-4C.....	167	S82200XG.....	168	S8313.....	193	S84813XG.....	167	S85730XC.....	167	S8602SL.....	142
S82000XJ-6C.....	167	S82200XJ.....	168	S8313SL.....	195	S84813XJ.....	167	S85730XE.....	167	S8604.....	131
S82000XN-2C.....	166	S82200XN.....	168	S83141.....	128	S84813XN.....	167	S85730XG.....	167	S8605SL.....	197
S82000XN-3C.....	166	S82200XR.....	168	S83142.....	155	S84813XR.....	167	S85730XJ.....	167	S8605XC.....	172
S82000XN-4C.....	167	S82250.....	181	S83143.....	125	S84814.....	183	S85730XN.....	167	S8605XE.....	172
S82000XN-6C.....	167	S822XC.....	171	S83145.....	165	S84814XC.....	167	S85730XR.....	167	S8605XG.....	172
S82000XR-2C.....	166	S822XE.....	171	S83147.....	152	S84814XE.....	167	S8573SL.....	149	S8605XJ.....	172
S82000XR-3C.....	166	S822XG.....	171	S83149.....	146	S84814XG.....	167	S8574.....	148	S8605XN.....	172
S82000XR-4C.....	167	S822XJ.....	171	S83152.....	131	S84814XJ.....	167	S8579.....	149	S8605XR.....	172
S82000XR-6C.....	167	S822XN.....	171	S83153.....	134	S84814XN.....	167	S8581.....	149	S8606.....	196
S8201.....	203	S822XR.....	171	S83154.....	142	S84814XR.....	167	S8583SL.....	149	S8606SL.....	197
S8202.....	196	S82610.....	201	S83155.....	137	S84816.....	183	S85892.....	124	S8606XC.....	172
S8202SL.....	197	S82610XC.....	175	S83156.....	140	S84816XC.....	167	S85892SL.....	125	S8606XE.....	172
S8203.....	196	S82610XE.....	175	S83157.....	144	S84816XE.....	167	S85893.....	134	S8606XG.....	172
S8204.....	196	S82610XG.....	175	S8316.....	193	S84816XG.....	167	S85893SL.....	134	S8606XJ.....	172
S8204SL.....	197	S82610XJ.....	175	S8317.....	195	S84816XJ.....	167	S85895.....	151	S8606XN.....	172
S8205.....	196	S82610XN.....	175	S8318.....	194	S84816XN.....	167	S85895SL.....	152	S8606XR.....	172
S8207SL.....	197	S82610XR.....	175	S8319.....	194	S84816XR.....	167	S85896.....	146	S8607.....	196

S8607SL.....	197	S888SL.....	129	S9354.....	142
S8607XC.....	172	S891.....	141	S9355.....	136
S8607XE.....	172	S891SL.....	142	S9356.....	139
S8607XG.....	172	S892.....	146	S9357.....	144
S8607XJ.....	172	S892SL.....	147	S936.....	128
S8607XN.....	172	S893.....	134	S94.....	164
S8607XR.....	172	S894.....	124	S95.....	131
S8608.....	197	S894SL.....	125	S950.....	128
S8608XC.....	172	S895.....	134	S950SL.....	129
S8608XE.....	172	S895SL.....	134	S960.....	203
S8608XG.....	172	S896.....	201	S962.....	139
S8608XJ.....	172	S896XC.....	175	S962SL.....	140
S8608XN.....	172	S896XE.....	175	S964.....	139
S8608XR.....	172	S896XG.....	175	S964SL.....	140
S8609.....	136	S896XJ.....	175	S966.....	139
S86500.....	158	S896XN.....	175	S968.....	139
S86500SL.....	159	S896XR.....	175	S97.....	151
S86520.....	158	S897.....	203	S970.....	139
S86533.....	159	S89701.....	154	S971.....	178
S86536.....	158	S8971.....	178	S972.....	125
S86550.....	158	S8972.....	178	S973.....	134
S86550SL.....	159	S898.....	197	S975.....	124
S86560.....	158	S898SL.....	198	S975SL.....	125
S86560SL.....	159	S90.....	200	S976.....	139
S86570.....	159	S902.....	154	S976SL.....	140
S86580.....	158	S902SL.....	155	S977.....	128
S86580SL.....	159	S90SL.....	184	S979.....	124
S8675SL.....	196	S90XC.....	174	S980.....	139
S867SL.....	155	S90XE.....	174	S981.....	128
S8682.....	177	S90XG.....	174	S982.....	141
S8682SL.....	178	S90XJ.....	174	S983.....	146
S8704.....	197	S90XN.....	174	S985.....	139
S8707.....	142	S90XR.....	174	S988.....	139
S8708.....	201	S91.....	131	S989.....	164
S8721.....	147	S916.....	128	S991.....	139
S8735.....	152	S916SL.....	128	S992.....	201
S8736.....	137	S91SL.....	131	S994.....	164
S8745.....	159	S92.....	194	S995.....	139
S8752.....	195	S9212.....	151	S997.....	125
S880.....	200	S925.....	178	S998.....	144
S880SL.....	201	S926.....	128	S999.....	146
S880XC.....	174	S92SL.....	181	SART.....	134
S880XCSL.....	175	S92XC.....	171	WLHRT.....	147
S880XE.....	174	S92XE.....	171		
S880XESL.....	175	S92XG.....	171		
S880XG.....	174	S92XJ.....	171		
S880XGSL.....	175	S92XN.....	171		
S880XJ.....	174	S92XR.....	171		
S880XJSL.....	175	S93.....	203		
S880XN.....	174	S930.....	128		
S880XNSL.....	175	S930SL.....	129		
S880XR.....	174	S9320.....	201		
S880XRSL.....	175	S93203.....	195		
S881.....	194	S93203XC.....	171		
S881SL.....	196	S93203XE.....	171		
S881XC.....	171	S93203XG.....	171		
S881XCSL.....	171	S93203XJ.....	171		
S881XE.....	171	S93203XN.....	171		
S881XESL.....	171	S93203XR.....	171		
S881XG.....	171	S9320XC.....	175		
S881XGSL.....	171	S9320XE.....	175		
S881XJ.....	171	S9320XG.....	175		
S881XJSL.....	171	S9320XJ.....	175		
S881XN.....	171	S9320XN.....	175		
S881XNSL.....	171	S9320XR.....	175		
S881XR.....	171	S9341.....	128		
S881XRSL.....	171	S9342.....	155		
S882.....	194	S9343.....	125		
S884.....	164	S9345.....	165		
S884SL.....	165	S9347.....	152		
S887.....	131	S9349.....	146		
S887SL.....	131	S9352.....	131		
S888.....	128	S9353.....	134		

## Profiles™

100.....	223	1045HD.....	213	1408HD.....	221
104.....	222	1047HD.....	212	1411HD.....	222
105.....	222	1048HD.....	213	150HD.....	222
108.....	220	104XC.....	219	150SLHD.....	223
118.....	222	104XE.....	219	151HD.....	220
128.....	220	104XG.....	219	151SLHD.....	221
130.....	219	104XJ.....	219	153HD.....	222
131.....	219	104XN.....	219	154HD.....	221
137.....	220	104XR.....	219	1643HD.....	217
138.....	218	1055HD.....	210	1643SLHD.....	217
139.....	210	1089SLHD.....	221	1644HD.....	217
198.....	221	108XC.....	218	1644SLHD.....	217
310.....	209	108XE.....	218	1651HD.....	217
369.....	211	108XG.....	218	1651SL.....	217
571.....	214	108XJ.....	218	1657HD.....	217
610.....	213	108XN.....	218	1657SLHD.....	217
620.....	214	108XR.....	218	1659HD.....	217
626.....	216	1101HD.....	222	1660HD.....	217
916.....	209	1101XCHD.....	219	1662HD.....	217
1006.....	211	1101XEHD.....	219	19020T.....	222
1027.....	212	1101XGHD.....	219	19020T.....	223
1028.....	215	1101XJHD.....	219	19055T.....	210
1029.....	213	1101XNHD.....	219	19080T.....	210
1200.....	220	1101XRHD.....	219	19200T.....	222
1201.....	220	1102HD.....	220	19200T.....	223
1202.....	220	1107HD.....	212	19210T.....	223
1203.....	220	1110HD.....	218	19220T.....	222
5425.....	219	1111HD.....	213	19220T.....	223
03142HD.....	216	1112HD.....	213	19520T.....	210
1001HD.....	209	1113HD.....	216	19720T.....	214
1002HD.....	211	1114HD.....	210	19730T.....	214
1004HD.....	220	1115HD.....	211	19740T.....	213
1005HD.....	223	1116HD.....	211	19750T.....	213
1006SL.....	212	1117HD.....	209	19800T.....	210
1007HD.....	211	1118HD.....	215	19810T.....	210
1007SLHD.....	212	1119HD.....	209	19820T.....	210
1008HD.....	211	1120HD.....	214	198SL.....	222
1009HD.....	211	1121HD.....	219	203HD.....	223
1009SLHD.....	212	1122HD.....	220	205HD.....	223
100SL.....	223	1123HD.....	220	206EHD.....	218
100XCSL.....	219	1123HDXC.....	218	206HD.....	222
100XESL.....	219	1123HDXE.....	218	206HDXC.....	219
100XGSL.....	219	1123HDYG.....	218	206HDXE.....	219
100XJSL.....	219	1123HDXJ.....	218	206HDXG.....	219
100XNSL.....	219	1123HDXN.....	218	206HDXJ.....	219
100XRSL.....	219	1123HDXR.....	218	206HDXN.....	219
1011HD.....	211	115HD.....	221	206HDXR.....	219
1020HD.....	222	118XC.....	219	2109HD.....	220
1021HD.....	218	118XE.....	219	210HD.....	223
1022HD.....	214	118XG.....	219	210SLHD.....	223
1024HD.....	215	118XJ.....	219	210SLHDXC.....	219
1025HD.....	209	118XN.....	219	210SLHDXE.....	219
1027SL.....	212	118XR.....	219	210SLHDXG.....	219
1029SL.....	213	1200SL.....	221	210SLHDXJ.....	219
1031HD.....	212	1201SL.....	221	210SLHDXN.....	219
1031SLHD.....	212	1202SL.....	221	210SLHDXR.....	219
1032HD.....	213	128XC.....	218	2110HD.....	220
1032SLHD.....	213	128XE.....	218	2111HD.....	220
1034HD.....	212	128XG.....	218	211HD.....	210
1035HD.....	213	128XJ.....	218	236HD.....	221
1037HD.....	209	128XN.....	218	237HD.....	221
1037SLHD.....	209	128XR.....	218	243HD.....	220
1038SLHD.....	212	130SL.....	219	250HD.....	218
1039HD.....	213	132HD.....	219	250SLHD.....	218
1039SLHD.....	213	132SLHD.....	219	253HD.....	218
103HD.....	218	138HD.....	212	255HD.....	221
1040HD.....	213	138SL.....	218	256HD.....	222
1040SLHD.....	213	139SL.....	210	260HD.....	218
1041HD.....	214	1400SLHD.....	222	262HD.....	220
1041SLHD.....	214	1403HD.....	221	262HDXC.....	218
1042HD.....	209	1405HD.....	222	262HDXE.....	218
1044HD.....	212	1405SLHD.....	222	262HDXG.....	218
		1406HD.....	222	262HDXJ.....	218

262HDXN.....	218	610SL.....	213	961HDXJ.....	218	100XGSL.....	225	86186SL.....	227	TS236.....	226
262HDXR.....	218	613HD.....	213	961HDXN.....	218	100XJSL.....	225	896XC.....	224	TS237.....	226
263HD.....	221	615HD.....	213	961HDXR.....	218	100XNSL.....	225	896XE.....	224	TS243.....	225
263HDXC.....	218	615SLHD.....	213	963HD.....	218	100XRSL.....	225	896XG.....	224	TS255.....	226
263HDXE.....	218	6184SL.....	221	965HD.....	210	1200SL.....	226	896XJ.....	224	TS256.....	228
263HDXG.....	218	6185SL.....	221	965SLHD.....	210	1201SL.....	226	896XN.....	224	TS262.....	226
263HDXJ.....	218	6186SL.....	221	966SLHD.....	216	1202SL.....	226	896XR.....	224	TS262XC.....	224
263HDXN.....	218	620SL.....	214	967HD.....	215	130SL.....	225	TS100.....	229	TS262XE.....	224
263HDXR.....	218	623HD.....	214	967SLHD.....	215	19020T.....	228	TS104.....	228	TS262XG.....	224
263SLHD.....	221	625HD.....	214	968HD.....	211	19200T.....	228	TS104XC.....	224	TS262XJ.....	224
263SLHDXC.....	218	625SLHD.....	214	969HD.....	223	19210T.....	228	TS104XE.....	224	TS262XN.....	224
263SLHDXE.....	218	626SL.....	216	970SLHD.....	223	19220T.....	228	TS104XG.....	224	TS262XR.....	224
263SLHDXG.....	218	627HD.....	216	971SLHD.....	211	198SL.....	227	TS104XJ.....	224	TS263.....	226
263SLHDXJ.....	218	628HD.....	216	975SLHD.....	210	6184SL.....	227	TS104XN.....	224	TS263SL.....	227
263SLHDXN.....	218	628SLHD.....	216	977SLHD.....	215	6184XCSSL.....	224	TS104XR.....	224	TS263XC.....	224
263SLHDXR.....	218	630HD.....	216	978HD.....	223	6184XESL.....	224	TS105.....	228	TS263XCSSL.....	224
289EHD.....	218	631HD.....	216	980HD.....	222	6184XGSL.....	224	TS108.....	226	TS263XE.....	224
289ESLHD.....	218	632SL.....	221	980HDXC.....	219	6184XJSL.....	224	TS108XC.....	224	TS263XESL.....	224
289HD.....	222	6500HD.....	216	980HDXE.....	219	6184XNSL.....	224	TS108XE.....	224	TS263XG.....	224
289HDXC.....	219	6500SL.....	217	980HDXG.....	219	6184XRSL.....	224	TS108XG.....	224	TS263XGSL.....	224
289HDXE.....	219	6560HD.....	216	980HDXJ.....	219	6185SL.....	227	TS108XJ.....	224	TS263XJ.....	224
289HDXG.....	219	6565HD.....	216	980HDXN.....	219	6185XCSSL.....	224	TS108XN.....	224	TS263XJSL.....	224
289HDXJ.....	219	6565SLHD.....	217	980HDXR.....	219	6185XESL.....	224	TS108XR.....	224	TS263XN.....	224
289HDXN.....	219	6568HD.....	216	982HD.....	220	6185XGSL.....	224	TS115.....	226	TS263XNSL.....	224
289HDXR.....	219	6570HD.....	217	982HDXC.....	218	6185XJSL.....	224	TS118.....	228	TS263XR.....	224
294HD.....	210	6570SLHD.....	217	982HDXE.....	218	6185XNSL.....	224	TS118XC.....	224	TS263XRSL.....	224
294SLHD.....	210	6572HD.....	216	982HDXG.....	218	6185XRSL.....	224	TS118XE.....	224	TS289.....	228
296HD.....	222	6578HD.....	216	982HDXJ.....	218	6186SL.....	227	TS118XG.....	224	TS289XC.....	224
296HDXC.....	219	6580SLHD.....	217	982HDXN.....	218	6186XCSSL.....	224	TS118XJ.....	224	TS289XE.....	224
296HDXE.....	219	6582HD.....	216	982HDXR.....	218	6186XESL.....	224	TS118XN.....	224	TS289XG.....	224
296HDXG.....	219	6720HDXCSSL.....	218	984HD.....	219	6186XGSL.....	224	TS118XR.....	224	TS289XJ.....	224
296HDXJ.....	219	6720HDXESL.....	218	985HD.....	218	6186XJSL.....	224	TS1200.....	226	TS289XN.....	224
296HDXN.....	219	6720HDXGSL.....	218	988HD.....	213	6186XNSL.....	224	TS1201.....	226	TS289XR.....	224
296HDXR.....	219	6720HDXJSL.....	218	989HD.....	214	6186XRSL.....	224	TS1202.....	226	TS290.....	229
296SLHD.....	223	6720HDXNSL.....	218	991HD.....	209	632SL.....	227	TS1203.....	226	TS296.....	228
296SLHDXC.....	219	6720HDXRSL.....	218	996HD.....	210	632XCSSL.....	224	TS128.....	226	TS296SL.....	228
296SLHDXE.....	219	6720SLHD.....	221	999HD.....	215	632XESL.....	224	TS128XC.....	224	TS296XC.....	224
296SLHDXG.....	219	704HD.....	222	AVRT.....	212	632XGSL.....	224	TS128XE.....	224	TS296XCSSL.....	225
296SLHDXJ.....	219	707HD.....	213	AXRT.....	217	632XJSL.....	224	TS128XG.....	224	TS296XE.....	224
296SLHDXN.....	219	708HD.....	222	BLHRT.....	210	632XNSL.....	224	TS128XJ.....	224	TS296XESL.....	225
296SLHDXR.....	219	721HD.....	214	BSHRT.....	209	632XRSL.....	224	TS128XN.....	224	TS296XG.....	224
3000-2C.....	221	735HD.....	215	BSRT.....	209	818SL.....	228	TS128XR.....	224	TS296XGSL.....	225
3000-3C.....	221	736HD.....	212	CNHR.....	215	818XC.....	224	TS130.....	225	TS296XJ.....	224
3000-4C.....	221	745HD.....	217	CNRT.....	215	818XCSSL.....	225	TS131.....	225	TS296XJSL.....	225
3000-6C.....	221	752HD.....	221	FWRT.....	212	818XE.....	224	TS132.....	225	TS296XN.....	224
309HD.....	209	916SL.....	210	KNRT.....	216	818XESL.....	225	TS132SL.....	225	TS296XNSL.....	225
310SL.....	209	926HD.....	209	PBRT.....	217	818XG.....	224	TS137.....	225	TS296XR.....	224
311HD.....	209	930HD.....	209	RSRT.....	214	818XGSL.....	225	TS1405SL.....	227	TS296XRSL.....	225
311SLHD.....	209	930SLHD.....	210	SART.....	211	818XJ.....	224	TS1408.....	227	TS3000-2C.....	227
369SL.....	211	936HD.....	210	TS572SL.....	214	818XJSL.....	225	TS1411.....	227	TS3000-3C.....	227
371HD.....	211	936SLHD.....	210	WLHRT.....	214	818XN.....	224	TS150.....	228	TS3000-6C.....	227
371SLHD.....	211	950HD.....	209			818XNSL.....	225	TS150SL.....	228	TS704.....	227
372HD.....	211	950SLHD.....	210			818XR.....	224	TS151.....	226	TS708.....	228
374HD.....	211	953HD.....	209			818XRSL.....	225	TS151SL.....	227	TS752.....	226
400HD.....	215	956SLHD.....	210			8206XC.....	224	TS153.....	228	TS83000-4C.....	227
416SL.....	215	959HD.....	222			8206XE.....	224	TS154.....	226		
426HD.....	215	959HDXC.....	219			8206XG.....	224	TS198.....	227		
430HD.....	215	959HDXCSSL.....	219			8206XJ.....	224	TS206.....	228		
430SLHD.....	215	959HDXE.....	219			8206XN.....	224	TS206XC.....	224		
450HD.....	215	959HDXG.....	219			8206XR.....	224	TS206XE.....	224		
450SLHD.....	215	959HDXGSL.....	219			828SL.....	227	TS206XG.....	224		
453HD.....	215	959HDXJ.....	219			829SL.....	225	TS206XJ.....	224		
454HD.....	215	959HDXJSL.....	219			83000-2C.....	227	TS206XN.....	224		
4572SLHD.....	221	959HDXN.....	219			83000-3C.....	227	TS206XR.....	224		
5425SL.....	219	959HDXNSL.....	219			83000-4C.....	227	TS210.....	229		
544HD.....	214	959HDXR.....	219			83000-6C.....	227	TS210SL.....	228		
546SLHD.....	214	959HDXRSL.....	219			8321XC.....	224	TS210XCSSL.....	225		
576HD.....	214	959HDXSL.....	219			8321XE.....	224	TS210XESL.....	225		
578HD.....	214	959SLHD.....	223			8321XG.....	224	TS210XGSL.....	225		
582HD.....	214	961HD.....	220			8321XJ.....	224	TS210XJSL.....	225		
584SLHD.....	214	961HDXC.....	218			8321XN.....	224	TS210XNSL.....	225		
588HD.....	214	961HDXE.....	218			8321XR.....	224	TS210XRSL.....	225		
6023HD.....	220	961HDXG.....	218			86184SL.....	227	TS214.....	229		

## Traditions

800.....	229
808.....	226
810.....	229
818.....	228
828.....	226
829.....	225
896.....	228
8132.....	225
8145.....	227
8206.....	228
8317.....	226
8321.....	226
8322.....	226
8323.....	226
8324.....	226
8704.....	227
8708.....	228
8752.....	226
100SL.....	228
100XCSSL.....	225
100XESL.....	225

## Fire

**Classic-Craft.  
Mahogany  
Collection.**

CCMF060 .....	231
CCMF701 .....	231
CCMF890 .....	231

**Classic-Craft.  
Rustic Collection.**

CCRF040 .....	232
CCRF040F .....	232
CCRF200 .....	232
CCRF200A .....	232
CCRF205 .....	232
CCRF205A .....	232
CCRF8005 .....	232
CCRF8005A .....	232
CCRF8040 .....	232
CCRF8040F .....	232
CCRF8200 .....	232
CCRF8200A .....	232
CCRF8205 .....	232
CCRF8205A .....	232
CCRF8220 .....	232
CCRF8220R .....	232
CCRF8222 .....	232
CCRF8225 .....	232
CCRF8225R .....	232

**Classic-Craft.  
Oak Collection.**

CCF060 .....	232
CCF810 .....	232
CCF831 .....	232
CCF91 .....	232

**Classic-Craft.  
Canvas Collection.**

CCVF050 .....	233
CCVF060 .....	233
CCVF200 .....	233
CCVF205 .....	232
CCVF205A .....	232
CCVF220 .....	233
CCVF400 .....	232
CCVF455 .....	233
CCVF455A .....	233
CCVF8060 .....	233
CCVF8205 .....	232
CCVF8205A .....	232
CCVF8220 .....	233
CCVF831 .....	233

**Fiber-Classic.  
Mahogany  
Collection.**

FMF100 .....	233
FMF134 .....	233
FMF205 .....	233
FMF220 .....	233
FMF31 .....	233
FMF60 .....	233
FMF600 .....	233
FMF755 .....	233
FMF8100 .....	233
FMF860 .....	233

**Fiber-Classic.  
Oak Collection.**

FCF100 .....	233
FCF134 .....	233
FCF160 .....	233
FCF31 .....	233
FCF755 .....	233
FCF808 .....	233
FCF809 .....	233

FCF8100 .....	233
FCF8160 .....	233
FCF862 .....	233

**Smooth-Star.**

SSF100 .....	234
SSF11 .....	234
SSF1100 .....	234
SSF120 .....	234
SSF160 .....	234
SSF200 .....	234
SSF205 .....	234
SSF220 .....	234
SSF31 .....	234
SSF4800 .....	234
SSF600 .....	234
SSF755 .....	234
SSF8100 .....	234
SSF81100 .....	234
SSF8120 .....	234
SSF8160 .....	234
SSF8200 .....	234
SSF8205 .....	234
SSF8220 .....	234
SSF831 .....	234
SSF84800 .....	234
SSF8600 .....	234
SSF93 .....	234
SSF960 .....	234

**Profiles.**

100 .....	235
1005HD .....	235
203HD .....	235
205HD .....	235
210HD .....	235
969HD .....	235
978HD .....	235

**Traditions**

TS100 .....	235
TS210 .....	235
TS214 .....	235
TS290 .....	235

**Steel Edge**

SE100 .....	231
SE1005HD .....	231
SE210HD .....	231
SE514 .....	231
SE969HD .....	231
SE978HD .....	231

## Pulse®

**Ari**

S2AX .....	240
S2CL .....	240
S2PB .....	240
S2RS .....	240
S2SG .....	240
S2SN .....	240
S2XC .....	240
S2XE .....	240
S2XG .....	240
S2XJ .....	240
S2XN .....	240
S2XR .....	240
S83AX .....	240
S83CL .....	240
S83PB .....	240
S83RS .....	240
S83SG .....	240
S83SN .....	240
S83XC .....	240
S83XE .....	240
S83XG .....	240
S83XJ .....	240
S83XN .....	240
S83XR .....	240

**Línea**

S1AV .....	241
S1AX .....	242
S1BL .....	240
S1BS .....	240
S1CL .....	242
S1LAV .....	241
S1LAX .....	242
S1LBL .....	240
S1LBS .....	240
S1LCL .....	242
S1LPB .....	242
S1LRS .....	241
S1LSA .....	241
S1LSG .....	241
S1LSN .....	241
S1LXC .....	242
S1LXE .....	242
S1LXG .....	242
S1LXJ .....	242
S1LXN .....	242
S1LXR .....	242
S1PB .....	242
S1RAV .....	241
S1RAX .....	242
S1RBL .....	241
S1RBS .....	240
S1RCL .....	242
S1RPB .....	242
S1RRS .....	242
S1RS .....	241
S1RSA .....	241
S1RSG .....	241
S1RSN .....	241
S1RXC .....	242
S1RXE .....	242
S1RXG .....	242
S1RXJ .....	242
S1RXN .....	242
S1RXR .....	242
S1SA .....	241
S1SG .....	241
S1SN .....	241
S1XC .....	242
S1XE .....	242
S1XG .....	242
S1XJ .....	242
S1XN .....	242

S1XR .....	242
S81AX .....	242
S81BL .....	240
S81BS .....	240
S81CL .....	242
S81LAX .....	242
S81LBL .....	240
S81LBS .....	240
S81LCL .....	242
S81LPB .....	242
S81LRS .....	241
S81LSA .....	241
S81LSG .....	241
S81LXC .....	242
S81LXE .....	242
S81LXG .....	242
S81LXJ .....	242
S81LXN .....	242
S81LXR .....	242
S81PB .....	242
S81RAX .....	242
S81RBL .....	241
S81RBS .....	240
S81RCL .....	242
S81RPB .....	242
S81RRS .....	242
S81RS .....	241
S81RSA .....	241
S81RSG .....	241
S81RXC .....	242
S81RXE .....	242
S81RXG .....	242
S81RXJ .....	242
S81RXN .....	242
S81RXR .....	242
S81RRS .....	242
S81RS .....	241
S81RSA .....	241
S81RSG .....	241
S81XC .....	242
S81XE .....	242
S81XG .....	242
S81XJ .....	242
S81XN .....	242
S81XR .....	242

**Echo**

S4AX .....	245
S4BL .....	242
S4CL .....	246
S4LAX .....	245
S4LBL .....	242
S4LCL .....	246
S4LPB .....	244
S4LXC .....	246
S4LXE .....	246
S4LXG .....	246
S4LXJ .....	246
S4LXN .....	246
S4LXR .....	246
S4PB .....	244
S4RAX .....	245
S4RBL .....	242
S4RCL .....	246
S4RPB .....	244
S4RXC .....	246
S4RXE .....	246
S4RXG .....	246
S4RXJ .....	246
S4RXN .....	246
S4RXR .....	246
S4SA .....	241
S4SG .....	241
S4SN .....	241
S4XC .....	246
S4XE .....	246
S4XG .....	246
S4XJ .....	246
S4XN .....	246

S4XR .....	246
S5AX .....	245
S5BL .....	243
S5CL .....	247
S5LAX .....	245
S5LBL .....	242
S5LCL .....	246
S5LPB .....	244
S5LXC .....	246
S5LXE .....	246
S5LXG .....	246
S5LXJ .....	246
S5LXN .....	246
S5LXR .....	246
S5PB .....	244
S5RAX .....	245
S5RBL .....	243
S5RCL .....	247
S5RPB .....	244
S5RXC .....	247
S5RXE .....	247
S5RXG .....	247
S5RXJ .....	247
S5RXN .....	247
S5RXR .....	247
S5XC .....	247
S5XE .....	247
S5XG .....	247
S5XJ .....	247
S5XN .....	247
S5XR .....	247
S810AX .....	246
S810BL .....	243
S810CL .....	247
S810LAX .....	246
S810LBL .....	243
S810LCL .....	247
S810LPB .....	245
S810LXC .....	247
S810LXE .....	247
S810LXG .....	247
S810LXJ .....	247
S810LXN .....	247
S810LXR .....	247
S810PB .....	245
S810RAX .....	246
S810RBL .....	243
S810RCL .....	247
S810RPB .....	245
S810RXC .....	247
S810RXE .....	247
S810RXG .....	247
S810RXJ .....	247
S810RXN .....	247
S810RXR .....	247
S810XC .....	247
S810XE .....	247
S810XG .....	247
S810XJ .....	247
S810XN .....	247
S810XR .....	247
S811AX .....	246
S811AX .....	246
S811BL .....	243
S811CL .....	247
S811LAX .....	246
S811LAX .....	246
S811LBL .....	243
S811LCL .....	247
S811LPN .....	245
S811LXC .....	247
S811LXE .....	247
S811LXG .....	247

S811LXJ .....	247
S811LXN .....	247
S811LXR .....	247
S811PB .....	245
S811RAX .....	246
S811RAX .....	246
S811RBL .....	243
S811RCL .....	247
S811RPB .....	245
S811RXC .....	247
S811RXE .....	247
S811RXG .....	247
S811RXJ .....	247
S811RXN .....	247
S811RXR .....	247
S811XC .....	247
S811XE .....	247
S811XG .....	247
S811XJ .....	247
S811XN .....	247
S811XR .....	247
S84AX .....	245
S84BL .....	242
S84CL .....	246
S84LAX .....	245
S84LBL .....	242
S84LCL .....	246
S84LPB .....	244
S84LXC .....	246
S84LXE .....	246
S84LXG .....	246
S84LXJ .....	246
S84LXN .....	246
S84LXR .....	246
S84PB .....	244
S84RAX .....	245
S84RBL .....	242
S84RCL .....	246
S84RPB .....	244
S84RXC .....	246
S84RXE .....	246
S84RXG .....	246
S84RXJ .....	246
S84RXN .....	246
S84RXR .....	246
S84XC .....	246
S84XE .....	246
S84XG .....	246
S84XJ .....	246
S84XN .....	246
S84XR .....	246
S85AX .....	245
S85BL .....	243
S85CL .....	247
S85LAX .....	245
S85LBL .....	242
S85LCL .....	246
S85LPB .....	244
S85LXC .....	246
S85LXE .....	246
S85LXG .....	246
S85LXJ .....	246
S85LXN .....	246
S85LXR .....	246
S85PB .....	244
S85RAX .....	245
S85RBL .....	243
S85RCL .....	247
S85RPB .....	244
S85RXC .....	247
S85RXE .....	247
S85RXG .....	247
S85RXJ .....	247



S85RXN.....	247	S9LCL.....	247	S81086XCSL.....	248
S85RXR.....	247	S9LPB.....	244	S81086XESL.....	248
S85XC.....	247	S9LXC.....	247	S81086XGSL.....	248
S85XE.....	247	S9LXE.....	247	S81086XJSL.....	248
S85XG.....	247	S9LXG.....	247	S81086XNSL.....	248
S85XJ.....	247	S9LXJ.....	247	S81086XRSL.....	248
S85XN.....	247	S9LXN.....	247	S810AXSL.....	249
S85XR.....	247	S9LXR.....	247	S810BLSL.....	248
S86AX.....	245	S9PB.....	244	S810CLSL.....	249
S86BL.....	243	S9RAX.....	246	S810PBSL.....	249
S86CL.....	247	S9RBL.....	243	S810XCSSL.....	249
S86LAX.....	245	S9RCL.....	247	S810XESL.....	249
S86LBL.....	243	S9RPB.....	244	S810XGSL.....	249
S86LCL.....	247	S9RXC.....	247	S810XJSL.....	249
S86LPB.....	244	S9RXE.....	247	S810XNSL.....	249
S86LXC.....	247	S9RXG.....	247	S810XRSL.....	249
S86LXE.....	247	S9RXJ.....	247	S811AXSL.....	249
S86LXG.....	247	S9RXN.....	247	S811BLSL.....	248
S86LXJ.....	247	S9RXR.....	247	S811CLSL.....	249
S86LXN.....	247	S9XC.....	247	S811PBSL.....	249
S86LXR.....	247	S9XE.....	247	S811XCSSL.....	249
S86PB.....	244	S9XG.....	247	S811XESL.....	249
S86RAX.....	245	S9XJ.....	247	S811XGSL.....	249
S86RBL.....	243	S9XN.....	247	S811XJSL.....	249
S86RCL.....	247	S9XR.....	247	S811XNSL.....	249
S86RPB.....	244			S811XRSL.....	249
S86RXC.....	247	<b>Sidelites</b>		S81651SL.....	248
S86RXE.....	247	S10AXSL.....	249	S84586SL.....	248
S86RXG.....	247	S10BLSL.....	248	S84AXSL.....	249
S86RXJ.....	247	S10CLSL.....	249	S84BLSL.....	248
S86RXN.....	247	S10PBSL.....	249	S84CLSL.....	249
S86RXR.....	247	S10XCSSL.....	249	S84PBSL.....	249
S86XC.....	247	S10XESL.....	249	S84XCSSL.....	249
S86XE.....	247	S10XGSL.....	249	S84XESL.....	249
S86XG.....	247	S10XJSL.....	249	S84XGSL.....	249
S86XJ.....	247	S10XNSL.....	249	S84XJSL.....	249
S86XN.....	247	S10XRSL.....	249	S84XNSL.....	249
S86XR.....	247	S1651SL.....	248	S84XRSL.....	249
S8AX.....	246	S4570SL.....	248	S8572SL.....	248
S8BL.....	243	S4AXSL.....	249	S85927SL.....	248
S8CL.....	247	S4BLSL.....	248	S85931SL.....	248
S8LAX.....	246	S4CLSL.....	249	S85932SL.....	248
S8LBL.....	243	S4PBSL.....	249	S85AXSL.....	249
S8LCL.....	247	S4XCSSL.....	249	S85BLSL.....	248
S8LPB.....	244	S4XESL.....	249	S85CLSL.....	249
S8LXC.....	247	S4XGSL.....	249	S85PBSL.....	249
S8LXE.....	247	S4XJSL.....	249	S85XCSSL.....	249
S8LXG.....	247	S4XNSL.....	249	S85XESL.....	249
S8LXJ.....	247	S4XRSL.....	249	S85XGSL.....	249
S8LXN.....	247	S572SL.....	248	S85XJSL.....	249
S8LXR.....	247	S5AXSL.....	249	S85XNSL.....	249
S8PB.....	244	S5BLSL.....	248	S85XRSL.....	249
S8RAX.....	246	S5CLSL.....	249	S86500SL.....	248
S8RBL.....	243	S5PBSL.....	249	S86AXSL.....	249
S8RCL.....	247	S5XCSSL.....	249	S86BLSL.....	248
S8RPB.....	244	S5XESL.....	249	S86CLSL.....	249
S8RXC.....	247	S5XGSL.....	249	S86PBSL.....	249
S8RXE.....	247	S5XJSL.....	249	S86XCSSL.....	249
S8RXG.....	247	S5XNSL.....	249	S86XESL.....	249
S8RXJ.....	247	S5XRSL.....	249	S86XGSL.....	249
S8RXN.....	247	S601SL.....	248	S86XJSL.....	249
S8RXR.....	247	S601XCSSL.....	248	S86XNSL.....	249
S8XC.....	247	S601XESL.....	248	S86XRSL.....	249
S8XE.....	247	S601XGSL.....	248	S9AXSL.....	249
S8XG.....	247	S601XJSL.....	248	S9BLSL.....	248
S8XJ.....	247	S601XNSL.....	248	S9CLSL.....	249
S8XN.....	247	S601XRSL.....	248	S9PBSL.....	249
S8XR.....	247	S6025SL.....	248	S9XCSSL.....	249
S9AX.....	246	S604SL.....	248	S9XESL.....	249
S9BL.....	243	S6127SL.....	248	S9XGSL.....	249
S9CL.....	247	S6130SL.....	248	S9XJSL.....	249
S9LAX.....	246	S6134SL.....	248	S9XNSL.....	249
S9LBL.....	243	S6500SL.....	248	S9XRSL.....	249
		S81086SL.....	248		



Top: Pulse Línea, Sedona Glass with Scrolled Lite Frame, Doors – S1SN  
 Bottom: Pulse Ari, Pembridge Glass with Flat Lite Frame, Door – S83PB



Top Left: Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM609  
 Middle Left: Smooth-Star Door – S1100; Clear Glass with GBGs, Sidelites – S2009SL  
 Bottom: Classic-Craft American Style Collection, Geometric Glass with SDLs, Doors – CCA2300XG



## Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

### Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles. [www.homestyles.thermatru.com](http://www.homestyles.thermatru.com).



### Unlock the Opportunities

Learn about new products and the power of curb appeal, and enter for a chance to win prizes at [www.unlocktheopportunities.com](http://www.unlocktheopportunities.com).

Promotion runs January 8–April 30, 2018.



### National Home Valuation Study

A stylish new Therma-Tru entry door can increase your home's perceived value by 4.2% or \$18,750 on average.\* Learn more and download promotional materials at [www.thermatru.com/curbappeal](http://www.thermatru.com/curbappeal).



### DoorWays™ App

The power to create the perfect entrance is at your fingertips – it's easier than ever to design and visualize entrances at [www.thermatru.com/doorways](http://www.thermatru.com/doorways).




### Consumers Digest Best Buy

Order free, ready-to-use promotional material to promote Classic-Craft and Fiber-Classic in your showroom at [www.thermatru.com/professionals/consumersdigest](http://www.thermatru.com/professionals/consumersdigest).



### Trade Professionals Online

Find and everything from selling tools and training materials to technical information at [www.thermatru.com/professionals](http://www.thermatru.com/professionals).



\*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, and independent provider of Internet-based research.

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android and Google Play are trademarks of Google, Inc.



Download our DoorWays™ App and visualize the perfect entry for any home and style.



[thermatru.com](http://thermatru.com)

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle

Maumee, OH 43537



Cover: Classic-Craft American Style Collection, Geometric Glass with SDLs, Door – CCA2300XG, Sidelites – CCA2400XGSL

©2018 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit [ConsumersDigest.com](http://ConsumersDigest.com). ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2018 HESB / JAN 2018